

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION  
NOTICE TO CONTRACTORS  
For November 13, 2024

Letting Location:  
SCDOT Headquarters Building  
Conference Room 331  
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 13, 2024 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website ([www.bidx.com](http://www.bidx.com))
- Construction Standards can be found under Business via SCDOT web site ([www.scdot.org](http://www.scdot.org))

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email [PlanStorage@scdot.org](mailto:PlanStorage@scdot.org) /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$2 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 0370440	<b>PCN:</b> P043012	<b>Project No.:</b> P043012
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043013	<b>Project No.:</b> P043013
	<b>PCN:</b> P043014	<b>Project No.:</b> P043014
	<b>PCN:</b> P043278	<b>Project No.:</b> P043278

**Approx. Length (miles):**8.2500      **Description:** 2025 ALLENDALE REHABILITATION AND CTC  
**CO(S):** Allendale

**Completion Date:** 11/30/2025 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	25.000	SY
BORROW EXCAVATION	1,650.000	CY
EXCAVATION FOR SHOULDER PAVING	1,044.384	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,044.384	STA
MAINTENANCE STONE	20.600	TON
HMA SHOULDER WIDENING COURSE	5,631.707	TON
LIQUID ASPHALT BINDER PG64-22	1,541.514	TON
ARAMID FIBER	5,520.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,610.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	450.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,600.000	SY
MILLED-IN RUMBLE STRIP	17.770	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,588.854	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,120.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,991.100	TON
DRIVEWAY PAVING-SURFACE TYPE D	508.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,752.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	8,530.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	73,220.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	695.000	LF
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	2,480.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	62,830.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,970.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	115,920.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,390.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA



Call No.: 010

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,960.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	125,660.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	425.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	383.000	EA
DETECTABLE WARNING MATERIAL	12.500	SF
PEDESTRIAN RAMP CONSTRUCTION	25.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.260	ACRE

In Contract Utility with list of qualified contractors

This project has a list of qualified contractors for the In Contract Utility - SECTION 105:  
PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/7/2024

Call No.: 020      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 0450000      PCN: P030834      Project No.: P030834

DBE Goal Percent: 16.00%

Approx. Length (miles): 0.6940

Description: INTERSECTION IMPROVEMENTS AT US 29  
AND S-133/S-146

CO(S): Anderson

Completion Date: 8/31/2026 Days

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 005	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 006	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	6,213.000	SY
UNCLASSIFIED EXCAVATION	2,843.000	CY
BORROW EXCAVATION	12,973.000	CY
FINE GRADING	1,367.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,786.000	TON
LIQUID ASPHALT BINDER PG64-22	294.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	142.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	695.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,331.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	1,752.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	599.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	328.000	SF
BARRICADE - TYPE 3	246.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	50.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	440.000	LF
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	500.000	LF



Call No.: 020

Letting Date: November 13, 2024 Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	41,350.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	44,510.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	240.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	210.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	8.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	2.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	100.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,178.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	600.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	4,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	471.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	125.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	7.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	8,000.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	30.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	130.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	152.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	45.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	6.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	30.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	210.000	LF
REFLECTIVE SIGN POST PANELS	180.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	9.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	131.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	219.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	69.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	280.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,108.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	441.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	1.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 002	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	2.000	EA



Call No.: 020

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	4.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 003	6.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	2.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	12.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	1.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	2.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	722.000	LF
STRAIGHT HEADWALL FOR 30" CIRCULAR PIPE-1 LINE	2.000	EA
15" SMOOTH WALL PIPE	76.000	LF
18" SMOOTH WALL PIPE	2,700.000	LF
24" SMOOTH WALL PIPE	888.000	LF
30" SMOOTH WALL PIPE	416.000	LF
CATCH BASIN -TYPE 9	7.000	EA
CATCH BASIN -TYPE 9 WITH STANDARD 3' X 4' BOX	3.000	EA
CATCH BASIN -TYPE 16	12.000	EA
CATCH BASIN -TYPE 17	9.000	EA
CATCH BASIN -TYPE 18	1.000	EA
DROP INLET (24" X 36")	4.000	EA
MANHOLE	9.000	EA
EXTRA DEPTH OF BOX	18.000	LF
BEVELING OF PIPE END	14.000	EA
CONCRETE CURB AND GUTTER(1'-6") OGEE	39.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	4,381.000	LF
DETECTABLE WARNING MATERIAL	51.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	102.000	SY
CONCRETE MEDIAN	343.000	SY
PEDESTRIAN RAMP CONSTRUCTION	29.000	SY
6" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	144.000	LF
RIP-RAP (CLASS A)	221.000	TON
RIP-RAP (CLASS B)	224.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	335.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	231.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	67.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	7.786	ACRE
TEMPORARY COVER	3.893	ACRE



Call No.: 020

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 4

Description	Quantity	Units
FERTILIZER (NITROGEN)	1,168.000	LB
FERTILIZER (PHOSPHORIC ACID)	1,168.000	LB
FERTILIZER (POTASH)	1,168.000	LB
AGRICULTURAL GRANULAR LIME	46,716.000	LB
SELECTIVE WATERING	135,750.000	GAL
MOWING	24.000	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.630	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.298	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 3	0.147	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	3.403	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	23.357	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	500.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	600.000	LF
SILT FENCE	3,931.000	LF
REPLACE/REPAIR SILT FENCE	394.000	LF
CLEANING SILT BASINS	89.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	983.000	LF
CLEANING INLET STRUCTURE FILTERS	210.000	EA
INLET STRUCTURE FILTER - TYPE D1	4.000	EA
INLET STRUCTURE FILTER - TYPE B	13.000	EA
INLET STRUCTURE FILTER - TYPE A	550.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	56.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



4315 Hwy 29 N  
Belton, SC 29627  
Phone: 847-4957 Fax: 847-4463

SCDOT PROJECT #P030834

PREQUALIFIED CONTRACTORS LIST

1. J & M CONSTRUCTION, INC.  
6930 Hwy. 76  
PENDLETON, S.C.  
864-646-9912
  
2. MOORHEAD CONSTRUCTION, INC.  
  
BELTON, S.C.  
864-338-0888
  
3. YOUNG PLUMBING COMPANY, INC.  
126 Cox Lane  
STARR, S.C. 29684  
864-352-6741



In Contract Utility with list of qualified contractors

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/7/2024

Call No.: 030      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 0451470      PCN: P038207      Project No.: P038207  
 DBE Goal Percent: 0.00%  
 Approx. Length (miles): 0.1800      Description: SC 412 OVER TRIB TO BIG GENEROSTEE CREEK BRIDGE REPLACEMENT  
 CO(S): Anderson      Funding: ST  
 Completion Date: 5/31/2026 Days

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,000.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,832.000	CY
BORROW EXCAVATION	9,144.000	CY
MUCK EXCAVATION	1,200.000	CY
GEOTEXTILE, SEPARATION	435.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	985.000	CY
COFFERDAM - TYPE 2 (10,001 - 20,000 C.F.)	1.000	EA
FINE GRADING	3,200.000	SY
MAINTENANCE STONE	130.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	610.000	TON
LIQUID ASPHALT BINDER PG64-22	60.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	303.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	228.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	95.000	SF
BARRICADE - TYPE 3	96.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4" PERM. YEL.	12.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	2,000.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	2,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,000.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	75.000	SF



Call No.: 030

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 3P	154.000	LF
CONC. FOR STRUCTURES - CLASS 4000	406.000	CY
REINF. STEEL FOR STRUCTURES (ROADWAY)	66,551.000	LB
18" SMOOTH WALL PIPE	32.000	LF
24" SMOOTH WALL PIPE	36.000	LF
AGGREGATE UNDERDRAIN (AGGR.NO. 57)	810.000	CY
RIP-RAP (CLASS A)	325.000	TON
RIP-RAP (CLASS B)	212.000	TON
RIP-RAP (CLASS C)	934.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	455.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	831.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	362.500	LF
PREMASH W-BEAM W BASE PL 6.25 SPA	100.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	27.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.379	ACRE
TEMPORARY COVER	4.400	ACRE
FERTILIZER (NITROGEN)	137.867	LB
FERTILIZER (PHOSPHORIC ACID)	137.867	LB
FERTILIZER (POTASH)	137.867	LB
AGRICULTURAL GRANULAR LIME	2,757.346	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	5.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	15.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	1.597	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	3.137	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.224	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	2.268	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.505	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	100.000	LF
SILT FENCE	1,000.000	LF
CLEANING SILT BASINS	190.000	CY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	60.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
TEMPORARY FLEXIBLE PERFORATED PIPE SLOPE DRAIN - 12"	80.000	LF

**STARR-IVA WATER & SEWER DISTRICT  
104 ROY ARNOLD RD  
P.O. BOX 39  
STARR, SC 29684  
864-352-6717**

**Patrick Jackson**  
General Manager

**Patrick Boykin**  
Assistant Manager

June 12, 2023

Ms. Theresa Hodge, PE  
Civil Engineering Consulting Services, Inc.  
2000 Park Street, Suite 201  
Columbia, SC 29201

**Re: Prequalified Waterline Contractors**  
SC412 (Rainey Rd) Replace Bridge with Culvert  
over Big Generostee Creek Tributary (P038207)

Ms. Hodge,

Starr-Iva recommends the following waterline contractors for relocation of the appr. 1,000 LF of 8" DI that is a part of the referenced project:

**J&M Construction, Inc.**  
Attn. Jared Weldon  
796 LaFrance Road  
Anderson, SC 29625  
(864) 646-9912  
[jweldon@jmconi.com](mailto:jweldon@jmconi.com)

**Young Plumbing Co., Inc.**  
Attn. Brad Young  
126 Cox Lane  
Starr, SC 29684  
(864) 352-6741  
[bsy@youngplumbingcoinc.com](mailto:bsy@youngplumbingcoinc.com)

**Stone Grading, Inc.**  
Attn. Jarrett Stone  
PO Box 484  
Starr, SC 29684  
(864) 993-0293  
[stonegrading@wctel.net](mailto:stonegrading@wctel.net)

These contractors are local to our area and have past experience with our system.

Sincerely,



Patrick Jackson  
General Manager



Call No.: 040      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 0469980      PCN: P042928      Project No.: P042928

DBE Goal Percent: 0.00%      PCN: P043018      Project No.: P043018

Approx. Length (miles): 6.9000      Description: 2025 ANDERSON REHABILITATION

CO(S): Anderson

Completion Date: 9/30/2026 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
UNCLASSIFIED EXCAVATION	2,700.000	CY
BORROW EXCAVATION	374.000	CY
MAINTENANCE STONE	271.520	TON
LIQUID ASPHALT BINDER PG64-22	2,393.360	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	7,902.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	17,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	16,150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	367,645.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,100.000	SY
MILLED-IN RUMBLE STRIP	2.280	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	12,152.827	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,596.453	TON
DRIVEWAY PAVING-SURFACE TYPE B	231.876	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	4,843.520	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	6,346.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	64,566.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	57,810.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	42,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,378.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	216.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	36.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	36.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	17,990.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	315,412.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,200.000	LF
4" WHITE BROKEN LINES (GAPS EXCL.) THERMOPLASTIC- 90 MIL.	17,619.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	17,842.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	12,015.000	LF



Call No.: 040

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	360.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,733.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	56.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	8.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,970.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	92,921.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	865.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	424.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,290.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	2,070.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	43,700.000	LF
SAWCUT FOR LOOP DETECTOR	14,204.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	38.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
SURFACE APPLIED DETECTABLE WARNING	20.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	40.000	LF
MT3 LEADING END TREATMENT TL3	7.000	EA
MGS3CS GR COMPRESSED SHOULDER	1,750.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.810	ACRE



Call No.: 050      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 0570560	<b>PCN:</b> P039181	<b>Project No.:</b> P039181
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043046	<b>Project No.:</b> P043046
	<b>PCN:</b> P043047	<b>Project No.:</b> P043047
	<b>PCN:</b> P043306	<b>Project No.:</b> P043306

**Approx. Length (miles):** 15.7000      **Description:** 2025 BAMBER REHAB - CTC RESURFACING  
**CO(S):** Bamberg

**Completion Date:** 9/30/2026 Days      **Funding:** OTHR

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	235.000	SY
BORROW EXCAVATION	3,002.000	CY
EXCAVATION FOR SHOULDER PAVING	1,524.864	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,524.864	STA
FLOWABLE FILL	25.000	CY
MAINTENANCE STONE	144.200	TON
HMA SHOULDER WIDENING COURSE	8,435.387	TON
LIQUID ASPHALT BINDER PG64-22	1,916.517	TON
ARAMID FIBER	4,590.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,805.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	12,265.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	350.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	13,110.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	4,100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	14,100.000	SY
MILLED-IN RUMBLE STRIP	23.250	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	15,085.440	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,077.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	3,673.240	TON
DRIVEWAY PAVING-SURFACE TYPE D	668.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,916.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	157,110.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	210.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	10.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,090.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	3.000	EA



Call No.: 050

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,080.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	123,470.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	304,860.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	420.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,180.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	3.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,160.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	238,280.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	20.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,097.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	36.000	SF
SQUARE TUBING POST 12 GAUGE - 2" X 2" X 8	48.000	LF
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	10.000	SY
DETECTABLE WARNING MATERIAL	122.500	SF
PEDESTRIAN RAMP CONSTRUCTION	225.000	SY
SURFACE APPLIED DETECTABLE WARNING	90.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,645.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	575.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
PREMASH THRIE WITH BASE PL 6.25 SPACE	300.000	LF
MGS3CS GR COMPRESSED SHOULDER	1,075.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	8.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	15.560	ACRE



Call No.: 060 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 0970470 PCN: P043053 Project No.: P043053
DBE Goal Percent: 0.00% PCN: P043055 Project No.: P043055
PCN: P043056 Project No.: P043056
PCN: P043057 Project No.: P043057

Approx. Length (miles):6.7100 Description: 2025 CALHOUN REHABILITATION
CO(S): Calhoun
Completion Date: 10/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, PAVING, etc., with their respective quantities and units.





Call No.: 060

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,040.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	63,360.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,960.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	138,080.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,000.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	800.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	34.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,080.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	126,720.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	680.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	377.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	462.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,002.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	700.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	4,700.000	LF
SAWCUT FOR LOOP DETECTOR	900.000	LF
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	320.000	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	450.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.710	ACRE



Call No.: 070      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 1470500      PCN: P043352      Project No.: P043352

DBE Goal Percent: 0.00%      PCN: P043627      Project No.: P043627

Approx. Length (miles): 1.3700      Description: CLARENDON CTC RESURFACING

CO(S): Clarendon

Completion Date: 8/31/2025 Days      Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	35.000	CY
BORROW EXCAVATION	250.000	CY
EXCAVATION FOR SHOULDER PAVING	63.438	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	63.438	STA
MAINTENANCE STONE	2.900	TON
HMA SHOULDER WIDENING COURSE	598.520	TON
LIQUID ASPHALT BINDER PG64-22	160.455	TON
ARAMID FIBER	475.000	LB
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	200.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	90.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,200.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,860.020	TON
DRIVEWAY PAVING-SURFACE TYPE D	148.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	292.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	130.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	6,470.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	80.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	105.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	30.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	6,470.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	260.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	12,940.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	210.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	60.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	12,940.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	170.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	15.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	87.000	EA



Call No.: 070

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.250	ACRE



Call No.: 080 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1869900 PCN: P043147 Project No.: P043147
DBE Goal Percent: 0.00% PCN: P043148 Project No.: P043148
PCN: P043149 Project No.: P043149
PCN: P043150 Project No.: P043150

Approx. Length (miles): 13.0300 Description: 2025 DORCHESTER COUNTY AND CTC
CO(S): Dorchester PROGRAM

Completion Date: 7/31/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, EXCAVATION, ASPHALT PAVING, etc.



Call No.: 080

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	144,841.472	SY
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	19,892.762	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,216.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	4,069.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	122,254.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	3,024.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	732.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	53.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	43.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)PERM.PVMT.MARKING	20.000	EA
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	10,354.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	88,504.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	16,276.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	486,928.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	12,096.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,928.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	212.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	172.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	80.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	41,416.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	351,928.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	202.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	108.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,055.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	800.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,000.000	LF
SAWCUT FOR LOOP DETECTOR	6,000.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	8.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	3.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	30.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	190.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	341.650	SY
DETECTABLE WARNING MATERIAL	30.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	94.610	SY
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	200.000	LF



Call No.: 080

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREMASH RESET W-BEAM STRONG POST SYSTEM	800.000	LF
PREMASH RESET TYPE T TL3 LEADING 50'	18.000	EA
PREMASH RESET THRIEBEAM BRDG CONN TBBC3	16.000	EA
PREMASH RESET THRIE STRONG POST SYSTEM	550.000	LF
PREMASH TYPE T TL2 LEADING 25FT	1.000	EA
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.303	ACRE
SILT FENCE	4,200.000	LF



Call No.: 090 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 1964140 PCN: P041960 Project No.: P041960

DBE Goal Percent: 16.00%

Approx. Length (miles):0.1500

Description: S-52 OVER HORN CREEK BRIDGE REPLACEMENT - EDGEFIELD

CO(S): Edgefield

Completion Date: 4/30/2026 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,500.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	2,468.000	CY
BORROW EXCAVATION	4,765.000	CY
GEOGRID REINFORCEMENT (UNIAXIAL)	840.000	SY
FINE GRADING	535.000	SY
MAINTENANCE STONE	350.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	240.000	TON
LIQUID ASPHALT BINDER PG64-22	27.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	160.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	100.000	TON
BARRICADE - TYPE 3	108.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,389.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,389.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	60.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	928.000	LF
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	62.800	CY
CONC. FOR STRUCTURES - CLASS 4000	457.200	CY
GROOVED SURFACE FINISH	636.000	SY
REINF. STEEL FOR STRUCTURES (ROADWAY)	2,020.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	6,250.000	LB
PRESTRESSED CONCRETE FLORIDA I-BEAM(45")	939.400	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	462.000	LF
PILE DRIVING SET-UP	10.000	EA



Call No.: 090

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
REINF. PILE TIPS (HP14 X 89)	10.000	EA
STEEL H BEARING PILING (HP14 X 89)	295.000	LF
DRILLED SHAFT SET-UP	4.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	32.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	143.000	LF
CONSTRUCTION CASING - 54" DIAMETER	142.400	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	60.000	LF
ELASTOMERIC BEARING	30.000	EA
CROSSHOLE SONIC LOGGING SETUP	4.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	112.000	TON
RIP-RAP (CLASS A)	10.000	TON
RIP-RAP (CLASS B)	50.000	TON
RIP-RAP (CLASS C)	1,600.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	1,330.000	SY
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3 GR STANDARD SHOULDER	200.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
TEMPORARY BARRIER FENCE (ORANGE)	350.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	18.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.300	ACRE
TEMPORARY COVER	206.000	ACRE
FERTILIZER (NITROGEN)	130.000	LB
FERTILIZER (PHOSPHORIC ACID)	130.000	LB
FERTILIZER (POTASH)	130.000	LB
AGRICULTURAL GRANULAR LIME	2,600.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	5.200	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	26.400	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.747	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.319	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.300	ACRE
SILT FENCE	830.000	LF
REPLACE/REPAIR SILT FENCE	415.000	LF
CLEANING SILT BASINS	5.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	830.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	1.500	TON
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY





Call No.: 100      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 2069601      PCN: P043092      Project No.: P043092  
 DBE Goal Percent: 0.00%      PCN: P043093      Project No.: P043093  
    PCN: P043094      Project No.: P043094

Approx. Length (miles): 9.3000      Description: 2025 PAVEMENT IMPROVEMENT PROGRAM  
 CO(S): Fairfield

Completion Date: 11/30/2025 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.000	CY
UNCLASSIFIED EXCAVATION	2,158.000	CY
BORROW EXCAVATION	2,675.000	CY
STATION GRADING	99.262	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	108,684.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,372.000	TON
MAINTENANCE STONE	137.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	2,599.000	TON
LIQUID ASPHALT BINDER PG64-22	1,305.276	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	60.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	6,950.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	22,845.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,900.000	SY
MILLED-IN RUMBLE STRIP	15.890	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,285.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,033.490	TON
DRIVEWAY PAVING-SURFACE TYPE C	979.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	108,684.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,460.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	160.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	572.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	340,784.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	886.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,015.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	318,504.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	437.000	LF



Call No.: 100

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	135.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	76,041.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	19,692.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	40.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	386.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,695.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,345.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,461.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	660.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
15" SMOOTH WALL PIPE	40.000	LF
18" SMOOTH WALL PIPE	152.000	LF
24" SMOOTH WALL PIPE	56.000	LF
CLEANING EXISTING PIPE	400.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	10.030	EA
MT3 LEADING END TREATMENT TL3	36.000	EA
MGS3CS GR COMPRESSED SHOULDER	5,000.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.250	ACRE



Call No.: 110 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2169310 PCN: P043141 Project No.: P043141
DBE Goal Percent: 0.00%
Approx. Length (miles): 12.7000 Description: 2025 FLORENCE COUNTY RECONSTRUCTION
CO(S): Florence
Completion Date: 6/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, PAVEMENT, and MARKERS with their respective quantities and units.



Call No.: 120 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 2360480 PCN: P040851 Project No.: P040851
DBE Goal Percent: 0.00%
Approx. Length (miles):0.2000 Description: TYPE II TRAFFIC SIGNAL UPGRADES ON SC
CO(S): Greenville 291 IN GREENVILLE
Completion Date: 9/30/2026 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items like MOBILIZATION, BONDING, TRAFFIC CONTROL, PAVEMENT REMOVAL, and SIGNAL INSTALLATION with their respective quantities and units.



Call No.: 120

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
AUDIBLE PEDESTRIAN PUSH BUTTON STATION(APS) INCLUDING PEDESTRIAN BUTTON ASSEMBLY W/ SIGN	16.000	EA
FURNISH & INSTALL INTERNALLY ILLUMINATED STREET NAME SIGN, INCLUDING MAST ARM MOUNTING	10.000	EACH
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	29.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	1.000	EA
INSTALL VIDEO DETECTION SYSTEM INCLUDING LEAD-IN	1.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	4.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	4.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	2.000	EA
FURNISH & INSTALL SINGLE LUMINAIRE INCLDNG ARMS AND HARDWARE	5.000	EA
POWDERCOATING PER MAST ARM OVER GALVANIZED	8.000	EA
DECORATIVE OPTION PER MAST ARM	8.000	EA
LUMINAIRE OPTION FOR MAST ARM - TO ACCOUNT FOR TALLER POLE	5.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	8.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	5.000	EA
DETECTABLE WARNING MATERIAL	100.000	SF
PEDESTRIAN RAMP CONSTRUCTION	200.000	SY



Call No.: 130      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

**SC File NO(S):** 2669350      **PCN:** P043220      **Project No.:** P043220  
**DBE Goal Percent:** 0.00%      **PCN:** P043222      **Project No.:** P043222  
**Approx. Length (miles):** 14.3200      **Description:** 2025 HORRY COUNTY REHABILITATION  
**CO(S):** Horry  
**Completion Date:** 8/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,075.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	525.000	LF
BORROW EXCAVATION	2,622.000	CY
EXCAVATION FOR SHOULDER PAVING	1,031.712	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,031.712	STA
MAINTENANCE STONE	149.500	TON
HMA SHOULDER WIDENING COURSE	6,529.600	TON
LIQUID ASPHALT BINDER PG64-22	1,793.709	TON
ARAMID FIBER	315.530	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,950.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	180,898.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,025.000	SY
MILLED-IN RUMBLE STRIP	29.670	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	20,288.544	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	4,228.427	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	309.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	998.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,624.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,864.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	351,855.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	3,315.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,729.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	36.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	12.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.)-FAST DRY PAINT	6.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	34,350.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	221,298.000	LF



Call No.: 130

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,615.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,288.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	117,285.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,105.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	115.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,243.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	12.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	2.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,450.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	73,766.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	91.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,176.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,170.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,170.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,744.000	LF
SAWCUT FOR LOOP DETECTOR	656.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	10.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	2.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	250.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	50.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	225.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,200.000	SY
DETECTABLE WARNING MATERIAL	537.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	800.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,075.000	SY
PREMASH RESET W-BEAM STRONG POST SYSTEM	4,310.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.450	ACRE



Call No.: 140      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 2969570	<b>PCN:</b> P043095	<b>Project No.:</b> P043095
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043096	<b>Project No.:</b> P043096
	<b>PCN:</b> P043098	<b>Project No.:</b> P043098
	<b>PCN:</b> P043503	<b>Project No.:</b> P043503

**Approx. Length (miles):** 8.5800      **Description:** 2025 LANCASTER COUNTY RECONSTRUCTION  
**CO(S):** Lancaster

**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	40.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.000	CY
UNCLASSIFIED EXCAVATION	661.000	CY
BORROW EXCAVATION	1,207.000	CY
STATION GRADING	2.400	STA
EXCAVATION FOR SHOULDER PAVING	380.160	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	380.160	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	31,185.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	47,597.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	13,500.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,604.000	TON
MAINTENANCE STONE	234.100	TON
HMA SHOULDER WIDENING COURSE	2,745.600	TON
LIQUID ASPHALT BINDER PG64-22	2,040.324	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	4,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,030.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	71,020.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	20,550.000	SY
MILLED-IN RUMBLE STRIP	16.420	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,059.947	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	2,196.480	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,608.787	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	5,737.029	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,099.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	92,282.000	SY





Call No.: 140

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,047.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	18,455.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	267,464.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,977.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	7,005.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	77,663.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	46.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	3.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	30.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	2,032.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	265,308.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,050.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	72,234.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	81,623.600	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	701.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	20,075.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	1.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,432.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	76,533.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	259.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	92.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	12,444.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	300.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	40.000	LF
15" SMOOTH WALL PIPE	8.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	2.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	1.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	40.000	LF
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	5,412.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	1,637.500	LF
MT3 LEADING END TREATMENT TL3	10.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	4.000	EACH



Call No.: 140

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
PREMASH NEST THRIE 1.56 SPA CRITICAL OFFSET	550.000	LF
MB TRAILING END TREATMENT	6.000	EA
MGS3 GR STANDARD SHOULDER	1,762.500	LF
MGS3CS GR COMPRESSED SHOULDER	325.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	4.000	EA
PREMASH IMPACT ATTENUATOR IA CLASS D3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.350	ACRE



Call No.: 150      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 4070430	<b>PCN:</b> P043616	<b>Project No.:</b> P043616
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043617	<b>Project No.:</b> P043617
	<b>PCN:</b> P043620	<b>Project No.:</b> P043620

**Approx. Length (miles):** 11.0400      **Description:** 2025 RICHLAND REHAB  
**CO(S):** Richland

**Completion Date:** 6/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	2,968.730	SY
UNCLASSIFIED EXCAVATION	14.000	CY
BORROW EXCAVATION	853.000	CY
EXCAVATION FOR SHOULDER PAVING	451.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	451.000	STA
MAINTENANCE STONE	159.600	TON
HMA SHOULDER WIDENING COURSE	2,254.560	TON
LIQUID ASPHALT BINDER PG64-22	2,448.182	TON
LIQUID ASPHALT BINDER PG76-22	17.600	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	15,860.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	413,175.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	1,600.000	SY
MILLED-IN RUMBLE STRIP	5.000	MI
HOT MIX ASPHALT SURFACE COURSE TYPE A	320.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	40,708.510	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	60.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	55.000	TON
DRIVEWAY PAVING-SURFACE TYPE B	666.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	829.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,000.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	95,010.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	292,355.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	4,650.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	58,155.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	33,435.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	747.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	465.000	EA



Call No.: 150

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	80.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	18.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	105.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	18,810.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	407,970.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	19,860.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	2,310.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	31,670.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	99,885.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,550.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	19,385.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	80.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	11,145.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	249.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	155.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	26.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	6.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	35.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	135,990.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	770.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,785.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	535.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,130.000	EA
PLASTIC CURBING WITH DUAL POST	10.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,890.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	13,530.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	550.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	14,080.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	550.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	43,870.000	LF
SAWCUT FOR LOOP DETECTOR	14,275.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	110.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	22.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	150.000	LF
CONCRETE CURB AND GUTTER (2'-6") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,000.000	SY
DETECTABLE WARNING MATERIAL	925.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,850.000	SY
SURFACE APPLIED DETECTABLE WARNING	110.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.100	ACRE



Call No.: 150

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 3

Description	Quantity	Units
MOWING	4.100	ACRE



Call No.: 160      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 4269130	<b>PCN:</b> P043197	<b>Project No.:</b> P043197
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043198	<b>Project No.:</b> P043198
	<b>PCN:</b> P043224	<b>Project No.:</b> P043224

**Approx. Length (miles):** 11.6300      **Description:** 2025 SPARTANBURG COUNTY REHAB-RECONSTRUCTION  
**CO(S):** Spartanburg

**Completion Date:** 7/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	83.000	SY
BORROW EXCAVATION	1,922.000	CY
EXCAVATION FOR SHOULDER PAVING	155.232	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	155.232	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	52,894.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,116.000	TON
MAINTENANCE STONE	373.600	TON
HMA SHOULDER WIDENING COURSE	1,034.880	TON
LIQUID ASPHALT BINDER PG64-22	1,687.473	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	17,360.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	173,876.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,308.000	SY
MILLED-IN RUMBLE STRIP	11.580	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	1,619.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	19,566.108	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,143.380	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,432.300	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,804.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	41,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	208,460.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	6,600.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,134.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	122.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	14.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	430,750.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	320.000	LF



Call No.: 160

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	50.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,600.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	104,230.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,300.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	55.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,567.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	61.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	7.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,600.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	126,124.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	584.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,003.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,890.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	33,930.000	LF
SAWCUT FOR LOOP DETECTOR	12,330.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	27.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	9.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	550.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	2,025.000	LF
PREMASH TYPE T TL3 LEADING 50'	11.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.318	ACRE



Call No.: 170      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 4370280	<b>PCN:</b> P043315	<b>Project No.:</b> P043315
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043316	<b>Project No.:</b> P043316
	<b>PCN:</b> P043317	<b>Project No.:</b> P043317

**Approx. Length (miles):** 14.1400      **Description:** 2025 SUMTER COUNTY REHAB-RECONSTRUCTION  
**CO(S):** Sumter

**Completion Date:** 8/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	13,578.000	SY
UNCLASSIFIED EXCAVATION	56.000	CY
BORROW EXCAVATION	2,194.000	CY
EXCAVATION FOR SHOULDER PAVING	238.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	238.000	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	101,300.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	2,640.000	TON
MAINTENANCE STONE	131.500	TON
HMA SHOULDER WIDENING COURSE	1,188.000	TON
LIQUID ASPHALT BINDER PG64-22	2,585.302	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	12,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	6,460.000	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	125,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	11,525.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	12,303.267	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,068.267	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	16,634.227	TON
DRIVEWAY PAVING-SURFACE TYPE B	126.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,395.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,969.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	38,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	351,800.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	39,840.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	13,280.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	268.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	132.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	12.000	EA





Call No.: 170

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	43,240.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	545,000.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	5,070.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,730.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	99,950.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	9,960.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,685.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	67.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	33.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,660.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	148,750.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	480.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	65.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,690.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	765.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	5,535.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	175.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,760.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	225.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	17,640.000	LF
SAWCUT FOR LOOP DETECTOR	5,715.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	45.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	9.000	EA
CATCH BASIN TYPE 1 (TOP ONLY)	5.000	EA
CATCH BASIN - TYPE 9(TOP ONLY)	4.000	EA
ADJUST CATCH BASIN	2.000	EA
ADJUST DROP INLET ADJUST D. I.	2.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	26.000	EA
CONCRETE CURB (9" X 15")	30.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	11,500.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	3,500.000	SY
DETECTABLE WARNING MATERIAL	1,125.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	4,280.000	SY
CONCRETE MEDIAN	1,400.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,250.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	100.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.650	ACRE



Call No.: 180      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 4469580	<b>PCN:</b> P038379	<b>Project No.:</b> P038379
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043099	<b>Project No.:</b> P043099
	<b>PCN:</b> P043100	<b>Project No.:</b> P043100
	<b>PCN:</b> P043101	<b>Project No.:</b> P043101

**Approx. Length (miles):** 25.3600      **Description:** STA, CMRB, CRACK SEAL, HMA 8/13/2024  
**CO(S):** Union      10:21:37 AM

**Completion Date:** 7/31/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
UNCLASSIFIED EXCAVATION	2,651.000	CY
BORROW EXCAVATION	1,487.000	CY
STATION GRADING	136.230	STA
EXCAVATION FOR SHOULDER PAVING	140.450	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	140.450	STA
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	2,935.000	TON
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	30,067.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	74,348.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,297.000	TON
MAINTENANCE STONE	157.000	TON
HMA SHOULDER WIDENING COURSE	938.432	TON
LIQUID ASPHALT BINDER PG64-22	1,359.533	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	3,470.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	280.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	150.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	1,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,050.000	SY
CLEAN AND SEAL CRACKS IN ASPHALT PAVEMENT	36.730	LaMi
MILLED-IN RUMBLE STRIP	15.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	8,902.080	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,290.749	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,337.875	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	104,415.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,400.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	432.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	118,694.000	LF



Call No.: 180

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	718.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	1,652.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	114,821.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	432.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	37,699.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	339.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,652.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	33,192.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	262.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	240.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	240.000	LF
18" SMOOTH WALL PIPE	408.000	LF
36" SMOOTH WALL PIPE	32.000	LF
LINE EXISTING 72" PIPE	92.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	4.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	2.000	EA
ADJUST CATCH BASIN	1.000	EA
DETECTABLE WARNING MATERIAL	25.000	SF
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
RIP-RAP (CLASS B)	20.000	TON
RIP-RAP (CLASS B)	40.000	CY
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	200.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	2,683.000	LF
MT3 LEADING END TREATMENT TL3	16.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	500.000	LF
MGS3 GR STANDARD SHOULDER	912.500	LF
MGS3CS GR COMPRESSED SHOULDER	1,325.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	1,250.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
RESET FENCE	1,225.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.160	ACRE
WATERPROOFING (BRIDGE DECK)	495.000	SY



Call No.: 190      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4569090      PCN: P041746      Project No.: P041746

DBE Goal Percent: 0.00%

Approx. Length (miles):0.0080

Description: DISTRICT 5, PACKAGE 1

CO(S): Williamsburg

Completion Date: 9/30/2025 Days

Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
TREATED TIMBER PILING	15.000	LF
JACKING BRIDGE	1.000	LS
BRIDGE PILE WRAP	72.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	1.000	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	2.000	CF
BR040 – CORROSION INHIBITING BONDING AGENT	238.000	SF
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	591.000	LF
CLIP ANGLE REPLACEMENT	2.000	EA
CLIP ANGLE HARDWARE REPLACEMENT	1.000	EA



Call No.: 200      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 4569370      PCN: P042374      Project No.: P042374  
 DBE Goal Percent: 0.00%      PCN: P043237      Project No.: P043237  
    PCN: P043279      Project No.: P043279

Approx. Length (miles): 14.7000      Description: 2025 WILLIAMSBURG COUNTY RECONSTRUCTION  
 CO(S): Williamsburg

Completion Date: 7/31/2026 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	4,168.000	CY
EXCAVATION FOR SHOULDER PAVING	1,296.768	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,296.768	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	125,548.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,578.000	TON
MAINTENANCE STONE	63.400	TON
HMA SHOULDER WIDENING COURSE	8,645.120	TON
LIQUID ASPHALT BINDER PG64-22	2,361.118	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	6,240.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	221,699.500	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	700.000	SY
MILLED-IN RUMBLE STRIP	41.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	34,292.430	TON
DRIVEWAY PAVING-SURFACE TYPE D	658.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	999.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	58,350.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	466,620.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,725.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	33,930.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	296,460.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	200.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	19,450.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	155,540.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	20.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	575.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA



Call No.: 200

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	11,310.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	98,820.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	980.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	590.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	13.200	ACRE



Call No.: 210      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 4669380	<b>PCN:</b> P042293	<b>Project No.:</b> P042293
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P043103	<b>Project No.:</b> P043103
	<b>PCN:</b> P043227	<b>Project No.:</b> P043227
	<b>PCN:</b> P043243	<b>Project No.:</b> P043243

**Approx. Length (miles):**6.5300      **Description:** 2025 YORK COUNTY REHAB-RECONSTRUCTION  
**CO(S):** York

**Completion Date:** 4/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	15.500	CY
FURNISH AND INSTALL MAILBOX	1.000	EA
UNCLASSIFIED EXCAVATION	1,244.000	CY
BORROW EXCAVATION	729.000	CY
STATION GRADING	6.868	STA
EXCAVATION FOR SHOULDER PAVING	176.360	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	176.360	STA
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	31,977.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,089.000	TON
MAINTENANCE STONE	194.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	2,026.992	TON
HMA SHOULDER WIDENING COURSE	1,273.653	TON
LIQUID ASPHALT BINDER PG64-22	1,346.729	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	400.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	30.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	1,319.000	SY
FULL DEPTH ASPH. PAV. PATCHING 14"UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	17,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	12,200.000	SY
MILLED-IN RUMBLE STRIP	8.660	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,912.885	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	7,994.272	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,224.687	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	658.240	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,395.375	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	31,977.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,195.000	SF



Call No.: 210

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,233.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	175,244.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,571.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	45.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	26.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	3,921.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	178,812.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	220.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	5,763.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	66,513.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	918.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	31.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	18.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,921.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	66,893.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	110.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	239.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	230.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	725.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,400.000	LF
SAWCUT FOR LOOP DETECTOR	1,270.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
CLEANING EXISTING PIPE	40.000	LF
RIP-RAP (CLASS B)	35.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	10.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	20.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	3,550.000	LF
MT3 LEADING END TREATMENT TL3	22.000	EA
MGS3 GR STANDARD SHOULDER	2,500.000	LF
MGS3CS GR COMPRESSED SHOULDER	625.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	4.780	ACRE





Call No.: 220      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5170540      PCN: P043671      Project No.: P043671

DBE Goal Percent: 0.00%

Approx. Length (miles): 140.0000      Description: 2024 PAVEMENT MARKINGS - DISTRICT 1  
CO(S): District 1

Completion Date: 10/15/2025 Days      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	105,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,000,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	28,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	320.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	320.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	20,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	280.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	100.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	32.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	100,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,000,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	3,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,200.000	LF



Call No.: 230      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

<b>SC File NO(S):</b> 5269810	<b>PCN:</b> P042117	<b>Project No.:</b> P042117
<b>DBE Goal Percent:</b> 0.00%	<b>PCN:</b> P042923	<b>Project No.:</b> P042923
	<b>PCN:</b> P042936	<b>Project No.:</b> P042936
	<b>PCN:</b> P043401	<b>Project No.:</b> P043401
	<b>PCN:</b> P043404	<b>Project No.:</b> P043404
	<b>PCN:</b> P043406	<b>Project No.:</b> P043406
	<b>PCN:</b> P043410	<b>Project No.:</b> P043410
	<b>PCN:</b> P043437	<b>Project No.:</b> P043437

**Approx. Length (miles):** 14.6000      **Description:** 2025 DISTRICT 2 RECONSTRUCTION-REHAB  
**CO(S):** Anderson Edgefield  
 Greenwood Laurens  
 McCormick Newberry  
 Saluda

**Completion Date:** 11/30/2026 Days      **Funding:** ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	12.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	135.000	SY
BORROW EXCAVATION	11,994.000	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	144.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	119,745.000	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	112,510.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	8,274.000	TON
MAINTENANCE STONE	57.050	TON
LIQUID ASPHALT BINDER PG64-22	1,518.072	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	75.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	40.000	SY
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	40.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	27,200.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	9,840.000	SY
MILLED-IN RUMBLE STRIP	25.260	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,672.200	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,127.666	TON
DRIVEWAY PAVING-SURFACE TYPE B	107.625	TON
DRIVEWAY PAVING-SURFACE TYPE C	922.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,794.000	SF



Call No.: 230

Letting Date: November 13, 2024

Letting Time: 2:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,524.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	639,728.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	608.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	4,096.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	24.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	16.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	24,720.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	687,836.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,234.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,631.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	159,932.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	152.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,024.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	6,180.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	161,959.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	46.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,064.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	130.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,360.000	LF
SAWCUT FOR LOOP DETECTOR	750.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JHD	3.000	EA
DETECTABLE WARNING MATERIAL	37.500	SF
PEDESTRIAN RAMP CONSTRUCTION	75.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	150.000	LF
MT3 LEADING END TREATMENT TL3	56.000	EA
MGS3 GR STANDARD SHOULDER	575.000	LF
MGS3CS GR COMPRESSED SHOULDER	4,200.000	LF
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	14.908	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	80.000	LF
SILT FENCE	1,120.000	LF
REPLACE/REPAIR SILT FENCE	112.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	280.000	LF



Call No.: 240      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5270590      PCN: P043709      Project No.: P043709

DBE Goal Percent: 0.00%

Approx. Length (miles):      Description: 2024 PAVEMENT MARKINGS - DISTRICT 2

CO(S): District 2

Completion Date: 10/15/2025 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	24,360.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	248,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,800.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	100.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	60.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,840.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	40.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	4.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	1.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	320,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	400.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	592.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	640.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,760.000	EA
REMOVAL OF PAVEMENT MARKINGS	6,080.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	2,960.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	160.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,960.000	LF



Call No.: 250      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5369070      PCN: P041731      Project No.: P041731

DBE Goal Percent: 0.00%      PCN: P041733      Project No.: P041733

Approx. Length (miles):0.1360      Description: DISTRICT 3, PACKAGE 2

CO(S): Oconee Pickens

Completion Date: 7/31/2026 Days      Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
LIQUID ASPHALT BINDER PG64-22	15.900	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,147.700	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	252.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	284.000	SF
DETOUR SIGNS	316.800	SF
BARRICADE - TYPE 3	100.000	LF
CONSTR ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRUCK MO	2.000	EA
EXTENDED ROAD CLOSURE FOR BRIDGE CONSTRUCTION	1.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,220.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,220.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 5"X2"	9.000	EA
PRECAST CONCRETE PANEL	1,512.000	SF
TREATED TIMBER SWAY BRACES	3,850.000	LF
TREATED TIMBER PILING	5.000	LF
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	420.200	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	466.800	SY
BRIDGE PILE WRAP	2,448.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	2.750	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	8.000	CF
BR040 – CORROSION INHIBITING BONDING AGENT	1,824.000	SF
CARBON FIBER REINFORCED POLYMER (CFRP) WRAP	428.000	SF
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	9,116.000	LF
CLIP ANGLE REPLACEMENT	8.000	EA
CLIP ANGLE HARDWARE REPLACEMENT	8.000	EA



Call No.: 260      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5370600      PCN: P043710      Project No.: P043710

DBE Goal Percent: 0.00%

Approx. Length (miles):62.0000      Description: 2024 PAVEMENT MARKINGS - DISTRICT 3

CO(S): District 3

Completion Date: 10/15/2025 Days      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	65,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	400,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	30,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	1,350.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	350.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	16,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	180.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	90.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	32.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	8.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	500,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	225.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3,200.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	5,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	25,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	700.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	2,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	100.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,000.000	LF



Call No.: 270      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5470610      PCN: P043711      Project No.: P043711

DBE Goal Percent: 0.00%

Approx. Length (miles):65.0000      Description: 2024 PAVEMENT MARKINGS - DISTRICT 4  
CO(S): District 4

Completion Date: 10/15/2025 Days      Funding: ST

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	60,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	420,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	17,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	100.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	450.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	13,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	150.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	75.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	15.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	8.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	40,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	420,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	1,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	4,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	1,200.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	1,200.000	LF



Call No.: 280      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5570620      PCN: P043712      Project No.: P043712  
DBE Goal Percent: 0.00%  
Approx. Length (miles): 130.0000      Description: 2024 PAVEMENT MARKINGS - DISTRICT 5  
CO(S): District 5  
Completion Date: 10/15/2025 Days      Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	165,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	900,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	20,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	150.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	20,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	200.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	100.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	50.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	10.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	70,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	900,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	2,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	25,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	1,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	12,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	12,000.000	LF





Call No.: 290      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5669100      PCN: P041702      Project No.: P041702

DBE Goal Percent: 0.00%      PCN: P041705      Project No.: P041705

Approx. Length (miles):0.0200      Description: DISTRICT 6, PACKAGE 1

CO(S): Berkeley Jasper

Completion Date: 11/30/2025 Days      Funding: FED

**ITEMS OF WORK INCLUDE THE FOLLOWING:**

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
TREATED TIMBER SWAY BRACES	383.000	LF
RIP-RAP (CLASS B)	106.400	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	118.200	SY
BRIDGE PILE WRAP	328.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	2.000	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	4.000	CF
BR040 – CORROSION INHIBITING BONDING AGENT	534.000	SF
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	2,576.000	LF
PETROLATUM TAPE & FIBERGLASS OUTERWRAP FOR PILE	97.500	LF
CLIP ANGLE REPLACEMENT	32.000	EA
CLIP ANGLE HARDWARE REPLACEMENT	32.000	EA



Call No.: 300      Letting Date: November 13, 2024      Letting Time: 2:00 PM      Page: 1

SC File NO(S): 5670630      PCN: P043713      Project No.: P043713

DBE Goal Percent: 0.00%

Approx. Length (miles):275.0000      Description: 2024 PAVEMENT MARKINGS - DISTRICT 6

CO(S): District 6

Completion Date: 10/15/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,100,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	50,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	500.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	500.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	35,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	500.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	140.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR&LT)THERMO-125MIL	50.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	15.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	30.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	200,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,000,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10,000.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	15,000.000	EA
REMOVAL OF PAVEMENT MARKINGS	40,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	2,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	22,000.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	2,500.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	22,000.000	LF



Call No.: 310 Letting Date: November 13, 2024 Letting Time: 2:00 PM Page: 1

SC File NO(S): 5770640 PCN: P043714 Project No.: P043714
DBE Goal Percent: 0.00%
Approx. Length (miles):46.0000 Description: 2024 PAVEMENT MARKINGS - DISTRICT 7
CO(S): District 7
Completion Date: 10/15/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various pavement marking items such as Mobilization, Bonds and Insurance, Traffic Control, and various line types (white, yellow, broken, solid) with their respective quantities and units.

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

**STATUTES, CODES, AND REGULATIONS.** The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

**PREQUALIFICATION.** The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or [Prequal@scdot.org](mailto:Prequal@scdot.org).

**BID BONDS FOR SCDOT WORK.** Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

**SUBMISSION OF BID BONDS.** Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. \_\_\_\_\_", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
  - (a) alteration of a part of bid item except for the unit price; or
  - (b) failure to enter a bid item unit price; or
  - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
  - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Travis Driggers  
Contract Administrator