

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For November 14, 2023

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on October 16, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 4664480 PCN: P029270 Project No.: P029270

DBE Goal Percent: 11.00%

Approx. Length (miles): 5.7840

Description: P029270 SC 160 INTERCHANGE

CO(S): York

Completion Date: 11/30/2027 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
LARGE PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	2,500.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	21.600	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	64.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	7.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	16.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	39,480.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	16,350.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	2,030.000	CY
REMOVAL OF EXIST. GUARDRAIL	4,870.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	85,200.000	CY
BORROW EXCAVATION	124,911.000	CY
BORROW EXCAVATION - (AASHTO TYPE A-1 SAND)	19,230.000	TON
BORROW PIT SET-UP	1.000	LS
GEOTEXTILE, STABILIZATION	5,000.000	SY
STRUCTURE EXCAVATION FOR RETAINING WALL	21,223.000	CY
WET & DRY EXCAVATION FOR BRIDGES	927.000	CY
TEMPORARY SHORING WALL	3,795.000	LF
FINE GRADING	111,230.000	SY
FLOWABLE FILL	107.000	CY
MAINTENANCE STONE	500.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	45,610.000	TON
LIQUID ASPHALT BINDER PG64-22	4,967.000	TON



Call No.: 010 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
LIQUID ASPHALT BINDER PG76-22	1,079.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	155,080.000	SY
MILLED-IN RUMBLE STRIP	6.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	16,380.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	16,760.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE A	10,950.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	11,180.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	4,650.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	5,710.000	TON
OPEN-GRADED FRICTION COURSE-12.5 MM	7,670.000	TON
ROLLER COMPACTED CONCRETE PAVEMENT - 9" UNIFORM	15,700.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	976.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	125.000	SF
BARRICADE - TYPE 3	234.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 2	10.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	10.000	EA
TEMPORARY CONCRETE BARRIER	17,220.000	LF
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	320.000	LF
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	8.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	6.000	EA
TYPE B - FLASHING LIGHT	8.000	EA
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 6" WHITE BROKEN LINES	12,300.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,050.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	1,050.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-6"WHITE SOLID LINE	22,110.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)-6" YELLOW SOLID LINES	17,000.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)12"WHITE SOLID LINE	880.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	350,120.000	LF
REMOVAL OF PAVEMENT MARKINGS (ARROWS, WORDS, RR CROSSING SYMBOLS) (TRAFFIC CONTROL)	300.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP-REMOVABLE WH.SING.ARROW	20.000	EA
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP-REMOV.WH.WORD MESS."ONLY"	20.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	3,850.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	750.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	44,990.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	63,410.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	50,780.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	127,230.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	18,290.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	3,410.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	18,400.000	LF



Call No.: 010 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 3

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	114.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	221.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	40.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	42,430.000	LF
6"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	68,710.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	11,000.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	500.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	375.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED) EPOXY PAINT	165.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	600.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	600.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	400.000	LF
6"YELLOW SOLID LINES-PVT.EDGE&NO PASS. ZONE - EPOXY PAINT	600.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	10,320.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	14,090.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,220.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	4,560.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	690.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	5,640.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	55.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	60.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	7,290.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	13,340.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	770.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
PERM.RED/CLEAR PAVEMENT MARKERS BI-DIR. - 4"X 4"	640.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,974.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	149.500	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	115.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON OVERHEAD SUPPORT	1.000	EA
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	23.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	35.000	EA
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	30.000	SF
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	3,634.500	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,694.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	70.000	LF
BREAK-AWAY SIGN SUPPORTS	2,795.000	LB
REMOVAL OF I-BEAM SUPPORTS	14.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	19.000	EA



Call No.: 010

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	59.000	EA
DELINEATORS, SINGLE, MONO, BRIDGE, WALL OR BARRIER MOUNTED	18.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 004	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 005	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 006	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 007	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 008	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 009	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 010	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 011	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 012	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) 10-1	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 001	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 002	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 003	1.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	640.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	17,600.300	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	320.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (TRENCHLESS)	11,380.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	4,890.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	5,130.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	20,660.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,930.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	3,230.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	8,190.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	5.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	6.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	60.000	EA
FURNISH & INSTALL 50' WOOD POLE - CLASS II-CCA TR(0.60)	6.000	EA
FURNISH & INSTALL 3/8" BACK GUY FOR WOOD POLE	12.000	EA
FURNISH & INSTALL 1/4" GALVANIZED STEEL CABLE	1,520.000	LF
1/2" GALVANIZED STEEL CABLE	2,730.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	6.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	29.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 017	6.000	EA
FURNISH AND INSTALL BATTERY BACK-UP INCLUDING FOUNDATION	6.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	7.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	24.000	EA



Call No.: 010

Letting Date: November 14, 2023 Letting Time: 02:00 PM

Page: 5

Description	Quantity	Units
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 018	98.000	EA
F&I - 12" 1-WAY-1 SECTION(GA)VEHICLE TRAFFIC SIGNAL	2.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	33.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	44.000	EA
VEHICLE TRAFFIC SIGNAL HEAD MOUNTING ASSEMBLY FOR POST TOP	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	131.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	18.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	21.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	5.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	12.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SETBACK DETECTION	6.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	7,060.000	LF
POWDERCOATING PER MAST ARM OVER BASE	16.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH TWIN MAST ARMS INCLUDING FOUNDATION 019	1.000	EA
DESIGN, FURNISH & INSTALL STEEL POLE WITH MAST ARM INCLUDING FOUNDATION	15.000	EA
POWDERCOATING OPTION FOR 4' ALUMINUM PEDESTAL POLE	6.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	29.000	EA
WORK ZONE PEDESTRIAN SHUTTLE	1.000	LS
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	1,040.000	CY
CONC. FOR STRUCTURES - CLASS 4000	3,894.700	CY
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	2,010.100	CY
ARCHITECTURAL FINISH 1SIDE MONO PAINT	67,020.000	SF
GROOVED SURFACE FINISH	6,164.000	SY
REINF. STEEL FOR STRUCTURES (RETAINING WALL)	429,143.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	362,684.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	12,505.000	LB
GALVANIZED REINF. STEEL FOR STRUCTURES (BRIDGE)	574,904.000	LB
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	2,033.000	LF
STRUCTURAL STEEL (WEATHERING TYPE)	1.000	LS
DISK BEARING (FIXED)	4.000	EA
DISK BEARING (UNIDIRECTIONAL)	8.000	EA
STRUCTURE DRAINAGE SYSTEM	1.000	LS
PILE DRIVING SET-UP	225.000	EA
REINF. PILE TIPS (HP14 X 89)	225.000	EA
STEEL H BEARING PILING (HP14 X 89)	14,557.000	LF
MECH. STAB.EARTH RETAINING WALL BACKFILL	42,530.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(ROADWAY)	25,862.000	SF



Call No.: 010

Letting Date: November 14, 2023 Letting Time: 02:00 PM

Page: 6

Description	Quantity	Units
MECHANICALLY STABILIZED EARTH RETAINING WALL(BRIDGE)	32,979.000	SF
COPING FOR MSE RETAINING WALL(ROADWAY)	991.000	LF
COPING FOR MSE RETAINING WALL(BRIDGE)	2,107.000	LF
GEOMEMBRANE	8,670.000	SY
30"SMOOTH WALL STEEL PIPE (TRENCHLESS)COOPER E-80 LOADING	236.000	LF
18" R. C. PIPE CUL. BEVELED END SECTN-CL 3	7.000	EA
24" R. C. PIPE CUL. BEVELED END SECTN-CL 3	5.000	EA
36" R. C. PIPE CUL. BEVELED END SECTN-CL 3	2.000	EA
18" SMOOTH WALL PIPE	16,624.000	LF
24" SMOOTH WALL PIPE	1,968.000	LF
30" SMOOTH WALL PIPE	744.000	LF
36" SMOOTH WALL PIPE	172.000	LF
48" SMOOTH WALL PIPE	96.000	LF
18" SMOOTH WALL PIPE 30 DEG BEND	6.000	EA
CLEANING EXISTING PIPE	4,000.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	55.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	6.000	EA
CATCH BASIN -TYPE 16	36.000	EA
CATCH BASIN -TYPE 17	65.000	EA
CATCH BASIN -TYPE 18	5.000	EA
DROP INLET (24" X 24")	3.000	EA
DROP INLET (24" X 36")	45.000	EA
DROP INLET TYPE 112	15.000	EA
MANHOLE	13.000	EA
EXTRA DEPTH OF BOX	166.900	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	7.000	EA
ADJUST CATCH BASIN	2.000	EA
JUNCTION BOX - CONVERT CB T-1	1.000	EA
JUNCTION BOX - CONVERT CB T-18	1.000	EA
MANHOLE-CONVERT CATCH BASIN	1.000	EA
MANHOLE-CONVERT JUNCTION BOX	2.000	EA
CONCRETE CURB (9" X 15")	5,820.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	19,120.000	LF
CONCRETE CURB AND GUTTER (2'-0") OGEE	170.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	10,020.000	SY
DETECTABLE WARNING MATERIAL	1,137.500	SF
CONCRETE DRIVEWAY(8" UNIFORM)	600.000	SY
CONCRETE MEDIAN	4,100.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,275.000	SY
DECK JOINT STRIP SEAL	618.900	LF
ELASTOMERIC BEARING	63.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	1,598.000	TON



Call No.: 010

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 7

Description	Quantity	Units
PLANTED MEDIAN SUBSURFACE DRAINAGE	3,610.000	SY
4" PIPE UNDERDRAIN	2,550.000	LF
4" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	1,971.700	LF
RIP-RAP (CLASS A)	255.000	TON
RIP-RAP (CLASS B)	1,541.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	1,330.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	2,900.000	SY
MT3 LEADING END TREATMENT TL3	15.000	EA
MT2 LEADING END TREATMENT TL2	6.000	EA
MB TRAILING END TREATMENT	15.000	EA
MGS3 GR STANDARD SHOULDER	9,000.000	LF
MGS3CS GR COMPRESSED SHOULDER	100.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	10.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	2.000	EA
56SS REINFORCED BARRIER WALL	6,100.000	LF
RIGID VF MOMENT SLAB	4,903.200	LF
56ZOI VF BARRIER MEDIAN SYSTEM	1,540.000	LF
48"-CHAIN LINK FENCE	5,750.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	200.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	155.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	21.603	ACRE
TEMPORARY COVER	10.801	ACRE
COMPOST	5,832.744	CY
STRAW OR HAY MULCH WITH TACKIFIER	43.329	ACRE
FERTILIZER (NITROGEN)	2,160.276	LB
FERTILIZER (PHOSPHORIC ACID)	2,160.276	LB
FERTILIZER (POTASH)	2,160.276	LB
AGRICULTURAL GRANULAR LIME	43,205.510	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	64.808	ACRE
WATERPROOFING (SECOND METHOD)	1,022.100	SY



Call No.: 010

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 8

Description	Quantity	Units
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	180.700	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	34.585	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.029	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	21.451	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,071.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,071.000	LF
SILT FENCE	21,000.000	LF
REPLACE/REPAIR SILT FENCE	2,100.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	5,250.000	LF
INLET FILTER CLEANING	900.000	EA
INLET STRUCTURE FILTER - TYPE D1	23.000	EA
INLET STRUCTURE FILTER - TYPE B	103.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 17)	2.000	EA
INLET STRUCTURE FILTER - TYPE A	1,350.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	65.000	TON
STABILIZED CONSTRUCTION ENTRANCE	4,125.000	SY
ANTI GRAFFITI COATING ANTI GRAFITI COATING	77,691.000	SF
FURNISH AND INSTALL 40' STEEL STRAIN POLE AND FOUNDATION	7.000	EA
ON-THE-JOB TRAINEE (ROADWAY)	19,980.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	6,240.000	HR

UTILITY SUBCONTRACTORS

York County Preferred Contractors

1. State Utility Contractors
4417 Old Charlotte Highway
Monroe, NC 28110
704-289-6400
2. Sanders Utility Construction
6801 Brookshire Boulevard
Charlotte, NC 28216
704-399-5600
3. Fuller & Co. Construction, LLC
3089 W. Old NC HWY
Crouse, NC 28033
704-240-9124

Town of Fort Mill
SC Hwy 160 Utility Conflict Resolution
List of Three Approved Contractors

Propst Construction

Contact: Jeremy Lowder (704) 791-0111

Sanders Utility

Contact: Freddie Young (704) 400-5694

State Utility Contractors, Inc.

Contact: Mike Pulosie (704) 400-9288



SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION

UTILITY WORKSHEET

Line Item	Pay Item No.	Description	Unit	Estimated Quantity	Bid Unit Price	Extended Bid Price
1		16" DI Water Line	LF	235		
2		12" DI Water Line	LF	138		
3		16" Gate Valve	EA	2		
4		12" Water Line Stop	EA	2		
4		16" Water Line Stop	EA	2		
5		12" Water Thrust Block	EA	1		
6		Abandon 16" Utility Pipe	LF	223		
8		Ductile Iron Pipe Fittings	LBS	3950		
9		Remove Fire Hydrant Assembly	EA	1		
10		Relocate Fire Hydrant	EA	2		
11		Relocate Water Meters	EA	5		
12		Fire Hydrant	EA	1		
13		Fire Hydrant Leg	LF	73		
14		12" MJ Long Body Solid Sleeve	EA	1		
15		16" MJ Long Body Solid Sleeve	EA	3		
					Total Bid	

SC HWY 160 UTILITY CONFLICT RESOLUTION

SECTION I - HWY 160 WATER LINE MODIFICATIONS I

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u> (4' Minimum Cover or as Noted)		
(a)	1120	LF	12-in Ductile Iron		
(b)	933	LF	12-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u> (Complete, including concrete blocking and/or restrained joints)		
(a)	1.0	TN	R.J. Fittings		
3.			<u>Gate Valve & V.B.</u>		
(a)	3	EA	12-in Gate Valve		
4.			<u>Insertion Valve & V.B.</u>		
(a)	2	EA	12-in Insertion Valve (Complete, including asphalt removal/replacement, flowable fill backfill and site restoration)		
5.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L. and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 18+87.7 (0+62.7 LT) (Complete, including gate valve & V.B., R.J. fittings/sleeves, blocking, piping, connection to existing W.L., and any existing pipe removal/disposal)		
(c)	1	LS	Sta. 20+52.5 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement and any existing pipe removal/disposal)		
6.	4	EA	<u>Fire Hydrant Assembly (complete)</u>		
7.			<u>Road Crossing by Bore Method</u> (Complete, including furnishing all labor & materials, steel casing, R.J. D.I. carrier pipe, excavation of bore pits, sheeting of pits, backfill & restoration of disturbed areas & all other related work)		
(a)	108	LF	24-in Dia. Road Bore		
8.			<u>Abandon Existing Water Line</u>		
(a)	2000	LF	Flowable Fill Existing 12-in Pipe (complete)		
(b)	1	LS	Remove Existing PRV MH, Fire Hydrant & Valves (complete)		
9.			<u>Pavement Removal//Replacement</u>		
(a)	40	LF	Asphalt C&P-R		
(b)	506	LF	Concrete Sidewalk		
10.	115	CY	<u>Rock Excavation</u>		
11.			<u>Erosion Control</u>		
(a)	1825	LF	Silt Fence (Sd1)		
(b)	850	SY	Erosion Control Matting (Mb)		
(c)	2000	LF	Permanent Grassing (Ds3)		
(d)	2	EA	Construction Exit (Co)		
			SUB-TOTAL, Section I, Items 1-11 inclusive, in the amount of:		

SECTION II - HWY 160 WATER LINE MODIFICATIONS II

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u> (4' Minimum Cover or as Noted)		
(a)	78	LF	12-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u> (Complete, including concrete blocking and/or restrained joints)		
(a)	0.10	TN	R.J. Fittings		
3.			<u>Insertion Valve & V.B.</u> 12-in Insertion Valve		
(a)	1	EA	(Complete, including asphalt removal/replacement and flowable fill backfill)		
4.			<u>Existing Pipe Connections</u> Sta. 0+00		
(a)	1	LS	(Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 0+78 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement and any existing pipe removal/disposal)		
5.			<u>Pavement Removal/Replacement</u>		
(a)	78	LF	Asphalt C&P-R		
6.			<u>Rock Excavation</u>		
			SUB-TOTAL, Section II, Items 1-6 inclusive, in the amount of:		

SECTION III - PEACH LANE WATER LINE MODIFICATIONS

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u> (4' Minimum Cover or as Noted)		
(a)	71	LF	8-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u> (Complete, including concrete blocking and/or restrained joints)		
(a)	0.10	TN	R.J. Fittings		
3.			<u>Existing Pipe Connections</u> Sta. 0+00		
(a)	1	LS	(Complete, including R.J. fittings/sleeves, connection to existing W.L., straddle blocking, asphalt removal/replacement and any existing pipe		
(b)	1	LS	Sta. 0+64 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
4.	1	EA	<u>Fire Hydrant Assembly (complete)</u>		
5.			<u>Pavement Removal/Replacement</u>		
(a)	71	LF	Asphalt C&P-R		
6.	4	CY	<u>Rock Excavation</u>		
SUB-TOTAL, Section III, Items 1-6 inclusive, in the amount of:					

SECTION IV - SPRINGCREST DRIVE WATER LINE MODIFICATIONS

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u>		
(a)	83	LF	(4' Minimum Cover or as Noted) 8-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u>		
(a)	0.10	TN	(Complete, including concrete blocking and/or restrained joints) R.J. Fittings		
3.			<u>Gate Valve & V.B.</u>		
(a)	1	EA	8-in Gate Valve		
4.			<u>Insertion Valve & V.B.</u>		
(a)	1	EA	12-in Insertion Valve (Complete, including asphalt removal/replacement and flowable fill backfill)		
5.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 0+82.7 (Complete, including insertion valve, R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe)		
6.			<u>Pavement Removal/Replacement</u>		
(a)	43	LF	Asphalt C&P-R		
7.			<u>Rock Excavation</u>		
(a)	4	CY			
8.			<u>Erosion Control</u>		
(a)	58	LF	Silt Fence (Sd1)		
SUB-TOTAL, Section IV, Items 1-8 inclusive, in the amount of:					

SECTION V - HWY 160 WATER LINE MODIFICATIONS III

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u> (4' Minimum Cover or as Noted)		
(a)	94	LF	12-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u> (Complete, including concrete blocking and/or restrained joints)		
(a)	0.15	TN	R.J. Fittings		
3.			<u>Insertion Valve & V.B.</u> 12-in Insertion Valve		
(a)	1	EA	(Complete, including asphalt removal/replacement and flowable fill backfill)		
4.			<u>Existing Pipe Connections</u> Sta. 0+00		
(a)	1	LS	(Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 0+86 (Complete, including insertion valve, R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe		
5.			<u>Pavement Removal/Replacement</u> Asphalt C&P-R		
(a)	94	LF			
6.			<u>Rock Excavation</u>		
			SUB-TOTAL, Section V, Items 1-6 inclusive, in the amount of:		

SECTION VI - MUNN ROAD WATER LINE MODIFICATIONS

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u>		
(a)	84	LF	(4' Minimum Cover or as Noted) 8-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u>		
(a)	0.10	TN	(Complete, including concrete blocking and/or restrained joints) R.J. Fittings		
3.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 0+80 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
4.	1	EA	<u>Fire Hydrant Assembly (complete)</u>		
5.			<u>Abandon Existing Water Line</u>		
(a)	51	LF	Flowable Fill Existing 8-in Pipe (Complete)		
6.			<u>Pavement Removal/Replacement</u>		
(a)	84	LF	Asphalt C&P-R		
7.	4	CY	<u>Rock Excavation</u>		
			SUB-TOTAL, Section VI, Items 1-7 inclusive, in the amount of:		

SECTION VII - HWY 160 WATER LINE MODIFICATIONS IV

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u>		
(a)	89	LF	(4' Minimum Cover or as Noted) 12-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u>		
(a)	0.15	TN	(Complete, including concrete blocking and/or restrained joints) R.J. Fittings		
3.			<u>Insertion Valve & V.B.</u>		
(a)	1	EA	12-in Insertion Valve (Complete, including asphalt removal/replacement and flowable fill backfill)		
4.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 0+76 (Complete, including insertion valve, R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe		
5.			<u>Pavement Removal/Replacement</u>		
(a)	89	LF	Asphalt C&P-R		
6.			<u>Rock Excavation</u>		
			SUB-TOTAL, Sectoin VII, Items 1-6 inclusive, in the amount of:		

SECTION VIII - HWY 160 WATER LINE MODIFICATIONS V

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u>		
(a)	190	LF	(4' Minimum Cover or as Noted) 12-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u>		
(a)	0.15	TN	(Complete, including concrete blocking and/or restrained joints) R.J. Fittings		
3.			<u>Insertion Valve & V.B.</u>		
(a)	1	EA	12-in Insertion Valve (Complete, including asphalt removal/replacement and flowable fill backfill)		
4.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 1+82.5 (Complete, including insertion valve, R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
5.			<u>Abandon Existing Water Line</u>		
(a)	633	LF	Flowable Fill Existing 10-in Pipe (complete)		
6.			<u>Demolish Existing Master Meter Vault</u>		
	1	LS	(Complete, per detail, including removal and disposal of debris, removal and disposal or bypass piping/valves, placement of fill material, and asphalt removal/replacement)		
7.			<u>Abandon Existing Booster Pump Station</u>		
	1	LS	(Complete, per detail, including removal and disposal of debris, removal and disposal of inlet, outlet, & bypass piping/valves, placement of flowable fill & compacted fill material, and asphalt removal/replacement)		
8.			<u>Pavement Removal/Replacement</u>		
(a)	190	LF	Asphalt C&P-R		
9.			<u>Rock Excavation</u>		
	11	CY			
10.			<u>Erosion Control</u>		
(a)	74	LF	Silt Fence (Sd1)		
SUB-TOTAL, Section VIII, Items 1-10 inclusive, in the amount of:					

SECTION IX - HWY 160 WATER LINE MODIFICATIONS VI

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.			<u>Water Line</u> (4' Minimum Cover or as Noted)		
(a)	202	LF	10-in Ductile Iron – Restrained Joint		
2.			<u>Ductile Iron Fittings</u> (Complete, including concrete blocking and/or restrained joints)		
(a)	0.2	TN	R.J. Fittings		
3.			<u>Gate Valve & V.B.</u>		
(a)	2	EA	10-in Gate Valve		
4.			<u>Insertion Valve & V.B.</u>		
(a)	1	EA	12-in Insertion Valve (Complete, including asphalt removal/replacement and flowable fill backfill)		
(b)	1	EA	10-in Insertion Valve (Complete, including asphalt removal/replacement and flowable fill backfill)		
5.			<u>Existing Pipe Connections</u>		
(a)	1	LS	Sta. 0+00 (Complete, including R.J. fittings/sleeves, connection to existing W.L., asphalt removal/replacement, and any existing pipe removal/disposal)		
(b)	1	LS	Sta. 1+87.3 (Complete, including R.J. fittings/sleeves, connection to existing W.L. and any existing pipe removal/disposal)		
6.	1	EA	Fire Hydrant Assembly (complete)		
7.			<u>Abandon Existing Water Lines</u>		
(a)	272	LF	Flowable Fill Existing 12-in Pipe		
(b)	2	EA	Remove Existing Fire Hydrant and Valve		
8.	1	LS	<u>12-in Pipe Separation</u> (Complete, including straddle blocking, pipe removal/disposal, D.I., R.J. Cap and asphalt removal/replacement)		
9.			<u>Pavement Removal/Replacement</u>		
(a)	120	LF	Asphalt C&P-R		
(b)	28	LF	Concrete Island (Complete, including flowable fill backfill)		
10.	11	CY	<u>Rock Excavation</u>		
SUB-TOTAL, Section IX, Items 1-10 inclusive, in the amount of:					

SECTION X - EXTRA WORK, If Ordered by the Engineer

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	25	CY	<u>Crushed Stone Stabilization</u> (Including excavation and disposal of unsuitable material)		
2.	5	CY	<u>Class "C" Concrete</u>		
3.			<u>Water Service Connections</u>		
(a)	4	EA	Existing Service Reconnection		
(b)	45	LF	1" Service Lateral (Complete, including service line, service installation from saddle to meter box and grassing)		
(c)	15	LF	1" - 2" Service Lateral (Complete, including service line, service installation from saddle to meter box and grassing)		
			SUB-TOTAL, Section X, Items 1-3 inclusive, in the amount of:		

			TOTAL, Sections I - X, inclusive, in the amount of:	
--	--	--	--	--



Call No.: 020 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 0150490 PCN: P037723 Project No.: P037723
 DBE Goal Percent: 14.50%
 Approx. Length (miles): 127.0000 Description: DOWNTOWN ABBEVILLE SIDEWALK (FPA-27-18)
 CO(S): Abbeville
 Completion Date: 4/1/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	612.000	SY
SITE EXCAVATION	1.000	LS
MAINTENANCE STONE	50.000	TON
LIQUID ASPHALT BINDER PG64-22	5.000	TON
MILLING EXISTING ASPHALT PAVEMENT 1.25"	970.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	73.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	228.000	SF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	55.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	20.000	LF
ROADWAY AND AREA LIGHTING	1.000	LS
CONC. FOR STRUCTURES - CLASS 3000(ROADWAY)	2.000	CY
STEEL HANDRAIL	30.000	LF
18" SMOOTH WALL PIPE	48.000	LF
CLEANING EXISTING PIPE	200.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	2.000	EA
DROP INLET (24" X 24")	2.000	EA
MANHOLE	2.000	EA
CONCRETE CURB (9" X 15")	88.000	LF
CONCRETE CURB (TRANSITION)	12.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	860.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	370.000	SY
DETECTABLE WARNING MATERIAL	50.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	170.000	SY
PEDESTRIAN RAMP CONSTRUCTION	100.000	SY
TEMPORARY COVER	0.020	ACRE
COMPOST	12.000	CY
MOWING	0.120	ACRE
SODDING	0.200	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.100	MSY



Call No.: 020

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	50.000	LF
SILT FENCE	1,050.000	LF
CLEANING INLET STRUCTURE FILTERS	10.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

LIGHTING PRICE SHEET

CITY OF ABBEVILLE SIDEWALK ENHANCEMENT PROJECT
 PROJECT ID: 037723
 LIGHTING PRICE SHEET

ITEM NO.	DESCRIPTION	QUANTITY	UNIT	UNIT COST	ITEM COST
1	GRANVILLE LED POST-TOP ACORN STYLE LUMINAIRE - 61 WATT	3	EA		
2	SALEM SERIES 16'HT AL TOP TENON-GRD.MT POLE W/ RECEPTACLE	3	EA		
3	ELECTRICAL WIRE SPLICE	20	EA		
4	DECORATIVE LIGHT 3.0' RAISED FOUNDATION	1	EA		
5	LIGHTING CONTROL CABINET (POLE MOUNT)	1	EA		
6	FURNISH AND INSTALL ELECTRICAL SERVICE FOR LIGHTING	1	EA		
7	DECORATIVE LIGHT FOUNDATION	2	EA		
8	2.0" SCHEDULE 80 PVC CONDUIT	350	LF		
9	#6 BARE CU.WIRE GROUND	370	LF		
10	NO. 6 TRIPLEX ALUM. SERV. WIRE	35	LF		
11	#8Cu,1,600V,RHH,RHW,USE	1480	LF		
12	#12CU.WIRE,600V,THHN,THWN,MTW	160	LF		
13	12X12X12D.ELEC.UNGRD.ENCLOS/HD	2	EA		
TOTAL COST FOR LIGHTING					



Call No.: 030 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 0857250 PCN: P037890 Project No.: P037890
DBE Goal Percent: 17.50%
Approx. Length (miles):3.1930 Description: RSA PROJECT SAFETY IMPROVEMENTS/RSA
CO(S): Berkeley US 17A (MP 1.36 - 4.35)
Completion Date: 8/31/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, ASPHALT MILLING, and TRAFFIC SIGNALS with their respective quantities and units.



Call No.: 030

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-SPANWIRE MOUNT	30.000	SF
INSTALL FLAT SHEET FIXED SIZE & MESSAGE SIGN-MAST ARM MOUNT	15.000	SF
18" SMOOTH WALL PIPE	1,208.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	18.000	EA
CONCRETE MEDIAN	11,135.000	SY



Call No.: 040 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 1165640 PCN: P042174 Project No.: P042174

DBE Goal Percent: 0.00%

Approx. Length (miles): 7.0700

Description: PATCH, MILL, WIDEN, HMA

CO(S): Cherokee

Completion Date: 9/30/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	50.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	600.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	48.300	CY
BORROW EXCAVATION	1,605.000	CY
EXCAVATION FOR SHOULDER PAVING	706.470	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	706.470	STA
MAINTENANCE STONE	270.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	15.000	TON
HMA SHOULDER WIDENING COURSE	4,709.760	TON
LIQUID ASPHALT BINDER PG64-22	2,444.714	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	16,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	10,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,600.000	SY
MILLED-IN RUMBLE STRIP	13.380	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	22,694.627	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	12,204.627	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	960.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	3,989.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	408.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	24.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	227,990.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,084.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,468.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	198,403.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	546.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	800.000	LF



Call No.: 040

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	74,662.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	12.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	542.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,468.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	45,073.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	182.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	502.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	900.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	120.000	LF
PARTIAL DEPTH PATCHING OF EXISTING DECK	750.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	20,077.000	LB
CATCH BASIN -TYPE 9	1.000	EA
ADJUST CATCH BASIN	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	600.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	332.000	SY
DETECTABLE WARNING MATERIAL	25.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	200.000	SY
CONCRETE MEDIAN	45.000	SY
PEDESTRIAN RAMP CONSTRUCTION	50.000	SY
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,064.000	LF
MT3 LEADING END TREATMENT TL3	20.000	EA
PREMASH W-BEAM BRIDGE CONN TL2 WBBC2	12.000	EACH
MGS3CS GR COMPRESSED SHOULDER	3,674.500	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	3,099.500	LF
PREMASH TYPE T TL3 LEADING 50'	12.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	10.010	ACRE



Call No.: 050 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 1365050	PCN: P042181	Project No.: P042181
DBE Goal Percent: 0.00%	PCN: P042182	Project No.: P042182
	PCN: P042183	Project No.: P042183

Approx. Length (miles):9.7500 Description: MILLING, PATCHING, GUARDRAIL, HMA
CO(S): Chesterfield
Completion Date: 9/30/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
UNCLASSIFIED EXCAVATION	9,574.000	CY
BORROW EXCAVATION	897.000	CY
EXCAVATION FOR SHOULDER PAVING	34.840	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	34.840	STA
MAINTENANCE STONE	237.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	18,862.800	TON
HMA SHOULDER WIDENING COURSE	251.680	TON
LIQUID ASPHALT BINDER PG64-22	2,768.154	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,526.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	5,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	100,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	10,750.000	SY
MILLED-IN RUMBLE STRIP	18.580	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	10,060.160	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	10,060.160	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	10,560.943	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	689.333	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,587.875	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,364.000	SF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	28.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	21,616.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	260,342.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	280.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,826.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	54.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	30.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,889.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	259,873.000	LF



Call No.: 050

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	9,286.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	122,717.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	140.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	14.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	898.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	22.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	5,589.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,540.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	395.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	270.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,006.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,847.000	LF
MT3 LEADING END TREATMENT TL3	5.000	EA
PREMASH THRIE WITH BASE PL 3.125 SPACING	126.000	LF
MB TRAILING END TREATMENT	5.000	EA
MGS3 GR STANDARD SHOULDER	637.500	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	13.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.950	ACRE



Call No.: 060 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 1466860	PCN: P042510	Project No.: P042510
DBE Goal Percent: 0.00%	PCN: P042513	Project No.: P042513
	PCN: P042667	Project No.: P042667
	PCN: P042668	Project No.: P042668

Approx. Length (miles): 16.9800 Description: SURFCOURSE;FDP;SHLDPAV;MILLFILL
 CO(S): Clarendon
 Completion Date: 6/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	125.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	550.000	LF
REMOVAL & DISPOSAL OF EXISTING BITUMINOUS CURB&SHOULDER ROLL	530.000	LF
BORROW EXCAVATION	2,774.000	CY
EXCAVATION FOR SHOULDER PAVING	1,067.088	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,067.088	STA
MAINTENANCE STONE	270.050	TON
HMA SHOULDER WIDENING COURSE	8,720.800	TON
LIQUID ASPHALT BINDER PG64-22	2,700.769	TON
ARAMID FIBER	5,536.000	LB
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	14,955.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	12,050.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	16,430.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	174,040.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	21,100.000	SY
MILLED-IN RUMBLE STRIP	36.830	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	27,969.372	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,498.583	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	8,322.480	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,400.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	2,432.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	6,148.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	164,680.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	720.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	746.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	4.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA



Call No.: 060 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	14,760.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	107,760.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	11,196.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	349,910.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,280.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,468.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	8.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	28,620.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	237,990.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED) - EPOXY PAINT	80.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	270.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	80.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	270.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	302.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	500.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,606.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,800.000	LF
SAWCUT FOR LOOP DETECTOR	600.000	LF
CONCRETE CURB (TRANSITION)	50.000	LF
CONCRETE CURB AND GUTTER (3'-0") VERTICAL FACE	500.000	LF
DETECTABLE WARNING MATERIAL	62.500	SF
CONCRETE DRIVEWAY(8" UNIFORM)	50.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	170.000	SF
BITUMINOUS CURB	530.000	LF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	4,937.000	LF
MT3 LEADING END TREATMENT TL3	11.000	EA
PREMASH NEST W-BEAM W BASE PL 6.25 SPACING	50.000	LF
MB TRAILING END TREATMENT	3.000	EA
MGS3 GR STANDARD SHOULDER	3,537.500	LF
MGS3LS22 GUARDRAIL LONG SPAN 22FT CLEAR	125.000	LF
PREMASH W-BEAM COMPRESSED SHLDR 9' POST	975.000	LF
PREMASH THRIE STRONG POST GUARDRAIL	115.000	LF
PREMASH THRIEBEAM BRIDGE CONN TBBC3	7.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH W-TO-THRIE BRIDGE CONN WTBBC	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	10.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	16.030	ACRE



Call No.: 070 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2065570	PCN: P042184	Project No.: P042184
DBE Goal Percent: 0.00%	PCN: P042185	Project No.: P042185
	PCN: P042186	Project No.: P042186

Approx. Length (miles): 9.1100 Description: MILL, STA GRADE, WIDENING, PATCH, HMA
CO(S): Fairfield

Completion Date: 11/30/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
SELECTED CLEARING & GRUBBING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	1.500	CY
UNCLASSIFIED EXCAVATION	5,735.000	CY
BORROW EXCAVATION	3,088.000	CY
STATION GRADING	154.704	STA
EXCAVATION FOR SHOULDER PAVING	251.328	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	251.328	STA
MAINTENANCE STONE	219.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	7,957.282	TON
HMA SHOULDER WIDENING COURSE	1,675.520	TON
LIQUID ASPHALT BINDER PG64-22	2,215.684	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,656.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	22,595.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	70,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,600.000	SY
MILLED-IN RUMBLE STRIP	16.230	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	11,336.743	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	17,467.620	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,511.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	816.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	530.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	249,219.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	880.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,475.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	219,355.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	280.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	250.000	LF



Call No.: 070

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	39,073.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	57,024.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	440.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,428.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,047.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	29,499.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	36,735.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	627.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
15" SMOOTH WALL PIPE	560.000	LF
18" SMOOTH WALL PIPE	8.000	LF
24" SMOOTH WALL PIPE	8.000	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	14.000	EA
RIP-RAP (CLASS B)	50.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	100.000	SY
MT3 LEADING END TREATMENT TL3	22.000	EA
MGS3CS GR COMPRESSED SHOULDER	3,300.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.260	ACRE
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	4.840	MSY
SILT FENCE	2,200.000	LF
REPLACE/REPAIR SILT FENCE	1,000.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	1,000.000	LF



Call No.: 080 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2165870 PCN: P042041 Project No.: P042041
 DBE Goal Percent: 0.00% PCN: P042163 Project No.: P042163
 Approx. Length (miles): 16.8000 Description: SW; FDP; MILL; SURF; LOOPS; ADA; CONC
 CO(S): Florence ITEMS
 Completion Date: 6/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	3,670.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	1,000.000	LF
BORROW EXCAVATION	2,984.000	CY
EXCAVATION FOR SHOULDER PAVING	1,198.564	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,198.564	STA
MAINTENANCE STONE	298.000	TON
HMA SHOULDER WIDENING COURSE	7,022.400	TON
LIQUID ASPHALT BINDER PG64-22	2,123.758	TON
ARAMID FIBER	5,973.200	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	23,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	6,700.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	63,764.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,060.000	SY
MILLED-IN RUMBLE STRIP	24.120	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	14,156.907	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	12,517.817	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,471.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,688.750	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,794.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	8,205.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	408,930.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	10,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,651.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	48.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	39.000	EA
WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) FAST DRY PAINT	12.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	36,180.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	283,800.000	LF



Call No.: 080

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,485.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,735.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	87,435.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	48,875.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,440.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	25.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,219.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	16.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	13.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	12,060.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	94,600.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	430.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	145.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,597.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	640.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	130.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	140.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	350.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,000.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,100.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	9,876.000	LF
SAWCUT FOR LOOP DETECTOR	3,894.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	16.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	34.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	8.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	1,000.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,120.000	SY
DETECTABLE WARNING MATERIAL	475.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	1,600.000	SY
PEDESTRIAN RAMP CONSTRUCTION	950.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.736	ACRE



Call No.: 090 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2263870 PCN: P041874 Project No.: P041874
DBE Goal Percent: 17.50%
Approx. Length (miles): 1.1580 Description: MURRELLS INLET - INLET TO INTRACOASTAL
CO(S): Georgetown SIDEWALK PROJECT 2A
Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, EXCAVATION, GRADING, PAVING, and PAINTING with their respective quantities and units.



Call No.: 090

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	36.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	450.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	2,350.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	28,010.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	334.000	EA
REMOVAL OF PAVEMENT MARKINGS	76,456.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	40.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	700.000	LF
SAWCUT FOR LOOP DETECTOR	200.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-IV	763.000	LF
18" SMOOTH WALL PIPE	951.000	LF
CATCH BASIN -TYPE 16	6.000	EA
DROP INLET (24" X 24")	11.000	EA
MANHOLE	9.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,150.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,428.000	SY
RIP-RAP (CLASS C)	153.000	TON
PREMASH TYPE T TL3 LEADING 50'	4.000	EA
PERMANENT GRASSING FOR SMALL PROJECTS	2.756	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	300.000	LF
INLET STRUCTURE FILTER - TYPE A	156.000	LF



Call No.: 100 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2366080 PCN: P042401 Project No.: P042401
 DBE Goal Percent: 0.00% PCN: P042520 Project No.: P042520
 Approx. Length (miles): 10.8900 Description: RESURFACING - REHAB
 CO(S): Greenville
 Completion Date: 6/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	793.000	SY
BORROW EXCAVATION	1,206.000	CY
EXCAVATION FOR SHOULDER PAVING	554.400	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	554.400	STA
MAINTENANCE STONE	459.650	TON
HMA SHOULDER WIDENING COURSE	3,696.000	TON
LIQUID ASPHALT BINDER PG64-22	2,969.649	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	40,965.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	422,194.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	19,651.000	SY
MILLED-IN RUMBLE STRIP	9.420	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	47,238.526	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	2,151.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	814.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	4,108.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	102,880.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	134,284.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	30,920.000	LF
12" WHITE SOLID LINES - FAST DRY PAINT	1,570.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	9,818.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	206.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	110.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	26.000	EA
WHITE LANE DROP ARROW (LEFT OR RIGHT)-FAST DRY PAINT	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	29,480.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	494,722.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	4,680.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	25,890.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,142.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	15,460.000	LF



Call No.: 100

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
12" WHITE SOLID LINES - THERMO. - 125 MIL.	785.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	29.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	4,909.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	103.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	55.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	13.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	7,370.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	138,500.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,920.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	678.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,562.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	3,360.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	60,320.000	LF
SAWCUT FOR LOOP DETECTOR	21,920.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	48.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	17.000	EA
DETECTABLE WARNING MATERIAL	387.500	SF
PEDESTRIAN RAMP CONSTRUCTION	775.000	SY
SURFACE APPLIED DETECTABLE WARNING	40.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	300.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	175.000	LF
PREMASH TYPE T TL3 LEADING 50'	6.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.184	ACRE



Call No.: 110 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2657300 PCN: P037892 Project No.: P037892
DBE Goal Percent: 5.00%
Approx. Length (miles):2.0440 Description: SAFETY IMPROVEMENTS/RSA - S-215 (MR. JOE WHITE AVE)
CO(S): Horry
Completion Date: 9/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDS AND INSURANCE, CONSTRUCTION STAKES, LINES & GRADES, etc., with their respective quantities and units.



Call No.: 110 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	400.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	30,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	120.000	LF
GREEN BIKE LANE MARKINGS - HOT APPLIED PREFORMED THERMOPLASTIC - 90MILS	8,740.000	SF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	45.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	57.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	260.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC PROFILE	1,410.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	198.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	305.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	12.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	48.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	270.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	55.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	310.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	900.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	3,850.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	2,040.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	2,800.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	2,950.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	21,364.000	LF
SAWCUT FOR LOOP DETECTOR	9,833.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	2.000	EA
1/2" GALVANIZED STEEL CABLE	100.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	9.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	11.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	14.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	24.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	24.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	24.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	33.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	4.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	40.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	130.000	SY
DETECTABLE WARNING MATERIAL	100.000	SF
CONCRETE MEDIAN	520.000	SY
PEDESTRIAN RAMP CONSTRUCTION	165.000	SY



Call No.: 110

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
SURFACE APPLIED DETECTABLE WARNING	580.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	0.100	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,872.000	LF
SILT FENCE	530.000	LF
INLET STRUCTURE FILTER - TYPE A	100.000	LF



Call No.: 120 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2657400 PCN: P037907 Project No.: P037907
DBE Goal Percent: 7.00%
Approx. Length (miles): 1.8500 Description: INTERSECTION IMPROVEMENT S-241 (21ST CO(S): Horry AVE N.)
Completion Date: 10/31/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDS AND INSURANCE, CONSTRUCTION STAKES, LINES & GRADES, etc., with their respective quantities and units.



Call No.: 120

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	230.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	165.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	66.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	313.750	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	10.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	50.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	90.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	109.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	230.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	1,380.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	6,460.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	470.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,210.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	2,180.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	26,842.000	LF
SAWCUT FOR LOOP DETECTOR	12,352.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	4.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	8.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 001	11.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	8.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	9.000	EA
F&I VEHICLE TRAFFIC SINGAL HEAD MOUNTING ASSEMBLY FOR MAST ARM	19.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	41.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	6.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	170.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	50.000	SY
DETECTABLE WARNING MATERIAL	70.000	SF
CONCRETE MEDIAN	220.000	SY
PEDESTRIAN RAMP CONSTRUCTION	120.000	SY
SURFACE APPLIED DETECTABLE WARNING	320.000	SF
PERMANENT GRASSING FOR SMALL PROJECTS	0.100	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	160.000	LF
SILT FENCE	230.000	LF
INLET STRUCTURE FILTER - TYPE A	80.000	LF



Call No.: 130 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2665980 PCN: P042046 Project No.: P042046
DBE Goal Percent: 0.00%
Approx. Length (miles): 10.7400 Description: FDP; MILL; SURF; LOOP; ADA; CONC ITEMS
CO(S): Horry
Completion Date: 11/30/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various construction items such as MOBILIZATION, BONDING, ASPHALT PAVING, and PAINTING with their respective quantities and units.



Call No.: 130 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	8,265.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	72.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	15.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	3,270.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	63,250.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	72,395.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,860.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	345.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	585.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,120.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	250.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,125.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	120.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	2,575.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)8"WH.SOLID	50.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)24"WH.SOL	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)WH.SING.ARROW	6.000	EA
PREF.FLEX.RETRO.PVMT.(T-1)PERM(60MIL)WH.WORD MESS."ONLY"	6.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM(60MIL)WH.COMB.ARROW	2.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	2,575.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	270.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	1,880.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,850.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	12,678.000	LF
SAWCUT FOR LOOP DETECTOR	4,599.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	14.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	3.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	15.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	5.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	400.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	450.000	SY
DETECTABLE WARNING MATERIAL	524.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	800.000	SY
PEDESTRIAN RAMP CONSTRUCTION	1,050.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.320	ACRE



Call No.: 140 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2766350	PCN: P042088	Project No.: P042088
DBE Goal Percent: 0.00%	PCN: P042100	Project No.: P042100
	PCN: P042303	Project No.: P042303
	PCN: P042304	Project No.: P042304

Approx. Length (miles): 8.3600 Description: SHLD WDN, STB, STC, MILL, INTM
CO(S): Jasper

Completion Date: 10/31/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	4.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
UNCLASSIFIED EXCAVATION	223.000	CY
BORROW EXCAVATION	3,779.000	CY
EXCAVATION FOR SHOULDER PAVING	722.300	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	722.300	STA
MAINTENANCE STONE	57.550	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,087.360	TON
LIQUID ASPHALT BINDER PG64-22	2,286.563	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	368.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,387.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	24,718.109	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	97,623.870	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	12,414.670	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,675.000	SY
MILLED-IN RUMBLE STRIP	19.610	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	64.533	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	13,614.218	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	65.900	TON
DRIVEWAY PAVING-SURFACE TYPE C	386.875	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	26,145.183	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	992.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,272.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	87,397.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	142.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	611.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	9.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	9.000	EA



Call No.: 140

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
RAILROAD CROSSING SYMBOLS - PERM.PVMT.MARKING	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	8,390.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	36,013.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	6,996.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	330,618.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	426.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,137.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	27.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	27.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	12.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	32,940.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	123,790.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	800.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	102.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	42.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	624.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	200.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,500.000	LF
SAWCUT FOR LOOP DETECTOR	750.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.989	ACRE
SILT FENCE	4,282.000	LF



Call No.: 150 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2767020 PCN: P041809 Project No.: P041809
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 6.4200 Description: 2023 DISTRICT 6 CTC PROGRAM JASPER COUNTY
 CO(S): Jasper
 Completion Date: 6/30/2025 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
UNCLASSIFIED EXCAVATION	642.000	CY
BORROW EXCAVATION	2,889.500	CY
ADDITIONAL ROCK FOR FULL DEPTH RECLAMATION	1,280.000	TON
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	57,965.602	SY
CEMENT MODIFIED RECYCLED BASE (12" UNIF)-CURING METHOD B	39,658.672	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	3,674.630	TON
MAINTENANCE STONE	5.000	TON
LIQUID ASPHALT BINDER PG64-22	565.143	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,050.000	SY
MILLED-IN RUMBLE STRIP	10.700	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,882.426	TON
DRIVEWAY PAVING-SURFACE TYPE C	343.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	97,624.274	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	648.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	67,795.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	52.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	4,940.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	35,151.000	LF
24" YELLOW SOLID LINES - PERM.PVMT.MARKING	50.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	271,180.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	208.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	19,760.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	140,604.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	200.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	425.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	6.225	ACRE



Call No.: 160 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2866750 PCN: P042457 Project No.: P042457

DBE Goal Percent: 0.00%

Approx. Length (miles):8.0100

Description: KERSHAW COUNTY REHABILITATION

CO(S): Kershaw

Completion Date: 5/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	485.000	SY
UNCLASSIFIED EXCAVATION	35.000	CY
BORROW EXCAVATION	1,496.000	CY
EXCAVATION FOR SHOULDER PAVING	296.860	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	296.860	STA
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	37,600.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,015.000	TON
MAINTENANCE STONE	39.500	TON
HMA SHOULDER WIDENING COURSE	1,748.267	TON
LIQUID ASPHALT BINDER PG64-22	849.410	TON
FULL DEPTH ASPH. PAV. PATCHING 4" UNIF.	1,300.000	SY
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	2,000.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	650.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	7,400.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	5,310.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,125.000	SY
MILLED-IN RUMBLE STRIP	8.860	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	8,874.553	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,728.960	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	25.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,209.750	TON
DRIVEWAY PAVING-SURFACE TYPE D	195.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,836.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,270.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	328,280.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,500.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,760.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	4.000	EA



Call No.: 160

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	2.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	4.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	4,100.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	189,080.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,700.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	68,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	530.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	910.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	4.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,250.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	68,210.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	35.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	600.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	60.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,776.000	LF
SAWCUT FOR LOOP DETECTOR	867.000	LF
ADJUST CATCH BASIN	1.000	EA
ADJUST DROP INLET ADJUST D. I.	1.000	EA
DETECTABLE WARNING MATERIAL	187.500	SF
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.251	ACRE

This Project has a List of Qualified Contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/10/2023

Call No.: 170 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3157110 PCN: P039377 Project No.: P039377
 DBE Goal Percent: 13.50%
 Approx. Length (miles):0.3450 Description: SAFETY IMPROVEMENT AT US 401 / SC 341
 CO(S): Lee
 Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	685.000	SY
UNCLASSIFIED EXCAVATION	9,350.000	CY
BORROW EXCAVATION	3,520.000	CY
FINE GRADING	2,630.000	SY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,256.000	TON
LIQUID ASPHALT BINDER PG64-22	114.600	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	758.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	245.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	884.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	360.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	368.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	160.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	10,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	9,743.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	60.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	120.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	7,800.000	LF
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	100.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,436.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	275.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF



Call No.: 170

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	100.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	70.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	286.450	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	452.000	LF
REFLECTIVE SIGN POST PANELS	180.000	LF
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	9.000	EA
15" SMOOTH WALL PIPE	80.000	LF
18" SMOOTH WALL PIPE	1,264.000	LF
24" SMOOTH WALL PIPE	144.000	LF
30" SMOOTH WALL PIPE	120.000	LF
CLEANING EXISTING PIPE	200.000	LF
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	17.000	EA
MANHOLE	2.000	EA
BEVELING OF PIPE END	7.000	EA
CONCRETE CURB (9" X 15")	240.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,420.000	LF
CONCRETE MEDIAN	450.000	SY
AGGREGATE UNDERDRAIN (AGGR #5)	4.000	TON
6" PERFORATED PIPE UNDERDRAIN WITH GEOTEXTILE	270.000	LF
6" POLYVINYL CHLORIDE (PVC) PIPE UNDERDRAIN	270.000	LF
RIP-RAP (CLASS A)	20.000	TON
RIP-RAP (CLASS B)	60.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	220.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	81.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	26.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	1.544	ACRE
TEMPORARY COVER	1.544	ACRE
FERTILIZER (NITROGEN)	154.419	LB
FERTILIZER (PHOSPHORIC ACID)	154.419	LB
FERTILIZER (POTASH)	154.419	LB
AGRICULTURAL GRANULAR LIME	3,088.383	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	6.177	ACRE
LANDSCAPING ITEM NO. 003	25.000	EA
DOUBLE-SHREDDED HARDWOOD MULCH	1,980.000	SF
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.088	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	120.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	120.000	LF



Call No.: 170

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	840.000	LF
SILT FENCE	2,000.000	LF
REPLACE/REPAIR SILT FENCE	200.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	500.000	LF
SEDIMENT DAM RIPRAP	15.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

UTILITY SUBCONTRACTORS

Approved Contractors

Kershaw County and Lee County Regional Water Authority (Cassatt Water)

Proposal ID 3157110

- 1.) McMahan Brothers Pipeline, Inc.
ATTN: JJ McMahan
PO Box 2609
169A Highway 378 West
Lexington, SC 29072
Office: (803) 358-1171, Fax: (803) 358-1173
Email: mcmahanbrothers@windstream.net

- 2.) Four S Construction, Inc.
834 Cane Mill Crossing Road
Cheraw, SC 29520
Phone: (843) 921-1885
Email: foursconst@aol.com
G113101 BD5 AP5 CP5 GD5 WL5

- 3.) Maxcy Hicks & Sons, Inc.
1598 Maxcy Road
New Zion, SC 29111
PO Box 53
New Zion, SC 29111
(843) 659-2456, Fax (843) 659-2436
G-12284 WL5 WP5 GD5 AP5 CP5 BT5
M-96822 EL5
Email: alhicks@FTC-I.net

- 4.) RWF Construction, LLC
Mr Wade Finklea
3001 Red Hawk Road
Effingham, SC 29541
P: 843-662-4109
SC License G102188 AP5 GD5 WL5 WP5 wade@rwfconstruction.net

- 5.) Barwick Plumbing Co., LLC
Ms Cindy Barwick Rogers
15 East Clark Street
Pinewood, SC 29125
P: 803-452-5755 x104
SC License G111939 BD5, WL5, BL5 cindy@barwickplumbingco.com

- 6.) Complete Utilities LLC
Mr Rusty Elvington
1671 McKnight Road
Scranton, SC 29591
P: 843-210-7473
SC License G119014 BT5 WL5 WP5 rusty@complete-utilities.com graham@complete-utilities.com

UTILITY WORKSHEET

US 401 & SC 341 Watermain Relocation Worksheet

Item No.	Est Qty	Unit	Description	Unit Price	Total
1	650	LF	6" PVC Pipe		
2	729	LF	6" RJ PVC Pipe		
3	172	LF	6" RJ DIP		
4	40	LF	6" RJ DIP In Casing		
5	40	LF	12" Steel Casing Bore & Jack		
6	6	EA	6" RJ GV/Box		
7	1	EA	4" RJ GV/Box		
8	2	EA	6" RJ 90° Bend		
9	4	EA	6" RJ 45° Bend		
10	2	EA	6" RJ 22.5° Bend		
11	8	EA	6" RJ Sleeve		
12	2	EA	6" RJ Tee		
13	1	EA	6" X 4" RJ Tee		
14	1	EA	6" RJ Cap		
15	1	EA	4" RJ Cap		
16	1	EA	Blowoff and Appertunances		
17	3	EA	Connect to Existing Watermain		
18	200	LF	Silt Fence		

Estimated Total Cost \$

This Project has a List of Qualified Contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

10/10/2023

Call No.: 180 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3257200 PCN: P039379 Project No.: P039379
 DBE Goal Percent: 14.50%
 Approx. Length (miles): 0.2350 Description: SAFETY IMPROVEMENT - US 21 (LEXINGTON CO)
 CO(S): Lexington
 Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 002	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 003	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	96.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	580.000	SY
UNCLASSIFIED EXCAVATION	1,520.000	CY
BORROW EXCAVATION	2,700.000	CY
MUCK EXCAVATION	500.000	CY
GEOTEXTILE, SEPARATION	1,800.000	SY
NO. 57 STONE FOR BACKFILL	800.000	TON
FINE GRADING	1,210.000	SY
FLOWABLE FILL	14.000	CY
MAINTENANCE STONE	100.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	445.000	TON
LIQUID ASPHALT BINDER PG64-22	69.000	TON
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,797.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	130.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	437.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	155.000	TON
STAINED CONCRETE PAVEMENT (8" UNIFORM)	450.000	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	392.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	200.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	12,500.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	200.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	200.000	LF
REMOVAL OF PAVEMENT MARKINGS (LINES) (TRAFFIC CONTROL)	7,500.000	LF



Call No.: 180 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	1,489.000	LF
8" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,500.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	600.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	75.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,900.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	50.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
DESIGN & INSTALLATION OF RDWY. LIGHTING ELECTRICAL SYSTEM 001	1.000	LS
SGL.LIGHT STD.35'HT.AL.POLE-INCL TOP TENON MT.	9.000	EA
18" SMOOTH WALL PIPE	1,332.000	LF
24" SMOOTH WALL PIPE	24.000	LF
CLEANING EXISTING PIPE	135.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	3.000	EA
CATCH BASIN -TYPE 16	9.000	EA
CATCH BASIN -TYPE 18	2.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	8.000	EA
BEVELING OF PIPE END	5.000	EA
CONCRETE CURB (9" X 15")	235.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,525.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	667.000	SY
DETECTABLE WARNING MATERIAL	160.000	SF
CONCRETE DRIVEWAY(6" UNIFORM)	60.000	SY
CONCRETE MEDIAN	250.000	SY
PEDESTRIAN RAMP CONSTRUCTION	56.000	SY
RIP-RAP (CLASS A)	40.000	TON
RIP-RAP (CLASS B)	132.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	80.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	167.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	1,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.624	ACRE
TEMPORARY COVER	2.500	ACRE
SEEDING - ERAGROSTIS CURVULA - WEEPING LOVEGRASS	0.412	MSY
FERTILIZER (NITROGEN)	62.390	LB
FERTILIZER (PHOSPHORIC ACID)	62.390	LB
FERTILIZER (POTASH)	62.390	LB
AGRICULTURAL GRANULAR LIME	1,247.809	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.496	ACRE



Call No.: 180

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
LANDSCAPING ITEM NO. 004	66.000	EA
DOUBLE-SHREDDED HARDWOOD MULCH	589.000	SF
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.465	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	0.050	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	3.124	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	260.000	LF
SILT FENCE	3,000.000	LF
REPLACE/REPAIR SILT FENCE	300.000	LF
CLEANING SILT BASINS	10.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	750.000	LF
INLET STRUCTURE FILTER - TYPE B	4.000	EA
INLET STRUCTURE FILTER - TYPE A	540.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	60.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

UTILITY SUBCONTRACTORS

**CITY OF CAYCE CHARLESTON HIGHWAY ROUNDABOUT
APPROVED CONTRACTOR LIST
WATER and SEWER RELOCATION**

Number	Contractor	Point of Contact	Email Address	Office Phone	Cell Phone
1	TNT, Inc.	Nick Trussell	nick@tntincsc.com	803-513-8262	
2	GH Smith Construction, Inc	Jerry Smith	ghsmithconst@aol.com	803-781-5460	803-622-5139
3	Tom Brigman Contractors, Inc	Blake Brigman	bbrigman@tombrigmancontractors.com	803-276-4083	803-924-5568

UTILITY WORKSHEET

BID SCHEDULE
DIVISION 1 – WATER LINES

No.	Item Description	Estimated Quantity	Unit	Bid Unit Price	Bid Price
1.	10" Restrained Joint PVC Pipe	413	LF	\$ _____	\$ _____
2.	10" Restrained Jt. DIP Installed in Casing	183	LF	\$ _____	\$ _____
3.	10" Gate Valve	1	EA	\$ _____	\$ _____
4.	6" Gate Valve	1	EA	\$ _____	\$ _____
5.	10"X10" Tapping Sleeve & Valve	3	EA	\$ _____	\$ _____
6.	Install 20" Casing In Trench	40	LF	\$ _____	\$ _____
7.	Bore & Jack 20" Casing	104	LF	\$ _____	\$ _____
8.	Fire Hydrant	1	EA	\$ _____	\$ _____
9.	Fire Hydrant Lead - 6" Restrained Joint DIP	5	LF	\$ _____	\$ _____
10.	Service Saddles - 10" x 3/4"	1	EA	\$ _____	\$ _____
11.	Service Lines - 3/4"	10	LF	\$ _____	\$ _____
12.	Connect To Existing Meter Box	1	EA	\$ _____	\$ _____
13.	Abandon Existing Water Main	3	EA	\$ _____	\$ _____
14.	Install Flowable Fill in Abandoned 10" Water Line	522	LF	\$ _____	\$ _____
15.	Abandon Existing Gate Valve	2	EA	\$ _____	\$ _____
16.	Remove Existing Fire Hydrant	1	EA	\$ _____	\$ _____
17.	Temporary Blowoff	1	EA	\$ _____	\$ _____
18.	Concrete Markers	4	EA	\$ _____	\$ _____
19.	Ductile Iron Fittings	2,645	LBS	\$ _____	\$ _____
20.	Traffic Control	1	LS	\$ _____	\$ _____
21.	Sediment/ Erosion Control	1	LS	\$ _____	\$ _____
22.	Record Drawings	1	LS	\$ _____	\$ _____
23.	Pigging	596	LF	\$ _____	\$ _____

TOTAL BID for DIVISION 1 – WATER LINES

\$ _____

**BID SCHEDULE
DIVISION 2 – FORCE MAINS**

No.	Item Description	Estimated Quantity	Unit	Bid Unit Price	Bid Price
1.	12" Restrained Joint PVC Pipe	181	LF	\$ _____	\$ _____
2.	10" Restrained Joint PVC Pipe	251	LF	\$ _____	\$ _____
3.	12" Restrained Jt. PVC Installed in Casing	82	LF	\$ _____	\$ _____

4.	12" Insertion Valve	1	EA	\$ _____	\$ _____
5.	10" Insertion Valve	1	EA	\$ _____	\$ _____
6.	10" Plug Valve	1	EA	\$ _____	\$ _____
7.	Air Release Valve	1	EA	\$ _____	\$ _____
8.	10"X2" Tapping Saddle & Valve	1	EA	\$ _____	\$ _____
9.	2" Sewer Service Line With Casing	88	LF	\$ _____	\$ _____
10.	Connect to Existing Sewer Service Line	1	LS	\$ _____	\$ _____
11.	Expose Ex. 12" Pipe & Install Bell Restraints	1	LS	\$ _____	\$ _____
12.	Expose Ex. 10" Pipe & Install Bell Restraints	1	LS	\$ _____	\$ _____
13.	Bore & Jack 24" Casing	54	LF	\$ _____	\$ _____
14.	Tie Into Existing Force Main	2	EA	\$ _____	\$ _____
15.	Abandon Existing Force Main	2	EA	\$ _____	\$ _____
16.	Abandon Existing Plug Valve	3	EA	\$ _____	\$ _____
17.	Install Flowable Fill in Abandoned 12" Force Main	138	LF	\$ _____	\$ _____
18.	Install Flowable Fill in Abandoned 10" Force Main	294	LF	\$ _____	\$ _____
19.	Clearing	0.20	AC	\$ _____	\$ _____
20.	Concrete Markers	2	EA	\$ _____	\$ _____
21.	Ductile Iron Fittings	2,695	LBS	\$ _____	\$ _____
22.	Traffic Control	1	LS	\$ _____	\$ _____
23.	Sediment/ Erosion Control	1	LS	\$ _____	\$ _____
24.	Sewer Force Main Dewatering	1	LS	\$ _____	\$ _____
25.	Record Drawings	1	LS	\$ _____	\$ _____

TOTAL BID for DIVISION 2 – FORCE MAINS

\$ _____

TOTAL BID – ALL DIVISIONS

\$ _____



Call No.: 190 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3266760	PCN: P042241	Project No.: P042241
DBE Goal Percent: 0.00%	PCN: P042242	Project No.: P042242
Approx. Length (miles): 15.6600	Description: 2024 LEXINGTON COUNTY REHABILITATION	
CO(S): Lexington		
Completion Date: 6/30/2025 Days	Funding: ST	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,175.000	SY
BORROW EXCAVATION	1,116.000	CY
EXCAVATION FOR SHOULDER PAVING	576.580	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	576.580	STA
MAINTENANCE STONE	127.000	TON
HMA SHOULDER WIDENING COURSE	2,696.320	TON
LIQUID ASPHALT BINDER PG64-22	3,424.500	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	6,100.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	6,600.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	475,987.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	8,740.000	SY
MILLED-IN RUMBLE STRIP	9.900	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	9,793.600	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	48,289.721	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,665.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,300.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	102,150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	157,230.000	LF
8" WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	38,140.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	11,595.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	338.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	188.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	30.000	EA
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	16.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	67,650.000	LF
4" YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	482,330.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	3,450.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	32,150.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	45,320.000	LF



Call No.: 190 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	13,110.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,860.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	110.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	61.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	10.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	6.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	22,250.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	155,680.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,670.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	2,270.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,880.000	EA
PLASTIC CURBING WITH DUAL POST	55.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	625.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,305.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	175.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	4,480.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	175.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	30,297.000	LF
SAWCUT FOR LOOP DETECTOR	10,564.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	35.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	7.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	60.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 6)	28.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	6.000	EA
DETECTABLE WARNING MATERIAL	575.000	SF
PEDESTRIAN RAMP CONSTRUCTION	1,150.000	SY
SURFACE APPLIED DETECTABLE WARNING	50.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	50.000	LF
PREMASH TYPE T TL3 LEADING 50'	2.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	5.413	ACRE



Call No.: 200 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3565930	PCN: P042361	Project No.: P042361
DBE Goal Percent: 0.00%	PCN: P042362	Project No.: P042362
	PCN: P042363	Project No.: P042363
	PCN: P042364	Project No.: P042364

Approx. Length (miles): 18.0600 Description: SW; FDP; MILL; SURF; LOOPS; ADA; CONC
CO(S): Marlboro ITEMS

Completion Date: 5/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,100.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	510.000	LF
BORROW EXCAVATION	4,262.000	CY
EXCAVATION FOR SHOULDER PAVING	991.584	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	991.584	STA
MAINTENANCE STONE	174.500	TON
HMA SHOULDER WIDENING COURSE	4,957.920	TON
LIQUID ASPHALT BINDER PG64-22	2,397.335	TON
ARAMID FIBER	8,589.053	LB
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	15,150.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	2,300.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	66,444.002	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	2,123.000	SY
MILLED-IN RUMBLE STRIP	32.680	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	23,292.332	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	11,767.980	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	1,161.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	792.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,128.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	34,185.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	530,781.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	4,425.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	3,945.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	102.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	24.000	EA
4" YELLOW BROKEN LINES (GAPS EXC) - FAST DRY PAINT	64,440.000	LF
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	337,185.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	999.000	LF



Call No.: 200 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	11,395.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	176,927.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	1,475.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,315.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	34.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	21,480.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	112,395.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	630.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	720.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,080.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	240.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.BROKEN	120.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,092.000	LF
SAWCUT FOR LOOP DETECTOR	456.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
CATCH BASIN T-17 (CONVERT C.B. TYPE 5)	32.000	EA
CATCH BASIN T-18 (CONVERT C.B. TYPE 7)	7.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	510.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	250.000	SY
DETECTABLE WARNING MATERIAL	187.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	475.000	SY
PEDESTRIAN RAMP CONSTRUCTION	375.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	11.077	ACRE



Call No.: 210 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3666380	PCN: P041083	Project No.: P041083
DBE Goal Percent: 0.00%	PCN: P042223	Project No.: P042223
Approx. Length (miles): 12.7300	Description: 2022-23 NEWBERRY SPECIAL CTC 5/22/2023	
CO(S): Newberry	9:20:22 AM	
Completion Date: 6/30/2025 Days	Funding: CTC	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	9.000	EA
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	516.000	SY
BORROW EXCAVATION	2,552.000	CY
EXCAVATION FOR SHOULDER PAVING	25.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	25.000	STA
CEMENT MODIFIED RECYCLED BASE (8" UNIF)-CURING METHOD B	11,990.000	SY
CEMENT MODIFIED RECYCLED BASE (10" UNIF)-CURING METHOD B	23,945.000	SY
PORTLAND CEMENT FOR CEMENT MODIFIED RECYCLED BASE COURSE	1,115.000	TON
MAINTENANCE STONE	228.750	TON
HMA SHOULDER WIDENING COURSE	86.020	TON
LIQUID ASPHALT BINDER PG64-22	1,351.771	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	6,945.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	13,605.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	25.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	8,575.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	10,016.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	112,215.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	32,428.000	SY
MILLING - VARIABLE - 2' WIDTH	27.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE C	18,802.833	TON
DRIVEWAY PAVING-SURFACE TYPE C	2,585.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	16,604.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	1,836.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	91,065.000	LF
8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT	2,290.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	6,802.000	LF
RAILROAD CROSSING SYMBOLS - FAST DRY PAINT	9.000	EA
4" YELLOW SOLID LINE (PVT. EDGE & NO PASSING ZONE)-FAST DRY PAINT	191,845.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	270.000	LF



Call No.: 210

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	27,830.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	785.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	2,475.000	LF
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	69,117.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	860.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	517.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	1,850.000	LF
SAWCUT FOR LOOP DETECTOR	514.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
ADJUST CATCH BASIN	2.000	EA
ADJUST MANHOLE	23.000	EA
ADJUST DROP INLET ADJUST D. I.	3.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	42.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	18.000	SY
DETECTABLE WARNING MATERIAL	250.000	SF
PEDESTRIAN RAMP CONSTRUCTION	500.000	SY
SURFACE APPLIED DETECTABLE WARNING	870.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	8.309	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	200.000	LF
SILT FENCE	20.000	LF
REPLACE/REPAIR SILT FENCE	20.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	50.000	LF



Call No.: 220 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3666720	PCN: P041673	Project No.: P041673
DBE Goal Percent: 0.00%	PCN: P041730	Project No.: P041730
Approx. Length (miles):0.1130	Description: DISTRICT 2, PACKAGE 5 BRIDGE REPAIRS	
CO(S):		
Completion Date: 7/31/2024 Days	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
EMBANKMENT REPAIR	34.000	CY
FLOWABLE FILL	3.000	CY
LIQUID ASPHALT BINDER PG64-22	14.900	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,333.300	SY
MILLED-IN RUMBLE STRIP	0.152	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	235.334	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,490.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	82.000	SF
BARRICADE - TYPE 3	84.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
TYPE B - FLASHING LIGHT	36.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	800.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	160.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	160.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	33.000	SY
EPOXY CRACK INJECTION	150.000	LF
TREATED TIMBER SWAY BRACES	120.000	LF
HARDWARE	154.000	LB
STRUCTURAL STEEL	138.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	14.000	EA
REMOVAL OF EPOXY, ASPHALT & FOREIGN OVERLAY	183.300	SY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	3.900	CY
RIP-RAP (CLASS B)	311.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	131.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	43.200	SY



Call No.: 220

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
BRIDGE PILE WRAP	198.000	LF
BR010 – DECK JOINT REPAIR TYPE 1	89.000	LF
BR018 - BEAM END WEB AND FLANGE REPAIR	80.000	LF
BR040 – CORROSION INHIBITING BONDING AGENT	250.000	SF



Call No.: 230 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3750120	PCN: P031964	Project No.: P031964
DBE Goal Percent: 17.50%	PCN: P031969	Project No.: P031969
Approx. Length (miles):0.2410	Description: INTERSECTION IMPROVEMENTS AT SC 59 AND SC 182/SC 243	
CO(S): Oconee		
Completion Date: 11/30/2024 Days	Funding: FED	

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 0001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,017.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	82.000	CY
UNCLASSIFIED EXCAVATION	3,074.000	CY
BORROW EXCAVATION	800.000	CY
FINE GRADING	3,275.000	SY
FLOWABLE FILL	4.000	CY
MAINTENANCE STONE	18.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,318.000	TON
LIQUID ASPHALT BINDER PG64-22	156.000	TON
FULL DEPTH ASPH. PAV. PATCHING 12"UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	3,541.010	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	790.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	946.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	896.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	175.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,770.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,239.000	LF
BARRICADE - TYPE 3	126.000	LF
TYPE B - FLASHING LIGHT	12.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	393.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	9,560.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	8,216.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	235.000	LF



Call No.: 230 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	50.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	100.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,800.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	400.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	375.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	160.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,900.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	225.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	10.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	30.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	16.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	50.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	100.000	LF
REFLECTIVE SIGN POST PANELS	50.000	LF
18" SMOOTH WALL PIPE	328.000	LF
24" SMOOTH WALL PIPE	368.000	LF
30" SMOOTH WALL PIPE	84.000	LF
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 9	1.000	EA
DROP INLET (24" X 36")	4.000	EA
TRENCH DRAIN-8" INTERIOR DIMENSION (DRIVEWAY APPLICATION)	177.000	LF
MANHOLE	1.000	EA
JUNCTION BOX (SPECIAL) 001	1.000	EA
BEVELING OF PIPE END	9.000	EA
CONCRETE MEDIAN	278.000	SY
6" POLYVINYL CHLORIDE (PVC) PIPE UNDERDRAIN	65.000	LF
RIP-RAP (CLASS B)	142.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	371.000	SY
MOVING ITEM NO. 0001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
RIGHT OF WAY MARKER(REBAR AND CAP)	25.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	5.617	ACRE
TEMPORARY COVER	2.809	ACRE
COMPOST	17.000	CY
FERTILIZER (NITROGEN)	593.734	LB
FERTILIZER (PHOSPHORIC ACID)	593.734	LB
FERTILIZER (POTASH)	593.734	LB
AGRICULTURAL GRANULAR LIME	11,234.673	LB
SELECTIVE WATERING	108,600.000	GAL



Call No.: 230

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
MOWING	16.853	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	0.370	MSY
TEMPORARY EROSION CONTROL BLANKET (CLASS A)	12.000	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	7.481	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	210.000	LF
SILT FENCE	892.000	LF
REPLACE/REPAIR SILT FENCE	90.000	LF
CLEANING SILT BASINS	42.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	225.000	LF
STABILIZED CONSTRUCTION ENTRANCE	1,100.000	SY



Call No.: 240 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3766210 PCN: P040995 Project No.: P040995

DBE Goal Percent: 0.00% PCN: P041536 Project No.: P041536

Approx. Length (miles): 10.2300 Description: RESURFACING - REHAB

CO(S): Oconee

Completion Date: 8/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,046.000	CY
EXCAVATION FOR SHOULDER PAVING	403.464	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	403.464	STA
MAINTENANCE STONE	464.750	TON
HMA SHOULDER WIDENING COURSE	6,050.880	TON
LIQUID ASPHALT BINDER PG64-22	2,420.110	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	8,225.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	23,250.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	3,951.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	182,750.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	6,475.000	SY
MILLED-IN RUMBLE STRIP	28.190	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	18,275.426	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	18,433.680	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	939.000	TON
DRIVEWAY PAVING-SURFACE TYPE C	915.625	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,848.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	5,070.000	LF
6" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	180.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	203,073.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	119,122.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	800.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	1,548.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	30.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	15.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	26,340.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	536,684.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	810.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,916.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	2,916.000	LF



Call No.: 240 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,100.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	60.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	67,690.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	40,341.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	400.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	18.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	516.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	10.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	5.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	4,390.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	89,911.000	LF
WHITE BIKE SYMBOL - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	14.000	EA
WHITE BIKE LANE ARROW - HOT APPLIED PREFORMED THERMOPLASTIC - 90 MILS	26.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	56.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	44.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	917.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	420.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	7,540.000	LF
SAWCUT FOR LOOP DETECTOR	2,740.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	6.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	2.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	5,550.000	LF
PREMASH RESET W-BEAM STRONG POST SYSTEM	36,675.000	LF
PREMASH TYPE T TL3 LEADING 50'	111.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	9.920	ACRE



Call No.: 250 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 4052610	PCN: P030763	Project No.: P030763
DBE Goal Percent: 0.00%	PCN: P030764	Project No.: P030764
	PCN: P030765	Project No.: P030765

Approx. Length (miles):0.3480 Description: RICHLAND CO. CTC SIDEWALKS
CO(S): Richland

Completion Date: 9/30/2024 Days Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	3.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 001	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 003	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 004	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	650.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE PAVEMENT(REHAB)	48.000	SY
RELOCATE MAILBOX	1.000	EA
UNCLASSIFIED EXCAVATION	111.000	CY
BORROW EXCAVATION	352.000	CY
TEMPORARY SHEET PILING	35.000	LF
FINE GRADING	1,595.000	SY
FLOWABLE FILL	213.000	CY
LIQUID ASPHALT BINDER PG64-22	1.100	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	16.400	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	360.000	SF
8"WHITE SOLID LINES-CROSSWALK&CHANNELIZATION-EPOXY PAINT	380.000	LF
24"WHITE SOLID LINES(STOP LINES/DIAG.LINES) EPOXY PAINT	95.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,764.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	175.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	75.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,764.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	64.000	LF
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	72.000	LF
18" SMOOTH WALL PIPE	700.000	LF
30" SMOOTH WALL PIPE	80.000	LF



Call No.: 250 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
CATCH BASIN -TYPE 9	1.000	EA
CATCH BASIN -TYPE 16	2.000	EA
CATCH BASIN -TYPE 17 WITH MODIFIED BOX NO.(____) 001	1.000	EA
CATCH BASIN -TYPE 18	1.000	EA
MANHOLE	3.000	EA
MANHOLE WITH MODIFIED BOX NO.(____) 002	1.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	14.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,294.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	858.000	SY
DETECTABLE WARNING MATERIAL	62.500	SF
CONCRETE DRIVEWAY(6" UNIFORM)	77.000	SY
PEDESTRIAN RAMP CONSTRUCTION	125.000	SY
SURFACE APPLIED DETECTABLE WARNING	10.000	SF
RIP-RAP (CLASS B)	81.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE C	106.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	21.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.731	ACRE
TEMPORARY COVER	0.367	ACRE
FERTILIZER (NITROGEN)	73.100	LB
FERTILIZER (PHOSPHORIC ACID)	73.100	LB
FERTILIZER (POTASH)	73.100	LB
AGRICULTURAL GRANULAR LIME	1,462.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.193	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.657	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	0.147	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	1.389	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	48.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	47.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	15.000	LF
SILT FENCE	929.000	LF
CLEANING SILT BASINS	1.850	CY
CLEANING INLET STRUCTURE FILTERS	1.000	EA
CLEANING INLET STRUCTURE FILTERS	1.000	EA
CLEANING INLET STRUCTURE FILTERS	4.000	EA
STABILIZED CONSTRUCTION ENTRANCE	1,650.000	SY



Call No.: 260 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 4657080 PCN: P039391 Project No.: P039391
 DBE Goal Percent: 17.50%
 Approx. Length (miles):0.8470 Description: SAFETY IMPROVEMENT - US 21 (YORK CO)
 CO(S): York
 Completion Date: 9/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,551.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE	11.000	CY
UNCLASSIFIED EXCAVATION	1,079.000	CY
BORROW EXCAVATION	9,001.000	CY
FINE GRADING	5,720.000	SY
FLOWABLE FILL	135.000	CY
MAINTENANCE STONE	150.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,020.000	TON
LIQUID ASPHALT BINDER PG64-22	288.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	15,820.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	482.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	506.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,384.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	338.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	528.000	SF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	2.000	EA
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,660.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	10,900.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	550.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	90.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	9,680.000	LF
24" YELLOW DIAGONAL LINES - FAST DRY PAINT	540.000	LF
U-TURN ARROW - FAST DRY PAINT	4.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	1,830.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	5,450.000	LF



Call No.: 260

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	275.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE U-TURN ARROW THERMO-125MIL	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	45.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	4,840.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	270.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	75.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	55.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	355.000	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	36.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	807.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	20.000	LF
15" SMOOTH WALL PIPE	60.000	LF
18" SMOOTH WALL PIPE	508.000	LF
24" SMOOTH WALL PIPE	116.000	LF
CATCH BASIN - TYPE 1 SPECIAL	7.000	EA
DROP INLET TYPE 112	1.000	EA
MANHOLE WITH STANDARD 4' X 4' BOX	1.000	EA
BEVELING OF PIPE END	28.000	EA
CONCRETE MEDIAN	1,340.000	SY
RIP-RAP (CLASS A)	190.000	TON
RIP-RAP (CLASS B)	150.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	357.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	900.000	LF
MOVING ITEM NO. 01	1.000	LS
PERMANENT COVER	4.200	ACRE
TEMPORARY COVER	2.100	ACRE
FERTILIZER (NITROGEN)	420.000	LB
FERTILIZER (PHOSPHORIC ACID)	420.000	LB
FERTILIZER (POTASH)	420.000	LB
AGRICULTURAL GRANULAR LIME	840.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	13.000	ACRE
TEMPORARY EROSION CONTROL BLANKET (ECB)	1.822	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	9.450	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	3.150	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	160.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	160.000	LF
SILT FENCE	2,520.000	LF



Call No.: 260

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
REPLACE/REPAIR SILT FENCE	252.000	LF
CLEANING SILT BASINS	2,060.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	630.000	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	45.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 270 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 4666430 PCN: P042272 Project No.: P042272

DBE Goal Percent: 0.00%

Approx. Length (miles): 1.7900

Description: FDP, RESURFACE, LOOPS, ADA

CO(S): York

Completion Date: 6/30/2024 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	175.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	510.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	20.250	CY
UNCLASSIFIED EXCAVATION	340.000	CY
BORROW EXCAVATION	278.000	CY
MAINTENANCE STONE	135.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	638.880	TON
LIQUID ASPHALT BINDER PG64-22	365.204	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,550.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	2,500.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,000.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	1,612.183	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	806.092	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,610.887	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	362.267	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,270.250	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	792.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	661.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	28,712.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,080.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	701.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	6.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	6.000	EA
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	31,508.000	LF
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	257.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	11,293.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	382.000	LF



Call No.: 270

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	253.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	2.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	2.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	12,225.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	5.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	135.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	20.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	750.000	LF
SAWCUT FOR LOOP DETECTOR	250.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	1.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	EA
CATCH BASIN -TYPE 1 CB - TYPE 1	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	510.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	25.000	SY
DETECTABLE WARNING MATERIAL	87.500	SF
PEDESTRIAN RAMP CONSTRUCTION	175.000	SY
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.350	ACRE



Call No.: 280 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5266150	PCN: P041390	Project No.: P041390
DBE Goal Percent: 0.00%	PCN: P041391	Project No.: P041391
	PCN: P042113	Project No.: P042113
	PCN: P042677	Project No.: P042677

Approx. Length (miles): 13.8600 Description: SW; FDP; MILL; SURF; LOOPS; GRAIL
 CO(S): Newberry Saluda
 Completion Date: 6/30/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	2,745.600	CY
EXCAVATION FOR SHOULDER PAVING	1,261.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	1,261.000	STA
MAINTENANCE STONE	326.690	TON
HMA SHOULDER WIDENING COURSE	3,769.216	TON
LIQUID ASPHALT BINDER PG64-22	2,486.103	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	28,169.000	SY
FULL DEPTH ASPH. PAV. PATCHING 10" UNIF	1,550.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	31,630.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	42,048.000	SY
MILLING EXISTING ASPHALT PAVEMENT 3.5"	124,696.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	4,350.000	SY
MILLED-IN RUMBLE STRIP	27.420	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	3,606.973	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	14,675.377	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	8,839.158	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	13,076.953	TON
DRIVEWAY PAVING-SURFACE TYPE B	378.875	TON
DRIVEWAY PAVING-SURFACE TYPE C	374.125	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,700.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	307,138.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	539,999.000	LF
8" WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	1,320.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,015.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	18.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	40,280.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	550,372.000	LF
WHITE WORD MESSAGE "STOP AHEAD"-FAST DRY PAINT	3.000	EA



Call No.: 280

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	884.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	147,918.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	440.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	599.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	6.000	EA
WHITE WORD MESSAGE "STOP AHEAD" -THERMOPLASTIC - 125 MIL.	1.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	10,340.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	143,463.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	34.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	976.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	170.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	3,650.000	LF
SAWCUT FOR LOOP DETECTOR	1,150.000	LF
F&I-12"X12"X12"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	5.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	650.000	LF
PREMASH W-BEAM STRONG POST SYSTEM WSP3	225.000	LF
MT3 LEADING END TREATMENT TL3	34.000	EA
PREMASH RESET W-BEAM STRONG POST SYSTEM	1,150.000	LF
MGS3 GR STANDARD SHOULDER	2,050.000	LF
MGS3CS GR COMPRESSED SHOULDER	2,387.500	LF
PREMASH TYPE T TL3 LEADING 50'	13.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	12.262	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	30.000	LF
SILT FENCE	2,300.000	LF
REPLACE/REPAIR SILT FENCE	275.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	530.000	LF



Call No.: 290 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5266610	PCN: P041657	Project No.: P041657
DBE Goal Percent: 0.00%	PCN: P041696	Project No.: P041696
	PCN: P041697	Project No.: P041697
	PCN: P041703	Project No.: P041703

Approx. Length (miles): 0.1730 Description: DISTRICT 2, PACKAGE 2 BRIDGE REPAIRS
CO(S): Greenwood
Completion Date: 3/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
FLOWABLE FILL	7.000	CY
LIQUID ASPHALT BINDER PG64-22	9.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	306.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	145.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,552.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	250.000	SF
BARRICADE - TYPE 3	128.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	4.000	EA
TYPE B - FLASHING LIGHT	32.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	543.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	543.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	543.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	543.000	LF
CONCRETE,CLASS 4000 FOR FULL DEPTH PATCHING	2.000	CY
PARTIAL DEPTH PATCHING OF EXISTING DECK	124.000	SY
SPALL REPAIR	152.000	SF
COMPRESSION SEAL JOINT	51.000	LF
STRUCTURAL STEEL	1.000	LS
STRUCTURAL STEEL	14,286.000	LB
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	26.000	EA
REMOVAL OF EPOXY, ASPHALT & FOREIGN OVERLAY	614.000	SY
MACHINE PREPARATION OF EXISTING SURFACE	827.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	827.000	SY
CONCRETE OVERLAY (LATEX)	29.000	CY



Call No.: 290

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	15.000	CY
POLYMER MODIFIED ASPHALT EXPANSION JOINT	503.000	LF
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	92.000	TON
RIP-RAP (CLASS B)	12.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	107.000	SY
WATERPROOFING (BRIDGE DECK)	84.000	SY
BRIDGE PILE WRAP	92.000	LF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	15.000	CF
BR016 - TEE BEAM SADDLE TYPE A	2.000	EA
H-PILE CHANNEL REPAIR TYPE 1-TOP	16.000	EA
H-PILE CHANNEL REPAIR TYPE 1-BOTTOM	4.000	EA



Call No.: 300 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5266670	PCN: P040312	Project No.: P040312
DBE Goal Percent: 0.00%	PCN: P041695	Project No.: P041695
	PCN: P041700	Project No.: P041700
	PCN: P041701	Project No.: P041701
	PCN: P041706	Project No.: P041706

Approx. Length (miles):0.3720 Description: DISTRICT 2, PACKAGE 3 BRIDGE REPAIRS
CO(S):

Completion Date: 3/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE RAILING	21.000	LF
REMOVAL & DISPOSAL OF DESIGNATED PORTIONS OF EXISTING BRIDGE	1.000	LS
LIQUID ASPHALT BINDER PG64-22	16.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	2,370.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE B	259.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,726.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	476.000	SF
BARRICADE - TYPE 3	272.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	8.000	EA
TYPE B - FLASHING LIGHT	68.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	219.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	3,902.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	3,464.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	3,770.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	153.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	3,464.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2.000	EA
PARTIAL DEPTH PATCHING OF EXISTING DECK	398.000	SY
SPALL REPAIR	478.000	SF
COMPRESSION SEAL JOINT	216.000	LF
POST-TENSIONING FOR CONCRETE STRUCTURES	1.000	LS
CONCRETE BRIDGE RAILING WALL (1.5'HT)	21.000	LF
STRUCTURAL STEEL	1.000	LS
STRUCTURAL STEEL	25,564.000	LB
BEARING REPLACEMENT	60.000	EA
CLEANING AND PAINTING EXISTING STEEL BEARINGS	1.000	LS



Call No.: 300

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	22.000	EA
MACHINE PREPARATION OF EXISTING SURFACE	2,641.000	SY
HYDRO-DEMOLITION OF EXISTING SURFACE	1,811.000	SY
CONCRETE OVERLAY (LATEX)	48.000	CY
CONCRETE CLASS 4000 FOR FULL DEPTH DECK PATCHING	51.000	CY
RESEAL DECK EXPANSION JOINT	780.000	LF
POLYMER MODIFIED ASPHALT EXPANSION JOINT	193.000	LF
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	178.000	TON
RIP-RAP (CLASS B)	14.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	48.000	SY
WATERPROOFING (BRIDGE DECK)	36.000	SY
PLACE & FINISH POLYESTER POLYMER CONCRETE (PCC) MATERIAL	18.000	SY
BRIDGE PILE WRAP	92.000	LF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	79.000	CF
BR016 - TEE BEAM SADDLE TYPE A	6.000	EA
DEMO EXISTING PILE ENCASEMENT	16.000	EA
H-PILE CHANNEL REPAIR TYPE 1-TOP	23.000	EA
H-PILE CHANNEL REPAIR TYPE 1-BOTTOM	3.000	EA
ULTRA HIGH PERFORMANCE CONCRETE (UHPC) OVERLAY	14.000	CY
CARBON FIBER REINFORCED POLYMER (CFRP) WRAP	867.000	SF
CARBON FIBER REINFORCED POLYMER (CFRP) REPAIR	1,200.000	LF
POLYESTER POLYMER CONCRETE (PCC) OVERLAY	18.000	CY



Call No.: 310 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5465730 PCN: P042440 Project No.: P042440

DBE Goal Percent: 0.00%

Approx. Length (miles): 129.0000

Description: INSTALL CENTERLINE RUMBLE STRIPES DISTRICT 4

CO(S): DISTRICT4

Completion Date: 11/30/2024 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	170.800	MI
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	481,634.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	85,105.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	987,219.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	481,634.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	85,105.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	987,219.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,511.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,553,957.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 320 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5566820 PCN: P042633 Project No.: P042633
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 46.0000 Description: 2023 PAVEMENT MARKINGS - DISTRICT 5
 CO(S): DISTRICT5
 Completion Date: 7/31/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	64,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	312,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	10,400.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	140.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	120.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	7,600.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	80.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	40.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	20.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	24,000.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	304,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	960.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	3,440.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	800.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	3,400.000	EA
REMOVAL OF PAVEMENT MARKINGS	9,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL4"WH.BROKEN	600.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	4,400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	4,400.000	LF



Call No.: 330 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5665740 PCN: P042441 Project No.: P042441

DBE Goal Percent: 0.00%

Approx. Length (miles): 132.0000 Description: INSTALL CENTERLINE RUMBLE STRIPES
DISTRICT 6

CO(S): DISTRICT6

Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	216.310	MI
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	943,769.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	102,575.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,025,746.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	943,769.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	102,575.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,025,746.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	10,257.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,072,089.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 340 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5666390	PCN: P042198	Project No.: P042198
DBE Goal Percent: 0.00%	PCN: P042205	Project No.: P042205
	PCN: P042310	Project No.: P042310
	PCN: P042311	Project No.: P042311

Approx. Length (miles): 10.6300 Description: STB, STC, MILL INTM B SPEC, WDN
 CO(S): Berkeley Charleston
 Completion Date: 11/30/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	11.000	EA
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,831.480	SY
REMOVAL & DISPOSAL OF EXISTING CURB	50.000	LF
UNCLASSIFIED EXCAVATION	578.000	CY
BORROW EXCAVATION	3,409.920	CY
EXCAVATION FOR SHOULDER PAVING	579.744	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	579.744	STA
MAINTENANCE STONE	146.967	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	2,307.360	TON
LIQUID ASPHALT BINDER PG64-22	2,644.911	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	10,395.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	4,301.680	SY
MILLING EXISTING ASPHALT PAVEMENT 1.0"	8,156.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	70,435.141	SY
MILLING EXISTING ASPHALT PAVEMENT 1.75"	3,398.310	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	27,491.199	SY
MILLING EXISTING ASPHALT PAVEMENT 4.0"	5,514.670	SY
MILLING EXISTING ASPHALT PAVEMENT 6.0"	30,530.901	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	7,175.000	SY
MILLED-IN RUMBLE STRIP	13.460	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	9,515.358	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	6,850.779	TON
DRIVEWAY PAVING-SURFACE TYPE C	1,623.750	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	27,478.474	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	5,002.560	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,352.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	74,444.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	3,489.000	LF



Call No.: 340 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	3,299.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	42.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	22.000	EA
WHITE WORD MESSAGE "STOP" -PERM.PVMT.MARKING	6.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	13.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	3,530.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	68,604.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	7,476.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	296,196.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	10,467.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	10,090.000	LF
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	140.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	76.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	39.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	262,168.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	106.000	LF
WHITE WORD MESSAGE "STOP"-FAST DRY PAINT	18.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	110.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	34.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	742.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,300.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	19,500.000	LF
SAWCUT FOR LOOP DETECTOR	9,142.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	2.000	EA
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	1.000	LS
ADJUST CATCH BASIN	10.000	EA
ADJUST DROP INLET ADJUST D. I.	6.000	EA
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	50.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,470.150	SY
CONCRETE SIDEWALK(6" UNIFORM)	344.660	SY
CONCRETE MEDIAN	16.670	SY
SURFACE APPLIED DETECTABLE WARNING	520.000	SF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	7.834	ACRE
SILT FENCE	200.000	LF



Call No.: 350 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5666830 PCN: P042635 Project No.: P042635
DBE Goal Percent: 0.00%
Approx. Length (miles):46.0000 Description: 2023 PAVEMENT MARKINGS - DISTRICT 6
CO(S): DISTRICT6
Completion Date: 7/31/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Table with 3 columns: Description, Quantity, Units. Lists various pavement marking items such as MOBILIZATION, BONDS AND INSURANCE, TRAFFIC CONTROL, and various line types (4", 8", 12", 24") in white and yellow.



Call No.: 360 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5765750 PCN: P042442 Project No.: P042442
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 130.0000 Description: INSTALL CENTERLINE RUMBLE STRIPES
 CO(S): DISTRICT7 DISTRICT 7
 Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
MILLED-IN RUMBLE STRIP	136.857	MI
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	904,175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	99,796.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	805,251.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	904,175.000	LF
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	99,796.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	805,251.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	8,604.000	EA
REMOVAL OF PAVEMENT MARKINGS	1,809,221.000	LF
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS



Call No.: 370 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5766840 PCN: P042636 Project No.: P042636
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 46.0000 Description: 2023 PAVEMENT MARKINGS - DISTRICT 7
 CO(S): DISTRICT7
 Completion Date: 7/31/2024 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	21,250.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	374,000.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	2,550.000	LF
24IN X 36IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	51.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	3,400.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	21.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	3.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	30,175.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	255,000.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	180.000	LF



Call No.: 380 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 8866650	PCN: P041698	Project No.: P041698
DBE Goal Percent: 0.00%	PCN: P041699	Project No.: P041699
	PCN: P041711	Project No.: P041711
	PCN: P041727	Project No.: P041727

Approx. Length (miles):0.2660 Description: DISTRICT 2, PACKAGE 4 BRIDGE REPAIRS
CO(S):

Completion Date: 3/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL OF STRUCTURES & OBSTRUCTIONS	1.000	LS
EMBANKMENT REPAIR	10.000	CY
FLOWABLE FILL	7.000	CY
LIQUID ASPHALT BINDER PG64-22	34.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	1,244.400	SY
MILLING EXISTING ASPHALT PAVEMENT 3.0"	590.000	SY
MILLED-IN RUMBLE STRIP	0.152	MI
HOT MIX ASPHALT SURFACE COURSE TYPE B	530.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,448.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	396.000	SF
BARRICADE - TYPE 3	312.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	6.000	EA
TYPE B - FLASHING LIGHT	132.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" YELLOW BROKEN LINES	820.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	1,327.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	1,220.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	2,040.000	LF
4"YELLOW SOLID LINES-PVT.EDGE&NO PASSING ZONE - EPOXY PAINT	1,304.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	22.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 5"X2"	6.000	EA
EPOXY CRACK INJECTION	882.000	LF
STRUCTURAL STEEL	11,884.000	LB
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
CLEANING & PAINTING EXISTING STEEL PILING	56.000	EA
REMOVAL OF EPOXY, ASPHALT & FOREIGN OVERLAY	1,213.000	SY
JACKING BRIDGE	1.000	LS
RIP-RAP (CLASS B)	471.000	TON



Call No.: 380

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
RIP-RAP (CLASS B)	34.000	CY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE A	182.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	147.000	SY
BRIDGE PILE WRAP	450.000	LF
BR004 - REINFORCED CONCRETE REPAIR TYPE 1	20.000	CF
BR005 - REINFORCED CONCRETE REPAIR TYPE 2	109.000	CF
BR006 - REINFORCED CONCRETE TEE-BEAM REPAIR TYPE A	43.000	CF
BR010 – DECK JOINT REPAIR TYPE 1	512.000	LF
BR016 - TEE BEAM SADDLE TYPE A	12.000	EA
BR040 – CORROSION INHIBITING BONDING AGENT	1,000.000	SF
DEMO EXISTING PILE ENCASEMENT	8.000	EA



Call No.: 390 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): **4057281** PCN: P037895 Project No.: P037895
 DBE Goal Percent:7.00% PCN: P038027 Project No.: P038027
 Approx. Length (miles):3.7485 Description: SAFETY IMPROVEMENTS - S-10 (RICHLAND CO(S).: Richland
 Completion Date: 6/30/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	2.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	0.350	ACRE
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	5.000	EA
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,190.000	SY
REMOVAL & DISPOSAL OF EXISTING CURB	5,940.000	LF
REMOVAL & DISPOSAL OF EXISTING CONCRETE	370.000	CY
UNCLASSIFIED EXCAVATION	143.000	CY
BORROW EXCAVATION	100.000	CY
MUCK EXCAVATION	20.000	CY
FINE GRADING	3,690.000	SY
FLOWABLE FILL	20.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE A	620.000	TON
LIQUID ASPHALT BINDER PG64-22	320.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	50,120.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	290.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	5,180.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,656.000	SF
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	12,660.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	12,660.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	10,660.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-8" WHITE SOLID LINES	25,120.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	23,940.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	54.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	4.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	32.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	120.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	6,330.000	LF



Call No.: 390 Letting Date: November 14, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	363.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	6,330.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,950.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	12,560.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	11,970.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	27.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	16.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)THERMO-125MIL	2.000	EA
HANDICAP SYMBOL - THERMOPLASTIC - 125 MIL.	4.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	460.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	5,330.000	LF
24" YELLOW SOLID LINES - THERMOPLASTIC - 125 MIL.	170.000	LF
BIKE LANE SYMBOL -PREFORMED THERMO - 60MIL	6.000	EA
BIKE LANE ARROW - PREFORMED THERMO - 60MIL	8.000	EA
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	120.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	200.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"BLUE.SOLID	310.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,665.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	102.000	EA
F&I MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON MAST ARM	71.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	150.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	7,425.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	100.000	LF
FURNISH & INSTALL 2.0" SCHD 80 PVC CONDUIT (DIRECTION.BORED)	700.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	23,340.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	23,340.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,325.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	1,300.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	3,850.000	LF
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)JD	121.000	EA
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	700.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	98.000	EA
FURNISH AND INSTALL RECTANGULAR RAPID-FLASHING BEACON ASSEMBLY	8.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	11.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 3 section head	21.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 3 Section Head	13.000	EA
F&I - 1-WAY-1SECT.(COUNTDOWN HAND/MAN EMBLEM)PED.SIG.HEAD	164.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	164.000	EA



Call No.: 390

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	192.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
F&I - VIDEO DETECTION SYSTEM W/ ONE CAMERA, HARDWARE & LEAD-IN	19.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	38.000	EA
FURNISH & INSTALL VIDEO DETECTION CAMERA W/ HARDWARE & LEAD-IN	21.000	EA
POWDERCOATING OPTION FOR 10' ALUMINUM PEDESTAL POLE	105.000	EA
CONC. FOR STRUCTURES - CLASS 4000(RETAINING WALL)	180.000	CY
18" RC PIPE CUL.-CLASS III	40.000	LF
36" RC PIPE CUL.-CLASS III	4.000	LF
18" RC PIPE CUL.-CLASS IV	116.000	LF
CLEANING EXISTING PIPE	910.000	LF
BRICK MASONRY	12.000	CY
CONCRETE BLOCK MASONRY	85.000	CY
CATCH BASIN -TYPE 1 CB - TYPE 1	9.000	EA
CATCH BASIN -TYPE 16	2.000	EA
CATCH BASIN -TYPE 17	2.000	EA
DROP INLET (24" X 36")	2.000	EA
TRENCH DRAIN-4" INTERIOR DIMENSION	90.000	LF
JUNCTION BOX - CONVERT CB T-16	4.000	EA
CONCRETE CURB (9" X 15")	1,850.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	1,156.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	1,470.000	SY
DETECTABLE WARNING MATERIAL	1,395.000	SF
CONCRETE MEDIAN	110.000	SY
PEDESTRIAN RAMP CONSTRUCTION	2,020.000	SY
PLANTED MEDIAN SUBSURFACE DRAINAGE	450.000	SY
4" PIPE UNDERDRAIN	750.000	LF
TEMPORARY PLASTIC FENCING	3,000.000	LF
PERMANENT COVER	0.100	ACRE
TEMPORARY COVER	0.050	ACRE
COMPOST	27.000	CY
STRAW OR HAY MULCH WITH TACKIFIER	0.131	ACRE
FERTILIZER (NITROGEN)	10.000	LB
FERTILIZER (PHOSPHORIC ACID)	10.000	LB
FERTILIZER (POTASH)	10.000	LB
AGRICULTURAL GRANULAR LIME	200.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	0.300	ACRE
LANDSCAPING ITEM NO. AK	4.000	EA
ANNUALS BED	2.031	MSF
RAPHIOLEPIS INDICA(INDIA HAWTHORN)18-24"HT-B&B 24"WB	22.000	EA
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	11.000	LF



Call No.: 390

Letting Date: November 14, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
SILT FENCE	800.000	LF
REPLACE/REPAIR SILT FENCE	80.000	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	200.000	LF
INLET FILTER CLEANING	62.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	31.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 16)	20.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 17)	4.000	EA
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
FURNISH AND INSTALL 15' BREAK-AWAY ALUM PED POLE AND BASE	4.000	EA
POWDERCOATING OPTION FOR 15' ALUMINUM PEDESTAL POLE	4.000	EACH

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For December 12, 2023

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on November 12, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>). for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.



Call No.: 010 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2614860 PCN: P032357 Project No.: P032357
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 3.8200 Description: US 501 WIDENING FROM GARDNER LACY TO SC 544
 CO(S): Horry
 Completion Date: 10/15/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 1	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 1	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,912.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,680.000	SY
UNCLASSIFIED EXCAVATION	37,881.000	CY
BORROW EXCAVATION	13,155.000	CY
MUCK EXCAVATION	1,200.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	50.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,928.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,675.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	331.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	310.000	LF
GEOTEXTILE, SEPARATION	3,650.000	SY
GEOGRID STABILIZATION	3,200.000	SY
STONE BRIDGE LIFT MATERIAL	2,820.000	TON
GRANULAR BRIDGE LIFT MATERIAL	1,550.000	CY
FINE GRADING	77,291.000	SY
FLOWABLE FILL	548.000	CY
MAINTENANCE STONE	3,790.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	39,591.000	TON
LIQUID ASPHALT BINDER PG64-22	4,821.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	167,414.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	29,574.000	TON



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,309.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,000.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	32.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,436.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	17.000	EA
TEMPORARY CONCRETE BARRIER	2,800.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	71,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	241,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	149,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	33,750.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	320.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	445.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	430.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	40.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,060.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	80.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	430.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	23,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64,100.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	10,975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	141.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	135.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,030.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	10.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	521.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	38.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	638.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,807.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	184.000	LF



Call No.: 010 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 3

Description	Quantity	Units
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,256.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,234.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	5,871.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	200.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DESIGN, FURNISH, & INSTALL 40' STEEL POLE AND FOUNDATION	16.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,754.000	LF
FURNISH & INSTALL 20' BREAK-AWAY ALUMINUM PEDESTAL POLE AND BASE	10.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	4.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	14.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	71.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	97.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	5.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	20.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	5.000	EA
FURNISH & INSTALL RADAR FOR SPEED/VOLUME DETECTION INC 150' CABLE & MOUNTING HARDWARE	12.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SPEED/VOLUME DETECTION	5.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	5,978.000	LF
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	356.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	288.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	480.000	LF
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	604.000	LF
34"X 53" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	104.000	LF
38"X 60" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	308.000	LF
15" SMOOTH WALL PIPE	132.000	LF
18" SMOOTH WALL PIPE	8,364.000	LF
24" SMOOTH WALL PIPE	4,784.000	LF
30" SMOOTH WALL PIPE	944.000	LF
36" SMOOTH WALL PIPE	884.000	LF



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
CLEANING EXISTING PIPE	2,868.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	17.000	EA
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	37.000	EA
DROP INLET TYPE 112	53.000	EA
MANHOLE	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
BEVELING OF PIPE END	122.000	EA
CONCRETE CURB (9" X 15")	45.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	748.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	392.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	238.000	SY
CONCRETE MEDIAN	2,420.000	SY
RIP-RAP (CLASS A)	2,038.000	TON
RIP-RAP (CLASS B)	862.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	3,742.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	63.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	46.900	ACRE
TEMPORARY COVER	23.450	ACRE
COMPOST	1,261.000	CY
FERTILIZER (NITROGEN)	4,690.000	LB
FERTILIZER (PHOSPHORIC ACID)	4,690.000	LB
FERTILIZER (POTASH)	4,690.000	LB
AGRICULTURAL GRANULAR LIME	93,800.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	140.700	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	70.350	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	70.350	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	224.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	238.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,340.000	LF
SILT FENCE	32,166.000	LF
REPLACE/REPAIR SILT FENCE	3,217.000	LF
CLEANING SILT BASINS	944.200	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	8,042.000	LF
INLET FILTER CLEANING	144.000	EA
INLET STRUCTURE FILTER - TYPE D1	82.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	19.000	EA
INLET STRUCTURE FILTER - TYPE A	112.000	LF



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 5

Description	Quantity	Units
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	300.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,925.000	SY
JUNCTION BOX CONV DROP INLET 24"X48"	2.000	EA

TRAFFIC SIGNAL SPECIFICATIONS

PROJECT ID:

P032357

COUNTY

Horry

1. LIST OF TRAFFIC SIGNALS WITHIN PROJECT

#	Intersection Name	Description of Signal Work
TS1	TS5500 – US 501 & Cox Ferry Rd.	Rebuild Signal
TS2	TS5491 – US 501 & University Blvd.	Rebuild Signal
TS3	TS5483 – US 501 & Singleton Ridge Rd. / Century Cir.	Modify Existing Signal
TS4	TS5526 – US 501 & Burning Ridge Rd. / Wild Wing Blvd.	Rebuild Signal
TS5	TS5484 – US 501 & Myrtle Ridge Rd. / Gardner Lacy Rd. (s-1224)	Rebuild Signal

2. PROJECT DESCRIPTION

This Project is a design, bid, build construction project and involves the signal construction of (5) five intersections along US 501 in and around the county of Horry, South Carolina. The intersections involved are shown on the above “List of Traffic Signals within Project or listed on the plans.

Specific Description of the signal work:

Four (4) signals are to be rebuilt per the Plans.
 One (1) signal is to be modified per the Plans.

The contractor is to furnish and install base mounted 332 cabinet assemblies with extender bases on new foundations including 2070 controller / 2010 conflict IP monitor. The cabinet and controller will be programmed by the District Five Signal Shop and will be picked up by the contractor. The contractor will provide new electrical service at four locations. The contractor will design, furnish, and install foundations for 40' steel strain poles. The contractor will furnish and install steel poles, signal heads with back plates, push button assemblies with signs, span wire, conductor wire, radar detection equipment, conduit, and splice boxes as shown on the signal plans or as directed by the District Traffic Engineer.

Equipment and workmanship shall comply with the Traffic Signal Supplemental Specifications. All signal work shall be inspected by the District Five Signal Shop. Any modifications to the signal work shall be approved by the District Traffic Engineer. Include the District Five Signal Shop in all Preconstruction conferences. Provide a redline signal plan to the District Five Signal Shop after the signal work is completed.

3. PAY ITEM ADDITIONAL INFORMATION

Below is more information concerning any changes, revisions, or clarifications to the SCDOT Traffic Signal Supplemental Specifications and/or pay items for this particular contract:

Mobilization:

Wiring:

Communications:

Reconnect all existing fiber and communication equipment at all locations.

Detection:

All locations will utilize radar detection per the plans. Coordinate with district five signal shop for proper installation locations of radar detection units.

Signal Supports:

Contractor shall remove existing signal supports and concrete foundations to a minimum of 18" below existing grade. Contractor shall be responsible for designing, furnishing, and installing, foundations for 40' steel poles.

Signal Heads, Pedestrian Treatments, Illuminated signs, solar flashing assemblies:

Install pedestrian push buttons and signs (R10-4a) on signal supports as shown on TS2.
Install backplates with retroreflective borders on all traffic signal heads (all locations).

Cabinet Items:

Controller shall either be furnished blank for download by the signal shop or furnished with Trafficware ATMS signal software version 76 from the factory. All new traffic signal cabinet installations shall include extender base, new foundation, and new electrical service.

Service Items:



SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION

UTILITY SUBCONTRACTORS



SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION

CITY OF CONWAY

APPROVED CONTRACTORS

RH Moore Company
Kent Skipper
10601 Highway 707
Myrtle Beach, SC 29588
kentskipper@rhmoorecompany.com
843-650-2155

Richardson Construction
Grayson Gasque
6806 Monticello Road
Columbia, SC 29203
(843) 992-1207

Express Construction
Brian Squires
635 Horry Road
Conway, SC 29526
(843) 458-3834

US 501 Widening – Gardner Lacy/Myrtle Ridge to SC 544 Interchange – P032357

GSWSA Approved Contractors List

R.H. Moore Company, Inc. P.O. Box 830 Murrells Inlet, SC 29576	Richardson & Richardson, Inc. P.O. Box 259 Conway, SC 29528	Lawrimore Construction, Inc. 6240 Cypress Swamp Rd Conway, SC 29527
R.L. Causey, Inc. 5182 C Horry Drive Murrells Inlet, SC 29576	RWF Construction, LLC P.O. Box 69 Effingham, SC 29541	RCB Contractors, LLC 1375 Huggins Shortcut Rd Galivants Ferry, SC 29544

UTILITY WORKSHEET

SCDOT U.S. RTE 501 Widening
Project ID P038236
GSWSA Sewer Utility Relocations

BID ITEMS

ITEM	DESCRIPTION	QTY	UNIT	COST	TOTAL
1	12" C900 DR18 PVC (Green)	50	LF		
2	8" C900 DR25 PVC (Green)	2,930	LF		
3	8" C900 DR18 PVC (Green)	390	LF		
4	6" C900 DR25 PVC (Green)	2,690	LF		
5	6" C900 DR18 PVC (Green)	260	LF		
6	2" CL200 SDR21 PVC (Green)	220	LF		
7	Jack & Bore - 20" steel casing to accommodate 8" C900 DR18 PVC carrier pipe under Allied Drive	110	LF		
8	Jack & Bore - 20" steel casing to accommodate 8" C900 DR18 PVC carrier pipe under University Blvd.	120	LF		
9	6.625" IPS OD SDR17 HDPE Directional bore under cross drain at STA 178+70	80	LF		
9	8" MJ Plug valve w/ box, collar, & restr's	1	EA		
10	6" MJ Plug Valve w/ box, collar, & restr's	1	EA		
11	2" Mueller R.W. Gate valve w/ epoxy coating & everdur stem, box, collar, & restr's	2	EA		
12	12"x 2" air release valve assembly per STD detail	2	EA		
13	8"x 2" air release valve assembly per STD detail	2	EA		
14	6"x 2" air release valve assembly per STD detail	2	EA		
15	6"x 4" Pumper Connection Assembly	1	EA		
16	2"x 2" Pumper connection assembly per STD detail	1	EA		
17	Concrete valve marker	10	EA		
18	12" MJ 45° Bend	4	EA		
19	8" MJ 45° bend	6	EA		
20	6" MJ 45° Bend	4	EA		
21	Cut in 8" MJ 45° Bend	1	EA		
22	Cut in 6" MJ 45° Bend	3	EA		
23	Cut in 8" MJ 90° bend	1	EA		
24	Cut in 4" MJ 90° Bend	1	EA		
25	6"x 4" MJ Reducer	1	EA		
26	4"x 2" MJ Reducer	1	EA		
27	8" Bell Restraints	9	EA		
28	6" Bell Restraints	10	EA		
29	6" MJ Sleeve	3	EA		
30	8"x 2" MJ Tee	1	EA		
31	Cut in 8" MJ Cap	4	EA		
32	Cut in 4" MJ Cap	8	EA		
33	Adjust sewer valve box to grade	1	EA		
34	Adjust Manhole to grade	3	EA		
35	1.25" sewer FM service (short); includes 8"x 2" D.S. Tapping saddle, corporation stop, check valve, sdr-9 HDPE piping, gate valve and accessories	2	EA		

SCDOT U.S. RTE 501 Widening
 Project ID P038236
GWSA Sewer Utility Relocations
 Engineering Dept. Preliminary Takeoff
 GWSA Proj #928-01

BID ITEMS

ITEM	DESCRIPTION	QTY	UNIT	COST	TOTAL
36	1.25" sewer FM service (short); includes 6"x 2" D.S. Tapping saddle, corporation stop, check valve, sdr-9 HDPE piping, gate valve and accessories	2	EA		
37	1.25" sewer FM service (short); includes 2"x 2" D.S. Tapping saddle, corporation stop, check valve, sdr-9 HDPE piping, gate valve and accessories	1	EA		
38	Lower 2" SDR-9 HDPE Sewer FM service line	2	EA		
39	Abandon 8" sewer FM sections with flowable fill as noted on plans	220	LF		
40	Abandon 4" sewer FM sections with flowable fill as noted on plans	310	LF		
41	Open cut and patch asphalt driveway (for installation of new FM & removal of existing FM)	2,480	SF		
42	Excavation, removal & disposal of existing 8" sewer FM	3,355	LF		
43	Excavation, removal & disposal of existing 4" sewer FM	8,160	LF		
44	Dewatering of existing 8" & 4" sewer FM's	1	LS		
45	Pressure testing, start up and final inspection	1	LS		
Sewer Utility Relocations Total					

CITY OF CONWAY
HIGHWAY 501 WATERLINE RELOCATION
WATER MAIN 1

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
1	1,116	LF	6 Inch C-900 PVC	\$	\$
2	60	LF	6 Inch Restrained Joint DIP	\$	\$
3	50	LF	12" Steel Casing Dry Bore and Jacked	\$	\$
4	2	EA	6" x 6" MJ Tee	\$	\$
5	2	EA	6" x 1.25" Tapping Sleeve and Valve	\$	\$
6	1	EA	6" MJ 90° Bend	\$	\$
7	3	EA	6" MJ 45° Bend	\$	\$
8	2	EA	6" Gate Valve	\$	\$
9	1	EA	6" Plug	\$	\$
10	50	LF	Open Cut and Patch Asphalt	\$	\$
11	1,176	LF	Site Work	\$	\$
12	1	LS	Connection #1	\$	\$
13	1	LS	Connection #2	\$	\$
14	1	LS	Connection #3	\$	\$
15	1	LS	Connection #4	\$	\$

SUBTOTAL - WATER MAIN 1

\$

CITY OF CONWAY
HIGHWAY 501 WATERLINE RELOCATION
WATER MAIN 2

COST ESTIMATE

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
1	413	LF	12 Inch C-900 PVC	\$	\$
2	215	LF	12 Inch Restrained Joint DIP	\$	\$
3	195	LF	24 Inch Steel Casing Dry Bore and Jacked	\$	\$
4	1	EA	12" x 12" MJ Tee	\$	\$
5	1	EA	12" x 6" MJ Tee	\$	\$
6	3	EA	12" MJ 90° Bend	\$	\$
7	2	EA	12" MJ 45° Bend	\$	\$
8	2	EA	12" MJ 22 1/2° Bend	\$	\$
9	2	EA	12" Gate Valve	\$	\$
10	28	LF	Open Cut and Patch Asphalt	\$	\$
11	628	LF	Site Work	\$	\$
12	1	LS	Connection #7	\$	\$

SUBTOTAL - WATER MAIN 2	\$
--------------------------------	-----------

CITY OF CONWAY
HIGHWAY 501 WATERLINE RELOCATION
WATER MAIN 3

COST ESTIMATE

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
1	1,369	LF	12 Inch C-900 PVC	\$	\$
2	160	LF	12 Inch Restrained Joint DIP	\$	\$
3	130	LF	24 Inch Steel Casing Dry Bore and Jacked	\$	\$
4	3	EA	12" x 12" MJ Tee	\$	\$
5	1	EA	12" x 8" MJ Tee	\$	\$
6	3	EA	12" MJ 90° Bend	\$	\$
7	2	EA	12" MJ 45° Bend	\$	\$
8	2	EA	12" Gate Valve	\$	\$
9	35	LF	Open Cut and Patch Gravel	\$	\$
10	180	LF	Open Cut and Patch Asphalt	\$	\$
11	1,529	LF	Site Work	\$	\$
12	1	LS	Connection #8	\$	\$
13	1	LS	Connection #9	\$	\$
14	1	LS	Connection #10	\$	\$

SUBTOTAL - WATER MAIN 3	\$
--------------------------------	-----------

CITY OF CONWAY
HIGHWAY 501 WATERLINE RELOCATION
WATER MAIN 4

COST ESTIMATE

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
1	91	LF	8 Inch C-900 PVC	\$	\$
2	175	LF	8 Inch Restrained Joint DIP	\$	\$
3	165	LF	16 Inch Steel Casing Dry Bore and Jacked	\$	\$
4	1	EA	12" x 8" MJ Tee	\$	\$
5	1	EA	8" x 8" MJ Tee	\$	\$
6	2	EA	8" MJ 90° Bend	\$	\$
7	1	EA	8" MJ 45° Bend	\$	\$
8	1	EA	8" Gate Valve	\$	\$
9	266	LF	Site Work	\$	\$
10	1	LS	Connection #11	\$	\$
11	1	LS	Connection #12	\$	\$

SUBTOTAL - WATER MAIN 4	\$
--------------------------------	-----------

CITY OF CONWAY
HIGHWAY 501 WATERLINE RELOCATION
WATER MAIN 5

COST ESTIMATE

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
1	100	LF	12 Inch C-900 PVC	\$	\$
2	180	LF	12 Inch Restrained Joint DIP	\$	\$
3	170	LF	24 Inch Steel Casing Dry Bore and Jacked	\$	\$
4	2	EA	12" x 12" MJ Tee	\$	\$
5	2	EA	12" MJ 90° Bend	\$	\$
6	1	EA	12" MJ 45° Bend	\$	\$
7	1	EA	12" Gate Valve	\$	\$
8	20	LF	Open Cut and Patch Asphalt	\$	\$
9	280	LF	Site Work	\$	\$
10	1	LS	Connection #13	\$	\$
11	1	LS		\$	\$

SUBTOTAL - WATER MAIN 5	\$
--------------------------------	-----------

TOTAL COST	\$
-------------------	-----------

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS. CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator