

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
For December 12, 2023

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on November 14, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below)



South Carolina Department of Transportation

11/8/2023

Call No.: 010 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2614860 PCN: P032357 Project No.: P032357
 DBE Goal Percent: 0.00%
 Approx. Length (miles): 3.8200 Description: US 501 WIDENING FROM GARDNER LACY TO SC 544
 CO(S): Horry
 Completion Date: 10/15/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
LARGE PUBLIC WATER RELOCATION NO. ____ 1	1.000	EA
LARGE PUBLIC SEWER RELOCATION NO. ____ 1	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,912.000	SY
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,680.000	SY
UNCLASSIFIED EXCAVATION	37,881.000	CY
BORROW EXCAVATION	13,155.000	CY
MUCK EXCAVATION	1,200.000	CY
15" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	50.000	LF
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	2,928.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,675.000	LF
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	331.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	310.000	LF
GEOTEXTILE, SEPARATION	3,650.000	SY
GEOGRID STABILIZATION	3,200.000	SY
STONE BRIDGE LIFT MATERIAL	2,820.000	TON
GRANULAR BRIDGE LIFT MATERIAL	1,550.000	CY
FINE GRADING	77,291.000	SY
FLOWABLE FILL	548.000	CY
MAINTENANCE STONE	3,790.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	39,591.000	TON
LIQUID ASPHALT BINDER PG64-22	4,821.000	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	167,414.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,100.000	SY
MILLED-IN RUMBLE STRIP	6.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	29,574.000	TON



Call No.: 010 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 2

Description	Quantity	Units
HOT MIX ASPHALT SURFACE COURSE TYPE B	26,309.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	1,000.000	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	32.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,436.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	12.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	17.000	EA
TEMPORARY CONCRETE BARRIER	2,800.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	71,600.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	241,300.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	149,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	33,750.000	LF
PAVEMENT MARKINGS (TEMPORARY PAINT) 24"X36" WHITE TRIANGLE YIELD BAR	320.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	445.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE COMBINATION ARROWS	10.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	430.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WH.RAILROAD XING SYMBOLS	40.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	2,060.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X4"	80.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	430.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	23,500.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	64,100.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	200.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	10,975.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	141.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	135.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	4.000	EA
RAILROAD CROSSING SYMBOLS - THERMOPLASTIC - 125 MIL.	8.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	35,700.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	1,030.000	EA
PERMANENT YELLOW PAVEMENT MARKERS MONO-DIR.- 4"X 4" PERM. YEL.	40.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	20.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	10.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	521.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	38.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	20.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	638.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	4,807.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	184.000	LF



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	115.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,256.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,234.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	5,871.000	LF
FURNISH & INSTALL FIBER OPTIC CABLE-SINGLE MODE	200.000	LF
FURNISH & INSTALL FIBER OPTIC INTERCONNECT CENTER	4.000	EA
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	4.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	36.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	4.000	EA
DESIGN, FURNISH, & INSTALL 40' STEEL POLE AND FOUNDATION	16.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	3,754.000	LF
FURNISH & INSTALL 20' BREAK-AWAY ALUMINUM PEDESTAL POLE AND BASE	10.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	4.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	14.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	12.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	71.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	4.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	97.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	5.000	EA
TEMPORARY TIMING ADJUSTMENTS PER SITE VISIT	5.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	20.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR STOP BAR DETECTION	5.000	EA
FURNISH & INSTALL RADAR FOR SPEED/VOLUME DETECTION INC 150' CABLE & MOUNTING HARDWARE	12.000	EA
FURNISH & INSTALL CABINET INTERFACE COMPONENTS FOR SPEED/VOLUME DETECTION	5.000	EA
FURNISH & INSTALL RADAR DETECTION CABLE TO CROSS ROADWAY	5,978.000	LF
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	4.000	EA
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	356.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	288.000	LF
24"X 38" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	480.000	LF
29"X 45" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	604.000	LF
34"X 53" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	104.000	LF
38"X 60" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	308.000	LF
15" SMOOTH WALL PIPE	132.000	LF
18" SMOOTH WALL PIPE	8,364.000	LF
24" SMOOTH WALL PIPE	4,784.000	LF
30" SMOOTH WALL PIPE	944.000	LF
36" SMOOTH WALL PIPE	884.000	LF
CLEANING EXISTING PIPE	2,868.000	LF



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
CATCH BASIN -TYPE 1 CB - TYPE 1	5.000	EA
DROP INLET TYPE 125 SINGLE 4'X2' BOX	17.000	EA
CATCH BASIN -TYPE 16	5.000	EA
DROP INLET (24" X 36")	37.000	EA
DROP INLET TYPE 112	53.000	EA
MANHOLE	1.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	1.000	EA
BEVELING OF PIPE END	122.000	EA
CONCRETE CURB (9" X 15")	45.000	LF
CONCRETE CURB AND GUTTER(1'-6") VERTICAL FACE	748.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	392.000	LF
CONCRETE SIDEWALK(4" UNIFORM)	238.000	SY
CONCRETE MEDIAN	2,420.000	SY
RIP-RAP (CLASS A)	2,038.000	TON
RIP-RAP (CLASS B)	862.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE A	3,742.000	SY
RIGHT OF WAY MARKER(REBAR AND CAP)	63.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	46.900	ACRE
TEMPORARY COVER	23.450	ACRE
COMPOST	1,261.000	CY
FERTILIZER (NITROGEN)	4,690.000	LB
FERTILIZER (PHOSPHORIC ACID)	4,690.000	LB
FERTILIZER (POTASH)	4,690.000	LB
AGRICULTURAL GRANULAR LIME	93,800.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	140.700	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	70.350	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	70.350	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	224.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	238.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	6,340.000	LF
SILT FENCE	32,166.000	LF
REPLACE/REPAIR SILT FENCE	3,217.000	LF
CLEANING SILT BASINS	944.200	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	8,042.000	LF
INLET FILTER CLEANING	144.000	EA
INLET STRUCTURE FILTER - TYPE D1	82.000	EA
INLET STRUCTURE FILTER - TYPE B	2.000	EA
INLET STRUCTURE FILTER - TYPE D2	19.000	EA
INLET STRUCTURE FILTER - TYPE A	112.000	LF



Call No.: 010

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 5

Description	Quantity	Units
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	300.000	TON
STABILIZED CONSTRUCTION ENTRANCE	1,925.000	SY
JUNCTION BOX CONV DROP INLET 24"X48"	2.000	EA



Call No.: 020 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 0266061 PCN: P042283 Project No.: P042283

DBE Goal Percent: 0.00%

Approx. Length (miles):24.4700

Description: RESURFACING 17 STATE RD -SURFCOURSE, FDP, SHLDPAV, MILLFILL

CO(S): Aiken

Completion Date: 7/31/2025 Days

Funding: CTC

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
RAILROAD INSURANCE AND FLAGGING 001	1.000	LS
BORROW EXCAVATION	4,772.000	CY
EXCAVATION FOR SHOULDER PAVING	2,163.120	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	2,163.120	STA
MAINTENANCE STONE	121.000	TON
HMA SHOULDER WIDENING COURSE	13,802.799	TON
LIQUID ASPHALT BINDER PG64-22	2,871.570	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	11,925.000	SY
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	175.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	6,260.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	15,600.000	SY
MILLED-IN RUMBLE STRIP	36.180	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	25,809.656	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	6,832.380	TON
DRIVEWAY PAVING-SURFACE TYPE D	1,712.500	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	3,092.000	SF
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	2,440.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	219,260.000	LF
8" WHITE SOLID LINES PERM.PVMT.MARKINGS	80.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	15.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1,610.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	5.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	1.000	EA
WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)PERM.PVMT.MARKING	7,200.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	220,340.000	LF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	3,000.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	438,520.000	LF
8"WHITE SOLID LINES(CROSSWALK&CHANNELIZATION)FAST DRY PAINT	160.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	2,845.000	LF

CITY OF CONWAY

APPROVED CONTRACTORS

RH Moore Company
Kent Skipper
10601 Highway 707
Myrtle Beach, SC 29588
kentskipper@rhmoorecompany.com
843-650-2155

Richardson Construction
Grayson Gasque
6806 Monticello Road
Columbia, SC 29203
(843) 992-1207

Express Construction
Brian Squires
635 Horry Road
Conway, SC 29526
(843) 458-3834

US 501 Widening – Gardner Lacy/Myrtle Ridge to SC 544 Interchange – P032357

GSWSA Approved Contractors List

R.H. Moore Company, Inc. P.O. Box 830 Murrells Inlet, SC 29576	Richardson & Richardson, Inc. P.O. Box 259 Conway, SC 29528	Lawrimore Construction, Inc. 6240 Cypress Swamp Rd Conway, SC 29527
R.L. Causey, Inc. 5182 C Horry Drive Murrells Inlet, SC 29576	RWF Construction, LLC P.O. Box 69 Effingham, SC 29541	RCB Contractors, LLC 1375 Huggins Shortcut Rd Galivants Ferry, SC 29544



Call No.: 020

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT)-FAST DRY PAINT	6.000	EA
WHITE WORD MESSAGE "ONLY"-FAST DRY PAINT	1.000	EA
WHITE COMBINATION ARROW(STR.& RT.OR STR.& LT.)FAST DRY PAINT	2.000	EA
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	14,400.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	440,680.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)FAST DRY PAINT	30.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) EPOXY PAINT	720.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) EPOXY PAINT	90.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	25.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,737.000	EA
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	125.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,900.000	LF
SAWCUT FOR LOOP DETECTOR	1,300.000	LF
SURFACE APPLIED DETECTABLE WARNING	130.000	SF
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,420.000	LF
MT3 LEADING END TREATMENT TL3	6.000	EA
MGS3CS GR COMPRESSED SHOULDER	950.000	LF
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	1.000	EA
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	23.810	ACRE



Call No.: 030 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 0266360 PCN: P042428 Project No.: P042428

DBE Goal Percent: 0.00%

Approx. Length (miles):3.9200

Description: FDP;SHLDPAV;CHIPSEAL;GRAIL

CO(S): Aiken

Completion Date: 11/30/2024 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
BORROW EXCAVATION	784.000	CY
EXCAVATION FOR SHOULDER PAVING	413.952	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	413.952	STA
MAINTENANCE STONE	5.000	TON
HMA SHOULDER WIDENING COURSE	2,759.680	TON
LIQUID ASPHALT BINDER PG64-22	150.984	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	500.000	SY
HOT MIX ASPHALT SURFACE COURSE TYPE D	200.000	TON
ASPHALT SURFACE TREATMENT(SINGLE TREATMENT)	55,193.602	SY
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	96.000	SF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	41,400.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	40.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	10,350.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	41,400.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	260.000	EA
REMOVE & DISPOSE SEMI-RIGID GR DEVICE	1,160.000	LF
MT3 LEADING END TREATMENT TL3	4.000	EA
MGS3CS GR COMPRESSED SHOULDER	975.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	3.920	ACRE



Call No.: 040 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 0451530 **PCN:** P030909 **Project No.:** P030909
DBE Goal Percent: 15.00%
Approx. Length (miles):0.6620 **Description:** INTERSECTION IMPROVEMENT AT US 76 AND S-60 (WELPINE ROAD)
CO(S): Anderson
Completion Date: 8/31/2025 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,839.000	SY
UNCLASSIFIED EXCAVATION	9,375.000	CY
CONTROLLED FILL - BORROW MATERIAL	225.000	CY
TEMPORARY SHORING WALL	70.000	LF
FINE GRADING	7,797.000	SY
FLOWABLE FILL	85.000	CY
MAINTENANCE STONE	200.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	3,340.000	TON
LIQUID ASPHALT BINDER PG64-22	572.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	800.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	14,340.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	444.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	819.000	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	3,553.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,405.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	225.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	1,095.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	630.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	102.000	SF
DETOUR SIGNS	442.000	SF
BARRICADE - TYPE 3	126.000	LF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	4.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	12.000	EA
TEMPORARY CONCRETE BARRIER	920.000	LF



Call No.: 040

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
TEMP CONC BARRIER WITH ANCHORAGE (INCL SECT OF BARR WALL WITH SLOTS/BOLTS/MISC HARDWARE/ITEMS FOR ATTACHMENT TO BRIDGE)	80.000	LF
TYPE B - FLASHING LIGHT	24.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	5,317.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	22,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	20,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	360.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	14.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	14.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	45.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	180.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	1,567.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	7,000.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	360.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	14.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	14.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	5,400.000	LF
6" YELLOW SOLID LINE ON CURB/MEDIAN - FAST DRY PAINT	2,810.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	45.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	180.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	106.250	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	99.500	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FIXED SIZE & MSG.	29.000	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	5.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	284.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	46.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	130.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	70.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	30.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	1,250.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	1,450.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	525.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	2,800.000	LF
SAWCUT FOR LOOP DETECTOR	2,800.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	1.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	3.000	EA
17"X30"X18"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	1.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	4.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	560.000	LF
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	2.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	1.000	EA
FURNISH & INSTALL - 12" 5 SECTION SIGNAL HEAD	1.000	EA



Call No.: 040

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	2.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	8.000	EA
F&I-PED PUSH BUTTON MICRO ASSEMBLY(9"X15")AND SIGN(R-10-3E or R10-4a)	2.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	11.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	1.000	EA
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	168.000	LF
18" SMOOTH WALL PIPE	1,172.000	LF
24" SMOOTH WALL PIPE	88.000	LF
CATCH BASIN -TYPE 1 CB - TYPE 1	4.000	EA
DROP INLET (24" X 24")	2.000	EA
MANHOLE	1.000	EA
30" X 30" JUNCTION BOX	1.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
CONCRETE MEDIAN	1,484.000	SY
6" PIPE SLOPE DRAIN	200.000	LF
RIP-RAP (CLASS B)	412.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	185.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	283.000	SY
MT3 LEADING END TREATMENT TL3	2.000	EA
MB TRAILING END TREATMENT	2.000	EA
MGS3 GR STANDARD SHOULDER	187.500	LF
MGS3CS GR COMPRESSED SHOULDER	150.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	39.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.980	ACRE
TEMPORARY COVER	1.990	ACRE
FERTILIZER (NITROGEN)	398.000	LB
FERTILIZER (PHOSPHORIC ACID)	398.000	LB
FERTILIZER (POTASH)	398.000	LB
AGRICULTURAL GRANULAR LIME	7,960.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	11.940	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 1	3.057	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.718	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.219	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.970	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	26.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	26.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	1,180.000	LF
SILT FENCE	1,860.000	LF
REPLACE/REPAIR SILT FENCE	400.000	LF



Call No.: 040

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
CLEANING SILT BASINS	622.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	400.000	LF
INLET FILTER CLEANING	25.000	EA
INLET STRUCTURE FILTER - TYPE B	1.000	EA
INLET STRUCTURE FILTER - TYPE E (CATCH BASIN TYPE 1)	4.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	100.000	TON
STABILIZED CONSTRUCTION ENTRANCE	275.000	SY
SUBSURFACE EXPLORATION	1.000	LS



Call No.: 050 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2166960 **PCN:** P042708 **Project No.:** P042708
DBE Goal Percent: 0.00%
Approx. Length (miles):1.9710 **Description:** S-77 (N. HAM ROAD) ROAD DEPARTURE MITIGATION PROJECT
CO(S): Florence
Completion Date: 6/30/2025 Days **Funding:** FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
LIMB TRIMMING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	1,105.000	SY
UNCLASSIFIED EXCAVATION	255.000	CY
BORROW EXCAVATION	788.000	CY
EXCAVATION FOR SHOULDER PAVING	208.000	STA
HAULING OF EXCAVATED SHOULDER MATERIAL	208.000	STA
MAINTENANCE STONE	23.000	TON
LIQUID ASPHALT BINDER PG64-22	322.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	3,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	520.000	SY
MILLED-IN RUMBLE STRIP	5.910	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	3,000.000	TON
DRIVEWAY PAVING-SURFACE TYPE D	470.000	TON
WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B - SPECIAL	2,080.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	560.000	SF
4" WHITE BROKEN LINES -(GAPS EXCLUDED)-FAST DRY PAINT	900.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	62,250.000	LF
24" WHITE SOLID LINES (STOP/DIAGONAL LINES)-FAST DRY PAINT	375.000	LF
4" YELLOW BROKEN LINES(GAPS EXC) - FAST DRY PAINT	5,120.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	28,476.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	300.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	20,750.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	125.000	LF
6" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	1,707.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	9,492.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	150.000	EA
EVALUATION OF PAVEMENT MARKING RETROREFLECTIVITY	1.000	LS
REFLECTIVE SIGN POST PANELS	20.000	LF
PERMANENT GRASSING FOR NON-PERMITTED RESURFACING PROJECTS	1.910	ACRE



Call No.: 060 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2353290 PCN: P038260 Project No.: P038260

DBE Goal Percent: 8.00%

Approx. Length (miles):0.2020

Description: MCKELVEY ROAD (S-154) BRIDGE REPLACEMENT

CO(S): Greenville

Completion Date: 7/31/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	1,147.000	SY
REMOVAL & DISPOSAL OF EXISTING CONCRETE PAVEMENT(REHAB)	171.000	SY
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
FURNISH AND INSTALL MAILBOX	1.000	EA
UNCLASSIFIED EXCAVATION	737.000	CY
BORROW EXCAVATION	1,716.000	CY
FINE GRADING	1,294.440	SY
MAINTENANCE STONE	50.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	446.000	TON
LIQUID ASPHALT BINDER PG64-22	46.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	300.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	1,329.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	170.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	235.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	37.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	192.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	206.000	SF
BARRICADE - TYPE 3	120.000	LF
TYPE B - FLASHING LIGHT	20.000	EA
4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	1,300.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	1,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	11.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	400.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	400.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	50.000	SF



Call No.: 060

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
U-SECTION POST FOR SIGN SUPPORTS - 2P	40.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	78.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	968.000	LF
CONC. FOR STRUCTURES - CLASS 4000	472.100	CY
GROOVED SURFACE FINISH	844.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	155,880.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	4,423.000	LB
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	1,184.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	480.000	LF
PILE DRIVING SET-UP	12.000	EA
REINF. PILE TIPS (HP14 X 73)	12.000	EA
STEEL H BEARING PILING (HP14 X 73)	253.000	LF
DRILLED SHAFT SET-UP	3.000	EA
DRILLED SHAFT WITH ROCK EXCAVATION - 48" DIAMETER	55.000	LF
DRILLED SHAFT WITH WET & DRY EXCAVATION - 54" DIAMETER	76.300	LF
CONSTRUCTION CASING - 54" DIAMETER	76.300	LF
15" SMOOTH WALL PIPE	56.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	74.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	99.000	LF
CONCRETE DRIVEWAY(6" UNIFORM)	415.000	SY
ELASTOMERIC BEARING	24.000	EA
CROSSHOLE SONIC LOGGING SETUP	3.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	148.000	TON
RIP-RAP (CLASS A)	25.000	TON
RIP-RAP (CLASS B)	1,374.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	10.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 1)TYPE B	1,992.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	75.000	SY
MT3 LEADING END TREATMENT TL3	1.000	EA
MB TRAILING END TREATMENT	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	3.000	EA
NON-MOW STRIP UNDER GUARDRAIL	75.000	SY
RIGID SS MOMENT SLAB	37.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	200.000	LF
RESET FENCE	300.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	6.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.924	ACRE
TEMPORARY COVER	0.462	ACRE
COMPOST	248.450	CY
FERTILIZER (NITROGEN)	92.400	LB



Call No.: 060

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
FERTILIZER (PHOSPHORIC ACID)	92.400	LB
FERTILIZER (POTASH)	92.400	LB
AGRICULTURAL GRANULAR LIME	1,848.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.772	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	30.200	SY
TEMPORARY EROSION CONTROL BLANKET (CLASS B)	1.048	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.693	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	2.079	ACRE
SILT FENCE	1,730.000	LF
CLEANING SILT BASINS	25.000	CY
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	5.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY
ELECTRIC GATE SYSTEM	1.000	LS

1) SECTION 102: MANDATORY PRE-BID CONFERENCE: The Contractor is advised that all Bidders on this project are required to attend a Pre-Bid Conference to be held on Wednesday, November 29, 2022 at 10:00 AM. The Pre Bid Conference will be held in the SCDOT District 3 Headquarters 4th Floor Conference Room at 252 S. Pleasantburg Dr., Greenville, SC, 29607. Contractors who do not attend this Pre Bid Conference will not be allowed to submit a Bid Proposal for this project.



South Carolina Department of Transportation

11/8/2023

Call No.: 070 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2366990 PCN: P030389 Project No.: P030389

DBE Goal Percent: 13.00% PCN: P037074 Project No.: P037074

Approx. Length (miles): 13.5760 Description: US 25 SAFETY IMPROVEMENTS

CO(S): Greenville

Completion Date: 10/31/2025 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BITUMINOUS CURB&SHOULDER ROLL	2,022.000	LF
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	3,345.000	SY
REMOVAL & DISPOSAL OF CONCRETE MEDIAN BARRIER	19,300.000	LF
REMOVAL OF EXIST. GUARDRAIL	53,925.000	LF
UNCLASSIFIED EXCAVATION	19,775.000	CY
BORROW EXCAVATION	7,980.000	CY
FINE GRADING	44,623.000	SY
FLOWABLE FILL	1,775.000	CY
MAINTENANCE STONE	1,600.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE A	1,246.000	TON
HMA SHOULDER WIDENING COURSE	5,865.000	TON
LIQUID ASPHALT BINDER PG64-22	5,746.000	TON
FULL DEPTH ASPH. PAV. PATCHING 10"UNIF	15,000.000	SY
MILLING EXISTING ASPHALT PAVEMENT 2.0"	590,693.000	SY
MILLED-IN RUMBLE STRIP	51.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	43,102.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	53,455.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	251.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	1,852.000	SF
BARRICADE - TYPE 3	60.000	LF
TRUCK MOUNTED ATTENUATOR	1.000	EA
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(60 MPH)	5.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 60MPH	19.000	EA
TEMPORARY CONCRETE BARRIER	12,000.000	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	7.000	EA
PAVEMENT MARKINGS(TEMP-PAINT) 4" WHITE BROKEN LINES	2,900.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	200.000	LF



Call No.: 070

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
PAVEMENT MARKINGS(TEMP-PAINT) 6" WHITE BROKEN LINES	74,000.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	14,800.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	14,800.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	2,400.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	2,400.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" WHITE SOLID LINES	280,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-6" YELLOW SOLID LINES	280,900.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-24"WHITE SOLID LINES	1,860.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE SINGLE ARROW	12.000	EA
PAVEMENT MARKINGS(TEMP.-PAINT)-WHITE LANE DROP ARROWS	18.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-WHITE WORD 'ONLY	12.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	1,900.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	37,000.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	6.000	EA
WHITE WORD MESSAGE "ONLY" -PERM.PVMT.MARKING	6.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)PERM.PVMT.MARKING	9.000	EA
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	2,100.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	148,550.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	930.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	148,550.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	2,010.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	80.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	2,371.410	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,282.000	LF
REFLECTIVE SIGN POST PANELS	1,442.000	LF
EPOXY CRACK INJECTION	1.000	LS
GROOVED SURFACE FINISH	3,274.000	SY
STRUCTURAL STEEL	1.000	LS
ENVIRONMENTAL AND WORKER PROTECTION	1.000	LS
CLEANING AND PAINTING EXISTING STRUCTURAL STEEL	1.000	LS
18" SMOOTH WALL PIPE	16,243.000	LF
24" SMOOTH WALL PIPE	2,888.000	LF
36" SMOOTH WALL PIPE	8.000	LF
CATCH BASIN TYPE 25 DOUBLE 4'X7' W IA SLAB	23.000	EA
CATCH BASIN TYPE 25 SINGLE 4'X5' W IA SLAB	53.000	EA
CATCH BASIN -TYPE 1 WITH STANDARD 6' X 6' BOX	1.000	EA
DROP INLET (24" X 36") WITH STANDARD 4' X 4' BOX	6.000	EA
CONCRETE COLLAR FOR UP TO 24" PIPE	4.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	3.000	EA
BEVELING OF PIPE END	20.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	3,400.000	LF



Call No.: 070

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
CONCRETE GUTTER-SPECIAL	500.000	LF
CONCRETE MEDIAN	500.000	SY
BITUMINOUS CURB	38,322.000	LF
HYDRO-DEMOLITION OF EXISTING SURFACE	3,379.000	SY
PARTIAL DEPTH REMOVAL OF SOUND CONCRETE	676.000	SY
VERY EARLY STRENGTH CONCRETE OVERLAY (LATEX)	207.700	CY
RESEAL DECK EXPANSION JOINT	526.000	LF
RIP-RAP (CLASS B)	1,818.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	3,157.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,737.500	LF
MT3 LEADING END TREATMENT TL3	50.000	EA
MB TRAILING END TREATMENT	78.000	EA
MGS3 GR STANDARD SHOULDER	30,662.500	LF
MGS3CS GR COMPRESSED SHOULDER	27,725.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	4.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	16.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	34.000	EA
PREMASH IMPACT ATTENUATOR IA CLASS D3	2.000	EA
PREMASH SHORT TRIEBEAM BRIDGE CON TBBC2	4.000	EA
PREMASH TYPE T TL2 LEADING 25FT	4.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
46SS REINFORCED BARRIER WALL	19,300.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	12,800.000	LF
PERMANENT COVER	65.837	ACRE
TEMPORARY COVER	125.769	ACRE
FERTILIZER (NITROGEN)	6,584.000	LB
FERTILIZER (PHOSPHORIC ACID)	6,584.000	LB
FERTILIZER (POTASH)	6,584.000	LB
AGRICULTURAL GRANULAR LIME	19,534.000	LB
SELECTIVE WATERING	325,800.000	GAL
MOWING	384.612	ACRE
TURF REINFORCEMENT MATTING (TRM) TYPE 2	213.900	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	566.630	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 2	46.725	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	140.180	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	1,640.000	LF
INLET STRUCTURE FILTER- TYPE F (NON-WEIGHTED)	1,640.000	LF
SEDIMENT TUBES FOR DITCH CHECKS	22,115.000	LF
SILT FENCE	126,935.000	LF
REPLACE/REPAIR SILT FENCE	12,693.500	LF
REMOVAL OF SILT RETAINED BY SILT FENCE	31,734.250	LF



Call No.: 070

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 4

Description	Quantity	Units
STABILIZED CONSTRUCTION ENTRANCE	8,000.000	SY
SURFACE MILLING 001	3,379.000	SY
BRIDGE DECK PATCHING, FULL DEPTH 002	845.000	SY
ON-THE-JOB TRAINEE (ROADWAY)	520.000	HR



Call No.: 080 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 2955010 PCN: P038747 Project No.: P038747

DBE Goal Percent: 7.50%

Approx. Length (miles): 0.3210

Description: S-26 (FORK HILL ROAD) OVER HORTON CREEK

CO(S): Lancaster

Completion Date: 6/30/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING PAVEMENT	500.000	SY
REMOVAL OF EXIST. GUARDRAIL	230.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	3,195.000	CY
BORROW EXCAVATION	15,705.000	CY
GEOTEXTILE, SEPARATION	310.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	1,413.000	SY
GEOGRID STABILIZATION	310.000	SY
STONE BRIDGE LIFT MATERIAL	293.000	TON
GRANULAR BRIDGE LIFT MATERIAL	665.000	CY
FINE GRADING	5,780.000	SY
GRADED AGGREGATE BASE COURSE (6" UNIFORM)	1,030.000	SY
MAINTENANCE STONE	125.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	1,735.000	TON
PRIME COAT	278.000	GAL
LIQUID ASPHALT BINDER PG64-22	151.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	100.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	350.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	450.000	SY
MILLED-IN RUMBLE STRIP	0.500	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE C	491.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	640.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	40.000	TON
HOT MIX ASPH. CONC. SURF. CR. FOR DITCH PAVING	73.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF



Call No.: 080

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	84.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	30.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,300.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	30.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,300.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	210.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	210.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	45.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	113.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	584.000	LF
CONC. FOR STRUCTURES - CLASS 4000	317.400	CY
GROOVED SURFACE FINISH	439.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	73,191.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	626.000	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	290.000	LF
STEEL H BEARING PILING (HP14 X 73)	168.000	LF
DRILLED PILE SET-UP	12.000	EA
SOIL EXCAVATION FOR DRILLED PILE FOUNDATIONS - 36" DIAMETER	62.000	LF
ROCK EXCAVATION FOR DRILLED PILE FOUNDATIONS - 30" DIAMETER	116.800	LF
DRILLED PILE FOUNDATION CONCRETE (CLASS 4000DS)	21.300	CY
15" SMOOTH WALL PIPE	120.000	LF
18" SMOOTH WALL PIPE	92.000	LF
24" SMOOTH WALL PIPE	71.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	26.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	125.000	LF
ELASTOMERIC BEARING	12.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	210.000	TON
RIP-RAP (CLASS A)	23.000	TON
RIP-RAP (CLASS B)	270.000	TON
GEOTEXTILE FABRIC FOR EROSION CONTROL UNDER RIPRAP (CLASS 2)	203.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	25.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	237.500	LF
MT3 LEADING END TREATMENT TL3	2.000	EA
MGS3 GR STANDARD SHOULDER	600.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	2.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	2.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	25.000	SY



Call No.: 080

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
PREMASH W-BEAM TIGHT CURVED SYSTEM	43.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	850.000	LF
RESET FENCE	435.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	17.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.500	ACRE
TEMPORARY COVER	7.000	ACRE
FERTILIZER (NITROGEN)	350.000	LB
FERTILIZER (PHOSPHORIC ACID)	350.000	LB
FERTILIZER (POTASH)	350.000	LB
AGRICULTURAL GRANULAR LIME	7,000.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	21.000	ACRE
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	28.200	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	6.190	MSY
SILT FENCE	2,645.000	LF
REPLACE/REPAIR SILT FENCE	264.500	LF
CLEANING SILT BASINS	5.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	661.250	LF
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	2.000	TON
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

Lancaster County Water & Sewer District
PREQUALIFIED BIDDERS

<i>Contractor</i>	<i>Contact Name</i>	<i>Street Address</i>	<i>PO Box</i>	<i>Phone Number / Fax Number</i>	<i>e-mail Contact</i>
BRS, Inc	Jeff Williams	208 Hwy 49 N	PO Box 456	704-463-1355	brsjeff@ctc.net
		Richfield, NC 28137		704-463-1700	
CCS of York County	Carl Smith	1051 Sharon Road	PO Box 1837	803-628-0038	3carlsmith@bellsouth.net
		York, SC 29745			
Dellinger, Inc	Justin Rodger	2631 Old Charlotte Hwy	PO Box 929	704-283-7551	justin@dellinger-inc.com
		Monroe, NC 28111		704-289-8217	
Propst Construction	Brandon Hill	170 Blume Ave SW	PO Box 688	704-782-2135	brandonhill@ctc.net
		Concord, NC 28026			
Sanders Utlity	Freddie Young	6801 Brookshire Blvd	N/A	704-399-5644	freddie@sandersutility.com
		Charlotte, NC 28216		704-393-7786	
Hall Contracting Corp.	Wayne Helms	6415 Lakeview Road	PO Box 560218, Zip 28256	704 598-0818	whelms@hallcontracting.com
		Charlotte, NC 28269		704 598-3855	
DS Utilities	Wayne Bye	1644 Holy Trinity Church Rd	N/A	803-345-9194	cwbye@mcclam.net
		Little Mountain, SC 29075		803-345-5362	
Monroe Roadways Contractors, Inc	Mike Batounis	7061 Campground Road	N/A	704-489-0700	mbatounis@monroeroadways.net
		Denver, NC 28037		704-489-0701	
State Utility Contractors, Inc.	Scott Little	4417 Old Charlotte Hwy	PO Box 5019	704-289-6400	scott@sucontractors.com
		Monroe, NC 28110		704-282-0590	
Fuller and Co. Construction	Jarred Fuller	3089 W Old NC 150 Hwy	PO Box 326, Crouse, NC 28033	704-240-9124	jarred@fullerandco.com
		Crouse, NC 28033			
R.H. Price Inc.	Stephen Price	5226 Beatties Ford Rd	PO Box 1709 Matthews, NC 28106	704-395-0672	rhpriceinc@gmail.com
		Charlotte, NC 28216		704-395-0661	
Rogers Grading, Inc.	David Grigg	345 Industrial Dr.	N/A	803-327-5705	rogersgrade@comporium.net
		Rock Hill, SC 29730		803-327-5760	
Tom Brigman Contractors, Inc.	M. Blake Brigman	1509 Sunset Ave.	PO Box 336	803-276-4083	bbrigman@tombrigmancontractors.com
		Newberry, SC 29108-1648		803-276-1050	



Call No.: 090 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3559650 PCN: P039994 Project No.: ER18322
 DBE Goal Percent: 0.00%
 Approx. Length (miles):0.2840 Description: REHABILITATION - S-165 (MARLBORO CO)
 CO(S): Marlboro
 Completion Date: 7/31/2025 Days Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BRIDGE CONSTRUCTION ACCESS	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
REMOVAL & DISPOSAL ITEM NO. 002	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	2,100.000	SY
REMOVAL OF EXIST. GUARDRAIL	1,100.000	LF
UNCLASSIFIED EXCAVATION	497.000	CY
BORROW EXCAVATION	3,613.000	CY
MUCK EXCAVATION	620.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	120.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	80.000	LF
GEOTEXTILE, STABILIZATION	675.000	SY
GEOGRID REINFORCEMENT (UNIAXIAL)	715.000	SY
NO. 57 STONE FOR BACKFILL	80.000	TON
FINE GRADING	2,800.000	SY
MAINTENANCE STONE	20.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	910.000	TON
LIQUID ASPHALT BINDER PG64-22	70.000	TON
FULL DEPTH ASPH. PAV. PATCHING 6" UNIF.	1,130.000	SY
MILLING EXISTING ASPHALT PAVEMENT 1.5"	2,260.000	SY
MILLED-IN RUMBLE STRIP	0.660	MI
HOT MIX ASPHALT SURFACE COURSE TYPE C	360.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	82.500	SF
BARRICADE - TYPE 3	96.000	LF
TYPE B - FLASHING LIGHT	16.000	EA
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" WHITE SOLID LINES	6,950.000	LF
PAVEMENT MARKINGS(TEMPORARY-PAINT)-4" YELLOW SOLID LINES	6,950.000	LF



Call No.: 090

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	3,475.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	3,475.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	30.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	111.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	111.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	115.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 3P	292.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	608.000	LF
CONC. FOR STRUCTURES - CLASS 4000	282.500	CY
GROOVED SURFACE FINISH	393.000	SY
REINF. STEEL FOR STRUCTURES (BRIDGE)	68,400.000	LB
PRESTRESSED CONC. BEAM (TYPE IV)	550.800	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	302.000	LF
PILE DRIVING SET-UP	10.000	EA
STEEL H BEARING PILING (HP12 X 53)	198.000	LF
STEEL H BEARING PILING (HP14 X 117)	1,149.000	LF
18" SMOOTH WALL PIPE	120.000	LF
24" SMOOTH WALL PIPE	80.000	LF
BEVELING OF PIPE END	8.000	EA
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	80.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	124.000	LF
ELASTOMERIC BEARING	10.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	126.000	TON
RIP-RAP (CLASS A)	130.000	TON
RIP-RAP (CLASS B)	816.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE C	910.000	SY
MT3 LEADING END TREATMENT TL3	3.000	EA
MGS3 GR STANDARD SHOULDER	600.000	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	1.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	1.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	3.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	4.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	13.500	LF
TEMPORARY BARRIER FENCE (ORANGE)	1,000.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	24.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	3.700	ACRE
TEMPORARY COVER	5.100	ACRE
COMPOST	460.000	CY
FERTILIZER (NITROGEN)	370.000	LB
FERTILIZER (PHOSPHORIC ACID)	370.000	LB
FERTILIZER (POTASH)	370.000	LB



Call No.: 090

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
AGRICULTURAL GRANULAR LIME	7,400.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	17.600	ACRE
SODDING	1.000	MSY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	28.200	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	4.012	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	5.100	ACRE
SEDIMENT TUBES FOR DITCH CHECKS	150.000	LF
SILT FENCE	2,700.000	LF
REPLACE/REPAIR SILT FENCE	270.000	LF
FLOATING TURBIDITY BARRIER-MEDIUM DUTY	4,200.000	SF
REMOVAL OF SILT RETAINED BY SILT FENCE	680.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY

WALLACE WATER COMPANY, INC.
WATER DISTRIBUTION SYSTEM IMPROVEMENTS
WATER LINE REPLACEMENT
BY
HORIZONTAL DIRECTIONAL DRILL
OLD WIRE ROAD S-165 BRIDGE REPLACEMENT /
WOLF CREEK /MCMEEKIN POND

SCDOT Project No. P039994 (S-165)

HPG File No. 22035

Date: December 20, 2022

Preferred Contractors:

1. Carroll Enterprises, LLC
PO Box 1127
4472 Jefferies Highway
Walterboro, South Carolina 29488
(843) 538-6679
Contact: Tommy Carroll
tommy@carrollent.net

2. Tom Brigman Contractors
1509 Country Road S-36-574
Newberry, South Carolina 29180
(803) 276-4083
Contact: Blake Brigman
bbrigman@tombrigmancontractors.com

3. Palmetto Utilities Group
PO Box 7
Branchville, South Carolina 29432
(843) 860-3068
Contact: Nick Pinckney
palmettoutilitygroup@gmail.com

4. Maxcy Hicks and Son Construction
PO Box 53
New Zion, South Carolina 29111-0053
(843) 659-2456
Contact: Al Hicks
alhicks@aftc-i.net



Call No.: 100 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 3764160 PCN: P038769 Project No.: P038769

DBE Goal Percent: 7.00%

Approx. Length (miles): Description: S-258 OVER VILLAGE CREEK BRIDGE REPLACEMENT
CO(S): Oconee

Completion Date: 11/30/2024 Days Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
TRAFFIC CONTROL	1.000	LS
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN ROADWAY	1.000	LS
SELECTED CLEARING	1.000	LS
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	108.000	SY
REMOVAL OF EXIST. GUARDRAIL	870.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
UNCLASSIFIED EXCAVATION	1,213.000	CY
BORROW EXCAVATION	3,156.000	CY
FINE GRADING	2,360.000	SY
FLOWABLE FILL	66.000	CY
HOT MIX ASPHALT BASE COURSE - TYPE B	331.000	TON
LIQUID ASPHALT BINDER PG64-22	38.000	TON
FULL DEPTH ASPH. PAV. PATCHING 8" UNIF	50.000	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	219.000	SY
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	172.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	176.000	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	10.000	TON
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	128.000	SF
PERMANENT CONSTRUCTION SIGNS (BARRICADE MOUNTED)	70.000	SF
BARRICADE - TYPE 3	168.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES)-FAST DRY PAINT	1,550.000	LF
4"YELLOW SOLID LINE(PVT.EDGE&NO PASSING ZONE)-FAST DRY PAINT	1,550.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	1,550.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	1,550.000	LF
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	13.000	EA
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	12.000	SF
U-SECTION POST FOR SIGN SUPPORTS - 2P	44.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	368.000	LF



Call No.: 100

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
CONC. FOR STRUCTURES - CLASS 4000	53.000	CY
REINF. STEEL FOR STRUCTURES (BRIDGE)	12,917.000	LB
3'-0" x 1'-9" CORED SLABS	298.800	LF
3'-0" x 2'-0" CORED SLABS	598.800	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	179.600	LF
DYNAMIC PILE ANALYZER TEST SET-UP DYNAMIC PILE ANALYZER TEST SETUP	4.000	EA
PILE DRIVING SET-UP	15.000	EA
PREST. CONC. PILING (24"SQ.)	237.000	LF
PILE BUILD-UP PREPARATION (24"SQ)	1.000	EA
PREDRILLING FOR PREST. CONC. PILING (24"SQ.)	25.000	LF
PRESTRESSED PILE POINT (HP12X53)	55.000	LF
REINF. PILE TIPS (HP12 X 53)	5.000	EA
REINF. PILE TIPS (HP14 X 73)	10.000	EA
PREDRILLING FOR STEEL PILE (HP14 X 73)	102.000	LF
STEEL H BEARING PILING (HP14 X 73)	556.000	LF
18" SMOOTH WALL PIPE	80.000	LF
4' SLOPE FLUME (6" CURB STYLE WITH CUTOFFS)	13.000	LF
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	77.000	LF
ELASTOMERIC BEARING	40.000	EA
RIP-RAP (CLASS A)	23.000	TON
RIP-RAP (CLASS B)	65.000	TON
RIP-RAP (CLASS C)	380.000	TON
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	745.000	SY
MT2 LEADING END TREATMENT TL2	4.000	EA
MGS3 GR STANDARD SHOULDER	662.500	LF
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	1.000	EA
NON-MOW STRIP UNDER GUARDRAIL	335.000	SY
TEMPORARY BARRIER FENCE (ORANGE)	425.000	LF
RIGHT OF WAY MARKER(REBAR AND CAP)	16.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	0.930	ACRE
TEMPORARY COVER	0.470	ACRE
FERTILIZER (NITROGEN)	93.000	LB
FERTILIZER (PHOSPHORIC ACID)	93.000	LB
FERTILIZER (POTASH)	93.000	LB
AGRICULTURAL GRANULAR LIME	1,841.000	LB
SELECTIVE WATERING	54,300.000	GAL
MOWING	2.800	ACRE
WATERPROOFING (BRIDGE DECK)	279.000	SY
TEMPORARY EROSION CONTROL BLANKET (ECB)	2.657	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	0.240	ACRE



Call No.: 100

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 3

Description	Quantity	Units
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	0.450	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	10.000	LF
SILT FENCE	2,399.000	LF
REPLACE/REPAIR SILT FENCE	240.000	LF
FLOATING TURBIDITY BARRIER-HEAVY DUTY(5'DEPTH)	155.000	LF
CLEANING SILT BASINS	689.000	CY
REMOVAL OF SILT RETAINED BY SILT FENCE	600.000	LF
STABILIZED CONSTRUCTION ENTRANCE	550.000	SY



Call No.: 110 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 5360950 PCN: P040993 Project No.: P040993

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

CO(S): Greenville Oconee
Spartanburg

Description: TYPE II TRAFFIC SIGNAL REBUILDS IN
DISTRICT 3 FY2022

Completion Date: 9/30/2025 Days

Funding: ST

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CONCRETE	74.500	CY
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	330.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	2,100.000	LF
8" WHITE SOLID LINES THERMOPLASTIC - 125 MIL.	3,725.000	LF
12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)THERMO-125MIL	65.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	932.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	1.000	EA
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	2,200.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	36.000	EA
REMOVAL OF PAVEMENT MARKINGS	2,952.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	54.000	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	219.500	SF
FLAT SHEET,TYPE-VIII,IX, OR XI, FLUOR FIXED SIZE & MSG.	6.250	SF
MOUNTING ASSEMBLY FOR F.S. SIGN ERCTD ON SPAN WIRE	29.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 3P	157.000	LF
FURNISH & INSTALL 1.0" SCHEDULE 80 PVC CONDUIT	1,995.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	5,405.000	LF
FURNISH & INSTALL 3.0" SCHEDULE 80 PVC CONDUIT	695.000	LF
FURNISH ADDITIONAL CONDUIT WITHIN DIRECTIONAL BORE	45.000	LF
FURNISH & INSTALL 2" SCHEDULE 80 HDPE CONDUIT (DIRECTIONAL BORED)	210.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - BLACK	3,200.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 4 CONDUCTOR - GRAY	15,560.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (BLACK)	6,830.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 8 CONDUCTOR (GRAY)	4,065.000	LF
FURNISH & INSTALL NO. 14 COPPER WIRE, 12 CONDUCTOR (BLACK)	3,860.000	LF
FURNISH & INSTL NO. 14 COPPER WIRE,1-CONDUCTOR FOR LOOP WIRE	15,310.000	LF
SAWCUT FOR LOOP DETECTOR	5,535.000	LF
FURNISH & INSTALL ELECTRICAL SERVICE FOR TRAFFIC SIGNAL	8.000	EA
F&I-13"X24"X18"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	51.000	EA
F&I-17"X30"X24"D.ELEC.FLUSH UNDGRD.ENCLOS-(STR.POLY.CONC.)HD	9.000	EA



Call No.: 110

Letting Date: December 12, 2023

Letting Time: 02:00 PM

Page: 2

Description	Quantity	Units
FURNISH & INSTALL 13" X 28' STEEL STRAIN POLE AND FOUNDATION	21.000	EA
FURNISH & INSTALL 13" X 32' STEEL STRAIN POLE AND FOUNDATION	14.000	EA
FURNISH & INSTALL 3/8" GALVANIZED STEEL CABLE	4,930.000	LF
FURNISH & INSTALL 4' BREAK-AWAY ALUMINUM PEDESTAL POLE	1.000	EA
FURNISH & INSTALL 10' BREAK-AWAY ALUM PEDESTAL POLE AND BASE	13.000	EA
F&I - CONTR 332/336 CABINET ASSEMBLY - BASE MOUNTED 001	9.000	EA
FURNISH & INSTALL -12" 4 SECTION SIGNAL HEAD	20.000	EA
FURNISH & INSTALL - 12" 3 SECTION SIGNAL HEAD 002	71.000	EA
F&I - 12" 1-WAY-1 SECTION(GA)VEHICLE TRAFFIC SIGNAL	2.000	EA
F&I - 1-WAY-1SECT.HAND/MAN EMBLEM PEDESTRIAN SIGNAL HEAD	34.000	EA
F&I-PED PUSH BUT.SOLID STATE W/ TONE ASSEM 9"X15"&SIGN (R-10-3E or R10-4a)	54.000	EA
BACKPLATE W/ RETROREFL.BORDERS FOR TRAFF. SIG.	93.000	EA
REMOVAL,SALVAGE,&DISP.OF EXISTING TRAF. SIGNAL EQUIPMENT	1.000	LS
TEMPORARY ADJUSTMENT OF TRAFFIC SIGNAL EQUIPMENT	9.000	EA
REMOVE FOUNDATION FOR STEEL STRAIN POLE - 18" BELOW GRADE	15.000	EA
FURNISH & INSTALL CONCRETE CABINET FOUNDATION	7.000	EA
FURNISH & INSTALL RADAR FOR STOP BAR DETECTION, INC 150' CABLE & MOUNTING HARDWARE	4.000	EA
FURNISH & INSTALL RADAR FOR SETBACK DETECTION, INC 150' CABLE & MOUNTING HARDWARE	6.000	EA
FURNISH & INSTALL FACTORY TERMINATED PATCH PANEL	1.000	EA
CONCRETE SIDEWALK(4" UNIFORM)	88.000	SY
DETECTABLE WARNING MATERIAL	210.000	SF
CONCRETE MEDIAN	436.000	SY
PEDESTRIAN RAMP CONSTRUCTION	160.000	SY



Call No.: 120 Letting Date: December 12, 2023 Letting Time: 02:00 PM Page: 1

SC File NO(S): 8866970 PCN: P042709 Project No.: P042709

DBE Goal Percent: 0.00%

Approx. Length (miles):NA

CO(S): STATEWIDE (multiple counties)

Description: ON-CALL STATEWIDE CABLE BARRIER REPAIR

Completion Date: 11/30/2025 Days

Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION (SEVERE DAMAGE TO GUARDRAIL)	800.000	EA
BONDS AND INSURANCE	1.000	LS
TRAFFIC CONTROL	1.000	LS
REMOVAL & DISPOSAL OF CABLE BARRIER END ANCHOR	2.000	EA
REM&REPL CABLE BAR. END ANCHOR	2.000	EA
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN FOR MAINT	115.000	EA
LANE CLOSURE-CABLE RAIL	150.000	EA
LEFT SHOULDER CLOSURE CABLE GUARDRAIL REPAIR OPERATIONS-INTERSTATE ROUTES	2,900.000	EA
CABLE BARRIER DELINEATOR - YELLOW	4,500.000	EA
RESET MEDIAN CABLE BARRIER	750.000	LF
CABLE BARRIER TENSIONING	3,100.000	EA
CABLE BARRIER POST	20,000.000	EA
CABLE SPLICE	90.000	EA
CABLE(AASHTO M 30)	13,500.000	LF
CABLE BARRIER ROUND BEND HOOK BOLT	15,300.000	EA
CABLE BARRIER END ANCHOR(MAINTENANCE)	2.000	EA
RESET CABLE BARRIER END ANCHOR	2.000	EA
REPAIR OF CABLE BARRIER END ANCHOR	1,200.000	EA

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways. The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator

REVISED 60 DAY AD

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS For January 09, 2024

Letting Location:
SCDOT Headquarters Building
Conference Room 331
955 Park Street, Columbia, SC

Electronic Bids for the contracts listed herein will be publicly opened. All bid totals will be printed and posted on the SCDOT web site, Bid Express, and the Construction Extranet.

The following items will be made available on December 12, 2023 unless otherwise noted:

- EBS (Electronic Bidding System) files via Bid Express website (www.bidx.com)
- Construction Standards can be found under Business via SCDOT web site (www.scdot.org)

Access the Construction Extranet (<https://www.scdot.org/business/constructionletting-extranet.aspx>) for the following items:

- Proposals
- Plans
- Announcements
- Bids as Received
- CPM Schedule Templates
- Contractor Discussin Board

Contractors are encouraged to utilize the Discussion Board to make contact with other Prime and Subcontractors to request/offer quotes. There is no charge to access this site, but you must register for a user name and password.

Certain projects will require bidders to have a minimum quarterly CPS (Contractor Performance Score) issued by SCDOT. These projects will be noted accordingly to include the minimum score and quarter issued. Contractors wishing to verify their CPS may call SCDOT Construction Data Support at (803)737-2031.

Hardcopy plans and proposals are available via Engineering Publications:

- o Printed upon request only, call ahead for pickup orders
- o Located in room G23 SCDOT Headquarters
- o Email PlanStorage@scdot.org /Phone (803)737-4533/ Fax (803)737-4530
- o Proposals are \$15 and Plans are \$1 per sheet
- o Cash, check, money order, VISA/MC accepted payable to SCDOT (No refunds)
- o Planholders list is not maintained by SCDOT
- o Contractors do not have to buy plans to be able to bid

Visitors are welcome and should sign in at the Park Street entrance. Please contact the Contract Administration Office at (803)737-1750 with all Letting related questions.

This project has a list of qualified contractors for the In Contract Utility - SECTION 105: PUBLIC UTILITY RELOCATION (see list below). **REVISION - SCDOT's Division of Minority & Small Business Affairs and the Director of Construction will hold a "non-mandatory" virtual pre-bid meeting to be held December 5, 2023 at 2pm. Interested individuals can email LinnGS@scdot.org for details. Registration and login information to be provided by November 28, 2023.**



South Carolina Department of Transportation

11/8/2023

Call No.: 010 Letting Date: January 09, 2024 Letting Time: 2:00 P.M. Page: 1

SC File NO(S): 8865760 PCN: P040014 Project No.: P040014
 DBE Goal Percent: 7.50%
 Approx. Length (miles): 20.8080 Description: I-26 CORRIDOR IMPROVEMENT FROM EXIT 125 TO EXIT 136
 CO(S): Calhoun Lexington
 Completion Date: 9/30/2027 Funding: FED

ITEMS OF WORK INCLUDE THE FOLLOWING:

Description	Quantity	Units
MOBILIZATION	1.000	LS
MOBILIZATION - SUBCONTRACTOR	1.000	LS
BONDS AND INSURANCE	1.000	LS
CONSTRUCTION STAKES, LINES & GRADES	1.000	EA
UTILITY STAKING	1.000	LS
SMALL PUBLIC WATER RELOCATION NO. ____ 001	1.000	EA
TRAFFIC CONTROL	1.000	LS
LAW ENFORCEMENT OFFICER (DPS)	1,000.000	HR
TEMPORARY SHORING	25,591.900	SF
CPM PROGRESS SCHEDULE	1.000	LS
CLEARING & GRUBBING WITHIN RIGHT OF WAY	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CATCH BASIN	1.000	EA
REMOVAL & DISPOSAL OF EXISTING DROP INLET	174.000	EA
REMOVAL & DISPOSAL OF EXISTING MANHOLE	3.000	EA
REMOVAL & DISPOSAL OF EXISTING ASPHALT PAVEMENT	211,388.000	SY
REMOVAL OF EXIST. GUARDRAIL	34,643.000	LF
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING BRIDGE	1.000	LS
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 002	1.000	EA
REMOVAL & DISPOSAL OF EXISTING CULVERT(____)'X(____) 003	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)'X(____) 001	1.000	EA
REMOVAL & DISPOSAL OF EXISTING TRIPLE CULVERT(____)'X(____) 004	1.000	EA
REMOVAL & DISPOSAL OF EXISTING QUADRUPLE CULVERT(____)' X(____) 002	1.000	EA
CULVERT EXTENSION PREPARATION	3.000	EA
UNCLASSIFIED EXCAVATION	1,010,112.000	CY
BORROW EXCAVATION	1,597,175.000	CY
BORROW PIT SET-UP	1.000	LS
MUCK EXCAVATION	178,000.000	CY
18" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	5,044.000	LF
24" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,003.000	LF



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 2

Description	Quantity	Units
30" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	1,595.000	LF
36" DIAMETER PIPE ADDITIONAL FOUNDATION WORK	11.000	LF
GEOTEXTILE, SEPARATION	9,150.000	SY
GEOGRID STABILIZATION	6,400.000	SY
STRUCTURE EXCAVATION FOR CULVERTS	20,935.000	CY
STRUCTURE EXCAVATION FOR RETAINING WALL	18,115.000	CY
DEWATERING SYSTEM NO. 001	1.000	LS
DEWATERING SYSTEM NO. 002	1.000	LS
DEWATERING SYSTEM NO. 003	1.000	LS
DEWATERING SYSTEM NO. 004	1.000	LS
DEWATERING SYSTEM NO. 005	1.000	LS
DEWATERING SYSTEM NO. 006	1.000	LS
WET & DRY EXCAVATION FOR BRIDGES	757.000	CY
TEMPORARY SHORING WALL	3,253.900	LF
NO. 57 STONE FOR BACKFILL	11,135.000	TON
STONE BRIDGE LIFT MATERIAL	3,300.000	TON
GRANULAR BRIDGE LIFT MATERIAL	5,271.000	CY
OVERHAUL	423,384.474	CYHM
FINE GRADING	598,678.000	SY
FLOWABLE FILL	1,989.910	CY
MAINTENANCE STONE	570.000	TON
HOT MIX ASPHALT BASE COURSE - TYPE B	278,295.202	TON
HMA SHOULDER WIDENING COURSE	300.000	TON
PRIME COAT	14,525.895	GAL
LIQUID ASPHALT BINDER PG64-22	24,573.588	TON
LIQUID ASPHALT BINDER PG76-22	6,006.557	TON
MILLING EXISTING ASPHALT PAVEMENT 2.0"	3,952.646	SY
MILLING EXISTING ASPHALT PAVEMENT (VARIABLE)	5,784.791	SY
MILLED-IN RUMBLE STRIP	41.000	MI
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE A	71,752.092	TON
HOT MIX ASPHALT INTERMEDIATE COURSE TYPE B	102,854.240	TON
STONE MATRIX ASPHALT SURFACE COURSE - 9.5 MM	96,870.273	TON
HOT MIX ASPHALT SURFACE COURSE TYPE B	2,873.970	TON
HOT MIX ASPHALT SURFACE COURSE TYPE C	1,200.644	TON
HOT MIX ASPHALT SURFACE COURSE TYPE D	4,005.753	TON
HOT MIX ASPHALT SURFACE COURSE TYPE E	38,347.810	TON
TEMPORARY CONSTRUCTION SIGNS (BARRICADE MOUNTED)	2,540.000	SF
PERMANENT CONSTRUCTION SIGNS (GROUND MOUNTED)	7,681.000	SF
DETOUR SIGNS	2,245.000	SF
PORTABLE TERMINAL IMPACT ATTENUATOR-TEST LEVEL 3(70MPH)	20.000	EA
ANCHOR KIT - PORT. ATTENUATOR(TEST LEVEL 3) 70MPH	18.000	EA
TEMPORARY CONCRETE BARRIER	127,450.000	LF



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 3

Description	Quantity	Units
THRIE BEAM G.R.BRIDGE CONN.(SUPPLEMENTAL TO TEMPORARY CONCRE	9.000	EA
2.0" SCHEDULE 80 PVC CONDUIT	7,228.600	LF
CONSTRUCTION ZONE ELECTRIC CHANGEABLE MESSAGE SIGN (TRAILER	17.000	EA
TEMPORARY GLARE SCREENS FOR TRAFFIC CONTROL	127,450.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 4" WHITE BROKEN LINES	66.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.BROKEN PREF.	124.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC) 6" WHITE BROKEN LINES	67,210.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-4"WHITE SOLID LINE	33,669.000	LF
PAVEMENT MARKING(TEMP.-THERMOPLASTIC)4" YELLOW SOLID LINES	53,794.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE 4"WH.SOLID PREF.	1,124.000	LF
PREF.FLEX.WET RETRO.PVMT.MARK(T-2)TEMP.REMOVABLE4"YEL.SOLID PREF.	2,262.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-6"WHITE SOLID LINE	271,552.000	LF
PAVEMENT MARKINGS(TEMP-THERMOPLASTIC)-6" YELLOW SOLID LINES	272,249.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)12"WHITE SOLID LINE	6,407.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)24"WHITE SOLID LINE	577.000	LF
PAVEMENT MARKING(TEMPORARY-THERMOPLASTIC)-WHITE SINGLE ARROW	16.000	EA
TEMPORARY CLEAR PAVEMENT MARKERS MONO-DIR.- 4"X4"	16,190.000	EA
TEMPORARY YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	2,546.000	EA
4" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	311.000	LF
6" WHITE BROKEN LINES(GAPS EXCL.)THERMOPLASTIC- 90 MIL.	65,621.000	LF
4" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	53,315.000	LF
6" WHITE SOLID LINES (PVT. EDGE LINES) THERMO.- 90 MIL.	146,000.000	LF
12" WHITE SOLID LINES - THERMO. - 125 MIL.	3,436.000	LF
24" WHITE SOLID LINES (STOP/DIAG LINES)-THERMO.-125 MIL	1,698.000	LF
WHITE SINGLE ARROWS (LT, STRGHT, RT) THERMO.-125 MIL.	9.000	EA
WHITE WORD MESSAGE "ONLY" -THERMOPLASTIC - 125 MIL.	9.000	EA
WHITE LANE DROP ARROW(LT.OR RT.)THERMO-125MIL	3.000	EA
4" YELLOW BROKEN LINES(GAPS EXC)THERMOPLASTIC - 90 MIL.	242.000	LF
4" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	58,207.000	LF
6" YELLOW SOLID LINES(PVT.EDGE LINES) THERMO-90 MIL.	140,872.000	LF
6"YELLOW SOLID LINES ON CURB/MED.-HIGH BUILD PAINT-25 MIL.	654.000	LF
PERMANENT CLEAR PAVEMENT MARKERS- MONO-DIR.- 4"X4"	6,454.000	EA
PERMANENT YELLOW PAVEMENT MARKERS BI-DIR.- 4"X4"	1,134.000	EA
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.60MIL6"WH.BROKEN	1,444.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"WH.SOLID	2,853.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"WH.SOLID	722.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)4"YEL.SOL.	2,988.000	LF
PREF.FLEX.RETRO.PVMT.MARK(T-1)PERM.(60MIL)6"YEL.SOL.	722.000	LF
FLAT SHEET, TYPE III, FIXED SZ. & MSG. SIGN	1,373.630	SF
FLAT SHEET, TYPE III, SIZE DETERMINED BY MSG	394.920	SF
FLAT SHEET, TYPE XI, SIZE DETERMINED BY MSG, OVERHEAD	141.260	SF
EXTRUDED PANEL SIGNS - GROUND MOUNTED EXTRUDED	611.000	SF



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 4

Description	Quantity	Units
EXTRUDED PANEL SIGNS- MOUNTED OVERHEAD	1,002.000	SF
RELOCATION OF OVERHEAD SIGN NO.(____) ON STRUCT. NO.(____) 011	1.000	EA
REMOVAL OF OVERHEAD SIGN NO.(____)ON STRUC.NO.(____) 012	1.000	EA
U-SECTION POST FOR SIGN SUPPORTS - 2P	306.000	LF
U-SECTION POST FOR SIGN SUPPORTS - 3P	2,194.000	LF
U-SECTION POST FOR SIGN BRACING - 2P	528.000	LF
BREAK-AWAY SIGN SUPPORTS	11,919.000	LB
4" X 6" TREATED WOOD POST	32.000	LF
REMOVAL OF I-BEAM SUPPORTS	64.000	EA
REMOVAL OF WOOD POST	4.000	EA
DELINEATORS, SINGLE, MONO., INCL. SUPPORTS	163.000	EA
FLEXIBLE DELINEATOR POST, 4"X12", TYPE 4 SHEETING REFLECTOR	2.000	EA
DELINEATORS, DOUBLE, MONO., INCL. SUPPORTS	45.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-02	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-03	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-04	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-05	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-06	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-07	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-08	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-09	1.000	EA
OVERHEAD SIGN STRUCTURE NO.(____) OH-10	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) 2A	1.000	EA
REMOVAL OF OVERHEAD SIGN STRUCTURE NO.(____) DMS-11	1.000	EA
BARRICADE - PERMANENT WITH TYPE III SHEETING	24.000	LF
FURNISH & INSTALL 2.0" SCHEDULE 80 PVC CONDUIT	50.000	LF
2" SCHEDULE 80 HDPE CONDUIT	300.000	LF
16 IN. ABOVE GROUND UTILITY MARKER	6.000	EA
ELECTRICAL SERVICE FOR ITS - IN EXCESS OF 50FT.	2.000	EA
17"X30"X28"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	4.000	EA
30"X48"X30"D.ELEC.FLUSH UNDGRD.ENCLOSURE-(STR.POLY.CONC.)HD	2.000	EA
VARIABLE MESSAGE SIGN (PERMANENT WITH STRUCTURE)	2.000	EA
INSTALL ITS CABINET - BASE MOUNTED	2.000	EA
WORK ZONE ITS	1.000	LS
CONC. FOR STRUCTURES - CLASS 4000	5,856.000	CY
CONC. FOR STRUCTURES - CLASS 4000(CULVERT)	199.600	CY
SPALL REPAIR	113.000	SF
GROOVED SURFACE FINISH	9,373.000	SY
SOIL NAILING WALL WITH CONCRETE FACE	41,564.130	SF
REINF. STEEL FOR STRUCTURES (ROADWAY)	18,651.000	LB
REINF. STEEL FOR STRUCTURES (BRIDGE)	1,300,590.000	LB
HOOP REINFORCING STEEL FOR STRUCTURES (BRIDGE)	11,114.000	LB



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 5

Description	Quantity	Units
PRESTRESSED CONC. BEAM (TYPE II)	2,205.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(54"MOD.)	813.700	LF
P.S.CONC.BULB TEE BEAM(63")MODIFIED	6,222.000	LF
PRESTRESSED CONCRETE BULB TEE BEAM(72" MODIFIED)	1,441.700	LF
42" MASH CONCRETE BARRIER PARAPET/RAILING WALL	3,586.700	LF
56" CONCRETE MEDIAN BARRIER (TL-5)-BRIDGE 003	361.000	LF
PILE DRIVING SET-UP	285.000	EA
PREST. CONC. PILING (24"SQ.)	1,520.000	LF
PRESTRESSED PILE POINT (HP12X53)	798.000	LF
STEEL H BEARING PILING (HP14 X 89)	12,019.000	LF
STEEL H BEARING PILING (HP14 X 117)	2,108.000	LF
PREFABRICATED CONCRETE MODULAR WALL	20,850.000	SF
MECH. STAB.EARTH RETAINING WALL BACKFILL(STONE)	20,630.000	CY
MECHANICALLY STABILIZED EARTH RETAINING WALL(PANEL FACING) B	24,302.000	SF
COPING FOR MSE RETAINING WALL(BRIDGE)	1,795.000	LF
14"X 23" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	220.000	LF
19"X 30" HORIZONTAL ELLIPTICAL(HE) RC PIPE CUL.-CLASS HE-III	84.000	LF
18" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,670.000	LF
24" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	3,246.000	LF
30" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	1,516.000	LF
36" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	541.000	LF
42" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	490.000	LF
48" REINFORCED CONCRETE PIPE (CLASS V SPECIAL)TRENCHLESS	597.000	LF
18" SMOOTH WALL PIPE	36,434.000	LF
24" SMOOTH WALL PIPE	5,724.000	LF
30" SMOOTH WALL PIPE	2,529.000	LF
36" SMOOTH WALL PIPE	1,938.000	LF
42" SMOOTH WALL PIPE	820.000	LF
48" SMOOTH WALL PIPE	84.000	LF
54" SMOOTH WALL PIPE	380.000	LF
18" SMOOTH WALL PIPE 45 DEG BEND	2.000	EA
CLEANING EXISTING PIPE	500.000	LF
CATCH BASIN -TYPE 9	1.220	EA
CATCH BASIN TYPE 25 - SINGLE 4' X 6' BOX	29.000	EA
CATCH BASIN TYPE 25 - DOUBLE 4' X 8' BOX	70.000	EA
CATCH BASIN TYPE 25 - DOUBLE RETROFIT	50.000	EA
DROP INLET (24" X 36")	7.000	EA
DROP INLET TYPE 112	95.000	EA
MANHOLE	42.000	EA
36" X 36" JUNCTION BOX	35.000	EA
48" X 48" JUNCTION BOX	10.000	EA
60" X 60" JUNCTION BOX	3.000	EA



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 6

Description	Quantity	Units
PRECAST CONCRETE RISER - 48" DIAMETER	51.200	LF
PRECAST CONCRETE RISER - 60" DIAMETER	1.500	LF
PRECAST CONCRETE RISER - 72" DIAMETER	1.500	LF
PRECAST CONCRETE DRAINAGE BASE - 48"	11.000	EA
PRECAST CONCRETE DRAINAGE BASE - 60" DIAMETER	2.000	EA
PRECAST CONCRETE DRAINAGE BASE - 72" DIAMETER	3.000	EA
EXTRA DEPTH OF BOX	85.130	LF
CONCRETE COLLAR FOR UP TO 24" PIPE	24.000	EA
CONCRETE COLLAR FOR UP TO 36" PIPE	6.000	EA
ADJUST CATCH BASIN	4.000	EA
JUNCTION BOX - CONVERT DROP INLET 24" X 36"	7.000	EA
DROP INLET (24" X 36") - CONVERT JUNCTION BOX	1.000	EA
BEVELING OF PIPE END	33.000	EA
CONCRETE CURB AND GUTTER(2'-0") VERTICAL FACE	731.500	LF
CONCRETE MEDIAN	1,059.000	SY
DECK JOINT STRIP SEAL	134.100	LF
ELASTOMERIC BEARING	224.000	EA
AGGREGATE UNDERDRAIN(AGG#789)WITH 4"PERF.PIPE FOR STRUC	2,401.000	TON
RIP-RAP (CLASS A)	3,164.000	TON
RIP-RAP (CLASS B)	7,034.000	TON
RIP-RAP (CLASS C)	2,196.000	TON
SLOPE PROTECTION-4" CONCRETE(FIBER REINFORCED)	3,965.000	SY
GEOTEXTILE FOR EROSION CONTROL UNDER RIPRAP(CLASS 2)TYPE B	15,185.000	SY
PREMASH W-BEAM STRONG POST SYSTEM WSP3	3,487.500	LF
MT3 LEADING END TREATMENT TL3	57.000	EA
MT2 LEADING END TREATMENT TL2	4.000	EA
MB TRAILING END TREATMENT	32.000	EA
MGS3 GR STANDARD SHOULDER	48,787.500	LF
PREMASH TRAILING W-BEAM TYPE B 12.5'	3.000	EA
PREMASH THRIEBEAM BRIDGE CONN TBBC3	6.000	EA
MTBBC3 MASH THRIE-BEAM BARRIER CONNECTOR TL3	22.000	EA
MTBBC2 MASH THRIE-BEAM BARRIER CONNECTOR TL2	4.000	EA
FLUME INLET AT GUARDRAIL (HANDWORK)	14.000	EA
PREMASH W-BEAM TIGHT CURVED SYSTEM	242.150	LF
PREMASH W-BEAM MEDIUM SHOP BENT SYSTEM	162.500	LF
PREMASH TYPE T TL2 LEADING 25FT	2.000	EA
PREMASH TYPE T TL3 LEADING 50'	3.000	EA
2' CRASH CUSHION 3A	4.000	EA
36SS REINFORCED BARRIER WALL	14,000.000	LF
46SS REINFORCED BARRIER WALL	33,831.000	LF
56SS REINFORCED BARRIER WALL	12,080.000	LF
RIGID VF BURIED MOMENT SLAB SHOULDER APPLICATION	2,052.200	LF



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 7

Description	Quantity	Units
56ZOI VF BARRIER MEDIAN SYSTEM	933.000	LF
FRENCH DRAIN AND WEEP SYSTEM	2,002.000	LF
WOVEN WIRE FENCE - TYPE 6 WITH 2 STRANDS BARBED	24,111.000	LF
72" CHAIN LINK FENCE 72" CHAIN-LINK FENCE	37,551.000	LF
TEMPORARY BARRIER FENCE (ORANGE)	9,115.000	LF
RESET CHAIN-LINK FENCE	14,000.000	LF
MOVING ITEM NO. 001	1.000	LS
MOVING ITEM NO. 002	1.000	LS
MOVING ITEM NO. 003	1.000	LS
MOVING ITEM NO. 004	1.000	LS
MOVING ITEM NO. 005	1.000	LS
MOVING ITEM NO. 006	1.000	LS
MOVING ITEM NO. 007	1.000	LS
MOVING ITEM NO. 008	1.000	LS
MOVING ITEM NO. 009	1.000	LS
MOVING ITEM NO. 010	1.000	LS
MOVING ITEM NO. 011	1.000	LS
MOVING ITEM NO. 012	1.000	LS
MOVING ITEM NO. 013	1.000	LS
MOVING ITEM NO. 014	1.000	LS
MOVING ITEM NO. 015	1.000	LS
MOVING ITEM NO. 016	1.000	LS
RIGHT OF WAY MARKER(REINFORCED CONCRETE)	209.000	EA
RIGHT OF WAY MARKER(REBAR AND CAP)	163.000	EA
RIGHT OF WAY PLAT	1.000	LS
PERMANENT COVER	307.420	ACRE
TEMPORARY COVER	153.760	ACRE
FERTILIZER (NITROGEN)	30,742.000	LB
FERTILIZER (PHOSPHORIC ACID)	30,742.000	LB
FERTILIZER (POTASH)	30,742.000	LB
AGRICULTURAL GRANULAR LIME	614,840.000	LB
SELECTIVE WATERING	271,500.000	GAL
MOWING	1,072.000	ACRE
WATERPROOFING (SECOND METHOD)	152.700	SY
WATERPROOFING (SUBSTRUCTURE-SECOND METHOD)	861.000	SY
TURF REINFORCEMENT MATTING (TRM) TYPE 1	25.343	MSY
TURF REINFORCEMENT MATTING (TRM) TYPE 2	0.180	MSY
TEMPORARY EROSION CONTROL BLANKET (ECB)	324.314	MSY
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 1	590.910	ACRE
HYDRAULIC EROSION CONTROL PRODUCT (HECP) - TYPE 3	197.300	ACRE
HYDR.EROS.CONTRL.PROD.(HECP) - TYPE 1 AS TRACER UNDER TRM	137.790	ACRE
INLET STRUCTURE FILTER - TYPE F (WEIGHTED)	690.000	LF



Call No.: 010

Letting Date: January 09, 2024

Letting Time: 2:00 P.M.

Page: 8

Description	Quantity	Units
SEDIMENT TUBES FOR DITCH CHECKS	27,139.000	LF
SILT FENCE	94,268.000	LF
REPLACE/REPAIR SILT FENCE	9,426.600	LF
CLEANING SILT BASINS	17,057.000	CY
POROUS BAFFLE	1.000	LF
FLOATING SKIMMER	1.000	EA
REMOVAL OF SILT RETAINED BY SILT FENCE	23,567.000	LF
INLET FILTER CLEANING	333.000	EA
TEMPORARY DIVERSION DIKE	21,697.000	LF
INLET STRUCTURE FILTER - TYPE D1	104.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D1	156.000	EA
INLET STRUCTURE FILTER - TYPE B	6.000	EA
INLET STRUCTURE FILTER - TYPE D2	18.000	EA
FILTER MATERIAL FOR INLET STRUCTURE FILTER - TYPE D2	54.000	EA
AGGREGATE NO.5 OR 57 FOR EROSION CONTROL	180.000	TON
STABILIZED CONSTRUCTION ENTRANCE	21,225.000	SY
TEMPORARY FLEXIBLE PIPE SLOPE DRAIN - 8"	7,494.000	LF
TEMPORARY 30"X24"SEDIMENT CONTROL STRUCTURE	1.000	EA
AGGREGATE DIAPHRAGM	10.000	CY
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=13'	14.000	LF
4'X6' P.C. BOX CULVERT {ASTM C1577} FH=9'	56.000	LF
6'X6' P.C. BOX CULVERT {ASTM C1577} FH=10'	263.000	LF
7'X7' P.C. BOX CULVERT {ASTM C1577} FH=6'	30.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=21'	642.000	LF
12'X12' P.C. BOX CULVERT {ASTM C1577} FH=34'	265.000	LF
VARIABLE HEIGHT REIN CONC BARRIER	4,951.000	LF
BAT EXCLUSION DEVICE	16.000	SF
ON-THE-JOB TRAINEE (ROADWAY)	24,440.000	HR
ON-THE-JOB TRAINEE (BRIDGE)	6,240.000	HR

CALHOUN COUNTY
WATER SYSTEM RELOCATIONS
INTERSTATE 26 – MM 125-137

SCDOT Project No. P040014

HPG File No. 22055

Date: March 21, 2023

Preferred Contractors:

1. Barwick Plumbing Co., LLC
15 E Clark Street
Pinewood, South Carolina 29125
(803) 452-5755
Contact: Adam Barwick

2. CBG Inc.
500 State Road 424
Gaston, South Carolina 29053
(803) 791-8457
Contact: Kyle Godley

3. Lake Murray Utilities
1300 Peace Haven Road
Post Office Box 1089
Chapin, South Carolina 29036
(803) 730-7652
Contact: Jennings Parker

Notice is hereby given that in addition to the Standard Specifications for Highway Construction, Edition of 2007, the "Supplemental Specifications", and the "Project Special Provisions", the following govern SCDOT Highway Lettings:

STATUTES, CODES, AND REGULATIONS. The Federal-Aid Projects embraced in this advertisement contemplates the expenditure of funds pursuant to Title 23, United States Code, "Highways.

The Contractor's attention is called to the fact that the SC Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78) Sta. 252 and the Regulations of the Federal Highway Administration (15 C.F.R., Part 8), issued pursuant to such act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for award. All bidders on Federal Aid Projects must comply with the Instructions to Bidders and Special Provision covering Disadvantaged and Women Business Enterprise (DBE/WBE) included as a part of the proposal.

Attention is directed to the Fair Labor Standards Act of 1938, as amended. Contractors will be responsible for carrying out all of the provisions of this Act, which may affect these contracts. Attention is also called to the fact that any Federal Aid Project or Projects included in this notice will be subject to the Work Hours and Safety Act of 1962 as amended, PL 87-581, PL 91-54 and implementing regulations.

PREQUALIFICATION. The Contractor's attention is called to the requirements of the SC Department of Transportation for Prequalification. **ONLY CONTRACTORS WHO HAVE BEEN ISSUED A PREQUALIFICATION CERTIFICATE BY THE SC DEPARTMENT OF TRANSPORTATION WILL BE ALLOWED TO SUBMIT BIDS.** Information concerning prequalification can be obtained at the Contracts Administration office, Room 332 in the Headquarters building, 955 Park Street, Columbia, SC, or by contacting Maria Devito at (803)737-2043 or Prequal@scdot.org.

BID BONDS FOR SCDOT WORK. Unless otherwise indicated in the advertisement, no proposal will be considered unless accompanied by a bid bond in the amount of 5% of the APPROXIMATE BID AMOUNT, written by a SURETY satisfactory to the Department, properly executed in South Carolina Department of Transportation Form 674 (furnished by the Department in each proposal). If an electronic bond is utilized, the Bond ID number must be provided on the Surety 2000 or Tinubu (SurePath) Network electronic bond form. **NO OTHER FORM OF PROPOSAL GUARANTY WILL BE ACCEPTED.**

SUBMISSION OF BID BONDS. Bid Bonds may be submitted electronically, by US mail, express delivery service or hand-delivered. Bid Bonds not submitted electronically must be submitted in advance of the bid opening.

- 1. BID BONDS SUBMITTED BY US MAIL OR EXPRESS DELIVERY SERVICE.** Sealed bid bonds submitted by US mail or express delivery service shall be enclosed in sealed envelope or container with Contractor Name and "Bid Bond for SC File No. _____", and enclosed in an outer, sealed envelope or container addressed to Contract Administrator, SCDOT, PO Box 365, Columbia, SC 29202-0365, or 955 Park Street, Columbia, South Carolina, 29201. Bid bonds submitted by US mail or express delivery service must be received by the Contract Administrator, or designee, prior to the time and date for opening of proposals indicated in the beginning of this Notice. The department will not be responsible for delays in the US mail or express delivery service.
- 2. BID BONDS HAND DELIVERED.** Bid bonds that are hand delivered shall be enclosed in a sealed envelope marked with Contractor Name and "Bid Bond for SC File No. _____", and must be delivered directly to the Contract Administrator or designee prior to the time and date for opening of proposals indicated in the beginning of this Notice.

IRREGULAR ELECTRONIC BIDS. Electronic bids may be declared irregular for any of the following reasons:

1. In the schedule of Prices,
 - (a) alteration of a part of bid item except for the unit price; or
 - (b) failure to enter a bid item unit price; or
 - (c) a bid item unit price is not in the proper form or is incomplete.
2. In the DBE Folder, when a project has a DBE goal, in the DBE's subcontractors information, work items, unit prices, or the other required information has not been entered in the proper form fields or is incomplete.
3. In the PROPOSAL FORM,
 - (a) the box at the end of the form indicating acknowledgement and acceptance of the conditions set forth in the form is not checked.
4. In the Bid Bond section of the PROPOSAL FORM, the required information for appropriate form fields is not furnished.
5. A properly executed Bid Bond is not furnished in accordance with the selected manner of submission.

TIME OF THE LETTING. The Contract Administrator, or designee, at the site of the letting shall be the sole judge of determining the local time and the arrival of the designated time for the opening and reading of the bids.

THE SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION RESERVES THE RIGHT TO REJECT ANY OR ALL PROPOSALS AND WAIVE ANY TECHNICALITIES.

MINIMUM WAGE RATES FOR FAP CONTRACTS HAVE BEEN PREDETERMINED BY THE SECRETARY OF LABOR IN ACCORDANCE WITH THE TERMS OF THE DAVIS BACON ACT AS AMENDED AND THE FEDERAL HIGHWAY ACT OF 1956, AND LATER ACTS, AND THESE RATES WILL BE SET FORTH IN THE PROPOSAL FORM. THIS CONTRACT IS ALSO SUBJECT TO THE WORK HOURS AND SAFETY ACT OF 1962 AS AMENDED, PL 87-581, PL 91-54, AND IMPLEMENTING REGULATIONS.

CONTRACTORS ATTENTION IS ALSO CALLED TO THE FEDERAL REQUIREMENTS GOVERNING SPECIFIC EQUAL EMPLOYMENT OPPORTUNITY RESPONSIBILITIES, WHICH WILL BE INCLUDED IN THIS CONTRACT.

Information in this notice is the latest available at the time of its publication. The information contained in the proposals, plans, and any addenda issued shall govern over this notice. Quantities shown herein are approximate for information only and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

Issued by:

Jennifer Taylor
Contract Administrator